Tasks To Be Performed:

1. Create a sample HTML file
2. Use the Dockerfile from the previous task
3. Replace this sample HTML file inside the Docker container with the default page

```
ubuntu@ip-172-31-85-54:~/folder1$ sudo nano index.html
ubuntu@ip-172-31-85-54:~/folder1$ sudo cat index.html
hi everybody
i have customized my default apache2 page in my assignment5
Learning docker is much interesting.
ubuntu@ip-172-31-85-54:~/folder1$ sudo nano Dockerfile
ubuntu@ip-172-31-85-54:~/folder1$ sudo docker build . -t newimage8
Sending build context to Docker daemon  3.072kB
Step 1/5 : FROM ubuntu
 ---> 5a81c4b8502e
Step 2/5 : RUN apt-get update
 ---> Using cache
 ---> e534170d20b5
Step 3/5 : RUN apt-get install apache2 -y
 ---> Using cache
 ---> 3a4d947f2a78
Step 4/5 : COPY index.html /var/www/html
 ---> c116f1341cf2
Step 5/5 : ENTRYPOINT apachectl -D FOREGROUND
 ---> Running in 8e4dec484b74
Removing intermediate container 8e4dec484b74
 ---> a29f3dd61517
Successfully built a29f3dd61517
Successfully tagged newimage8:latest
ubuntu@ip-172-31-85-54:~/folder1$ sudo docker images
REPOSITORY            TAG       IMAGE ID       CREATED          SIZE
newimage8             latest    a29f3dd61517   18 seconds ago   228MB
image7                latest    b7e237b40d77   43 minutes ago   228MB
shanbhai7/dockerimage2 latest   2cbf210ab7be   2 hours ago      228MB
ubuntu                latest    5a81c4b8502e   5 weeks ago      77.8MB
ubuntu@ip-172-31-85-54:~/folder1$ sudo docker run -itd -p 86:80 newimage8
```

aws Services Q Search   [Alt+S]   N. Virginia ▼   Shanawaz Khan ▼

```
hi everybody
i have customized my default apache2 page in my assignment5
Learning docker is much interesting.
ubuntu@ip-172-31-85-54:~/folder1$ sudo nano Dockerfile
ubuntu@ip-172-31-85-54:~/folder1$ sudo docker build . -t newimage8
Sending build context to Docker daemon  3.072kB
Step 1/5 : FROM ubuntu
 ---> 5a81c4b8502e
Step 2/5 : RUN apt-get update
 ---> Using cache
 ---> e534170d20b5
Step 3/5 : RUN apt-get install apache2 -y
 ---> Using cache
 ---> 3a4d947f2a78
Step 4/5 : COPY index.html /var/www/html
 ---> c116f1341cf2
Step 5/5 : ENTRYPOINT apachectl -D FOREGROUND
 ---> Running in 8e4dec484b74
Removing intermediate container 8e4dec484b74
 ---> a29f3dd61517
Successfully built a29f3dd61517
Successfully tagged newimage8:latest
ubuntu@ip-172-31-85-54:~/folder1$ sudo docker images
REPOSITORY              TAG        IMAGE ID        CREATED          SIZE
newimage8               latest     a29f3dd61517    18 seconds ago   228MB
image7                  latest     b7e237b40d77    43 minutes ago   228MB
shanbhai7/dockerimage2  latest     2cbf210ab7be    2 hours ago      228MB
ubuntu                  latest     5a81c4b8502e    5 weeks ago      77.8MB
ubuntu@ip-172-31-85-54:~/folder1$ sudo docker run -itd -p 86:80 newimage8
90dcb50034d2a832592052d14672590ccc86e4ca63176fbc408af3e3d385f95f
ubuntu@ip-172-31-85-54:~/folder1$
```

← → C ⚠ Not secure | 3.88.19.241:86

hi everybody i have customized my default apache2 page in my assignment5 Learning docker is much interesting.