

Cucumber Report

Nov 6, 2023, 12:49:41 PM

Start : Nov 06, 12:49:15.669 PM

End : Nov 06, 12:49:40.265 PM

Duration : 24.596 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 4
FAILED - 1
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>loging into hrm application</u>	24.596 s	1	0	1	0	5	4	1	0

#	Feature Name	Scenario Name
1	<u>loging into hrm application</u>	<u>loging using valid creds</u>





#	Feature Name	T	P	F	S	Duration
1	<u>loging into hrm application</u>	1	0	1	0	24.596 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>loging into hrm application</u>	<u>loging using valid creds</u>	5	4	1	0	24.592 s

logging into hrm application

FAILED	DURATION - 24.596 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 4 Fail - 1 Skip - 0	
/ 12:49:15.669 PM // 12:49:40.265 PM /					

logging using valid creds

<div><div>FAILED</div><div>DURATION - 24.592 s</div></div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 12:49:15.673 PM // 12:49:40.265 PM /				
logging into hrm application				

#	Step / Hook Details	Status	Duration
1	Given user on homepage	PASSED	5.000 s
2	When user enter id	PASSED	0.452 s
3	And enters pass	PASSED	0.076 s
4	And click login	PASSED	1.334 s
5	Then navigates to homepage org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h6[@class='oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-module']"} (Session info: MicrosoftEdge=119.0.2151.44) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [baceb94166ecb7e4ecb638b1d5faee75, findElement {using=xpath, value=//h6[@class='oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-module']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.44, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:53179}, msedge: {msedgedriverVersion: 119.0.2151.44 (44557a29097a..., userDataDir: C:\Users\sdaniel\AppData\Lo..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:53179/devtoo..., se.cdpVersion: 119.0.2151.44, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: baceb94166ecb7e4ecb638b1d5faee75 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)	FAILED	10.032 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.getText(Unknown Source) at bddOWN.HomepageOhrmActions.dashboardTxt(HomepageOhrmActions.java:14) at bddOWN.StepDefOhrm.navigates_to_homepage(StepDefOhrm.java:37) at ?.navigates to homepage(file:///C:/Users/sdaniel/Selenium/bddOWN/src/test/resources/loginOHRM.feature:8) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - bddOWN.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	1.000 s
	loging using valid creds		
	