

# Cucumber Report

Nov 21, 2023, 3:44:29 PM

Start : Nov 21, 3:41:44.989 PM

End : Nov 21, 3:44:20.271 PM

Duration : 2 m 35.282 s

Features


Scenarios

Steps

PASSED - 3  
FAILED - 3  
SKIPPED - 0

PASSED - 3  
FAILED - 3  
SKIPPED - 0


PASSED - 29  
FAILED - 3  
SKIPPED - 12




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Editing a mobile number</u>	17.577 s	1	0	1	0	7	1	1	5
<u>To get information about ThomasCook</u>	27.506 s	1	1	0	0	7	7	0	0
<u>user is in cruise page in thomascook page</u>	35.481 s	1	1	0	0	8	8	0	0
<u>Customer user to search flight in Thomascook page</u>	22.699 s	1	0	1	0	8	5	1	2
<u>User Selects a Holiday category</u>	33.614 s	1	0	1	0	8	2	1	5
<u>User use to login the Thomascook Login page</u>	18.235 s	1	1	0	0	6	6	0	0

#	Feature Name	Scenario Name
1	<u>Editing a mobile number</u>	<u>User edits their mobile number</u>
2	<u>Customer user to search flight in Thomascook page</u>	<u>customer wants to book the flight</u>
3	<u>User Selects a Holiday category</u>	<u>User selects a Europe Tour packages</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidScenario	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Editing a mobile number</u>	1	0	1	0	17.577 s
2	<u>To get information about ThomasCook</u>	1	1	0	0	27.506 s
3	<u>user is in cruise page in thomascook page</u>	1	1	0	0	35.481 s
4	<u>Customer user to search flight in Thomascook page</u>	1	0	1	0	22.699 s
5	<u>User Selects a Holiday category</u>	1	0	1	0	33.614 s
6	<u>User use to login the Thomascook Login page</u>	1	1	0	0	18.235 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Editing a mobile number</u>	<u>User edits their mobile number</u>	7	1	1	5	17.550 s
2	<u>To get information about ThomasCook</u>	<u>User wants to know about ThomasCook Website</u>	7	7	0	0	27.506 s
3	<u>user is in cruise page in thomascook page</u>	<u>user used to search cruise</u>	8	8	0	0	35.481 s
4	<u>Customer user to search flight in Thomascook page</u>	<u>customer wants to book the flight</u>	8	5	1	2	22.699 s
5	<u>User Selects a Holiday category</u>	<u>User selects a Europe Tour packages</u>	8	2	1	5	33.614 s
6	<u>User use to login the Thomascook Login page</u>	<u>user navigates to the ThomasCook Loginpage</u>	6	6	0	0	18.235 s


## Editing a mobile number

<b>FAILED</b>	<b>DURATION - 17.577 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	
/ 3:41:44.989 PM // 3:42:02.566 PM /					



## User edits their mobile number

<div>FAILED</div> <div>DURATION - 17.550 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 3:41:45.016 PM // 3:42:02.566 PM /</div>				
<div>Editing a mobile number</div>				



#	Step / Hook Details	Status	Duration
1	Given USER IS on Thomascook Website	PASSED	9.007 s
2	When the user click on my account java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source) at com.actions.mobileUpdateAction.clickOnMyAccount(mobileUpdateAction.java:17) at com.stepDefinitions.mobileUpdateStepDefinition.the_user_click_on_my_account(mobileUpdateStepDefinition.java:30) at ?.the user click on my account(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/MobileUpdate.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.068 s
3	And the user click an View My account	SKIPPED	0.001 s
4	And the user click a edit button	SKIPPED	0.000 s
5	And the user changes a mobile number	SKIPPED	0.000 s
6	And user click a save button	SKIPPED	0.001 s
7	Then changes successfull message is displayed	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	2.494 s
	User edits their mobile number		
			

## To get information about ThomasCook

PASSED	DURATION - 27.506 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 3:42:02.691 PM // 3:42:30.197 PM /					



## User wants to know about ThomasCook Website

PASSED	DURATION - 27.506 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 3:42:02.691 PM // 3:42:30.197 PM /				
To get information about ThomasCook				



#	Step / Hook Details	Status	Duration
1	Given USER IS ON THOMASCOOK WEBPAGE	PASSED	4.930 s
2	When user clicks on about us	PASSED	3.912 s
3	And the user gets the information about Thomascook	PASSED	0.118 s
4	When the user clicks on policies	PASSED	12.635 s
5	And the user gets the priacy policy information	PASSED	0.103 s
6	When the user clicks on board of directors	PASSED	5.724 s
7	Then the user get board directors information	PASSED	0.079 s



**user is in cruise page in thomascook page**



<b>PASSED</b>	DURATION - 35.481 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 3:42:30.206 PM // 3:43:05.687 PM /					

**user used to search cruise**



<div>PASSED</div>	<div>DURATION - 35.481 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:42:30.206 PM // 3:43:05.687 PM /</div>				
<div>user is in cruise page in thomascook page</div>				

#	Step / Hook Details	Status	Duration
1	Given user is in the ThomasCOOK page	PASSED	7.710 s
2	When user clicks the cruise button	PASSED	1.348 s
3	And user selects the value from dropdown	PASSED	11.702 s
4	And user clicks on the search button	PASSED	0.322 s
5	And user gets search results for the search	PASSED	1.446 s
6	Then user clicks on modify button	PASSED	0.640 s
7	And user clicks on modify search to change date and departure city	PASSED	11.641 s
8	Then user recieve the modified search	PASSED	0.667 s

**Customer user to search flight in Thomascook page**

<b>FAILED</b>	DURATION - 22.699 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 5 Fail - 1 Skip - 2	
/ 3:43:05.700 PM // 3:43:28.399 PM /					



### customer wants to book the flight

<div>FAILED</div> <div>DURATION - 22.699 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 3:43:05.700 PM // 3:43:28.399 PM /</div>			
<div>Customer user to search flight in Thomascook page</div>			

#	Step / Hook Details	Status	Duration
1	Given customer is on thomascook page.	PASSED	7.728 s
2	When The user clicks on the Flights	PASSED	0.799 s
3	When user clicks on the Oneway trip	PASSED	1.809 s
4	When user gives the from location	PASSED	6.883 s
5	When user gives the to location	PASSED	0.082 s
6	When user clicks the date	FAILED	5.081 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='form-control departCal hasDatepicker']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception</a> Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6f84e0770e298306547c4101525b9f6a, findElement {using=xpath, value="//input[@class='form-control departCal hasDatepicker']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\KMURAL~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\gcmh...), goog:chromeOptions: {debuggerAddress: localhost:55947}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55947/devtools, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6f84e0770e298306547c4101525b9f6a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		


#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source) at com.actions.flightActions.clickDate(flightActions.java:57) at com.stepDefinitions.flightStepdefinition.user_clicks_the_date(flightStepdefinition.java:49) at ?.user clicks the date(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/flight.feature:10) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
7	When user selects the date from calendar	SKIPPED	0.000 s
8	Then user clicks on the Search flight button	SKIPPED	0.000 s
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.310 s
	customer wants to book the flight		
			

## User Selects a Holiday category



<b>FAILED</b> / 3:43:28.406 PM // 3:44:02.020 PM /	DURATION - 33.614 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 2 Fail - 1 Skip - 5	

<div> <div> <div>FAILED</div> <div>DURATION - 33.614 s</div> </div> <div> <div>/ 3:43:28.406 PM // 3:44:02.020 PM /</div> <div>User Selects a Holiday category</div> </div> </div>	<table border="1"> <caption>Bar Chart Data</caption> <thead> <tr> <th>Category</th> <th>Frequency</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5</td> </tr> <tr> <td>2</td> <td>1</td> </tr> <tr> <td>3</td> <td>25</td> </tr> <tr> <td>4</td> <td>0</td> </tr> <tr> <td>5</td> <td>0</td> </tr> <tr> <td>6</td> <td>0</td> </tr> <tr> <td>7</td> <td>0</td> </tr> <tr> <td>8</td> <td>0</td> </tr> </tbody> </table>	Category	Frequency	1	5	2	1	3	25	4	0	5	0	6	0	7	0	8	0	<div> <div>Steps</div> <div>Total - 8</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 5</div> </div>	<table border="1"> <caption>Donut Chart Data</caption> <thead> <tr> <th>Step Type</th> <th>Count</th> <th>Percentage</th> </tr> </thead> <tbody> <tr> <td>Pass</td> <td>2</td> <td>25%</td> </tr> <tr> <td>Fail</td> <td>1</td> <td>12.5%</td> </tr> <tr> <td>Skip</td> <td>5</td> <td>62.5%</td> </tr> <tr> <td><b>Total</b></td> <td><b>8</b></td> <td><b>100%</b></td> </tr> </tbody> </table>	Step Type	Count	Percentage	Pass	2	25%	Fail	1	12.5%	Skip	5	62.5%	<b>Total</b>	<b>8</b>	<b>100%</b>
Category	Frequency																																			
1	5																																			
2	1																																			
3	25																																			
4	0																																			
5	0																																			
6	0																																			
7	0																																			
8	0																																			
Step Type	Count	Percentage																																		
Pass	2	25%																																		
Fail	1	12.5%																																		
Skip	5	62.5%																																		
<b>Total</b>	<b>8</b>	<b>100%</b>																																		



#	Step / Hook Details	Status	Duration
1	Given I want to select a Holiday category	PASSED	5.313 s
2	When the user select a Europe Tour package	PASSED	0.528 s
3	And the user select a departure city as chennai  org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows (6f84e0770e298306547c4101525b9f6a)] -> xpath: //div[@class='filtered departuretteype']//child::p[@class='hidden-xs']] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\KMURAL~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:55947}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55947/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6f84e0770e298306547c4101525b9f6a at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.actions.holidayPageActions.setDeparture(holidayPageActions.java:36) at com.stepDefinitions.holidayStepDefinition.the_user_select_a_departure_city_as_chennai(holidayStepDefinition.java:29) at ?.the user select a departure city as chennai(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/holiday.feature:7) * Not displayable characters are replaced by '?'. 	FAILED	26.219 s
4	And the user select a month of travel as feb	SKIPPED	0.000 s
5	And the user select a duration of travel less than 7 nights	SKIPPED	0.000 s
6	And the user select a package type without a flight	SKIPPED	0.001 s
7	And the user select theme with a family	SKIPPED	0.000 s
8	Then the user select the city Marvel Of Georgia	SKIPPED	0.000 s
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	1.549 s
	User selects a Europe Tour packages		

#	Step / Hook Details	Status	Duration
			

### User use to login the Thomascook Login page

<b>PASSED</b>	DURATION - 18.235 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 3:44:02.036 PM // 3:44:20.271 PM /					

### user navigates to the ThomasCook Loginpage

<b>PASSED</b>	DURATION - 18.235 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 3:44:02.036 PM // 3:44:20.271 PM /				
User use to login the Thomascook Login page				
@ValidScenario				

#	Step / Hook Details	Status	Duration
1	Given user is in the Thomascook page from Login	PASSED	4.799 s
2	When user clicks the login button on top right corner of homepage.	PASSED	0.482 s
3	When Again user clicks login button shows in drop down.	PASSED	0.130 s
4	And user enters the valid email id in popup which shown	PASSED	0.415 s
5	And user enters the valid password.	PASSED	0.203 s
6	Then Finally user clicks the loginbutton and user in homepage Logged in	PASSED	12.201 s