# Cucumber Report

| Start : Nov 20, 1:03:49.948 PM | End : Nov 20, 1:04:30.757 PM | Duration : 40.809 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0 <br> FAILED - 1 <br> SKIPPED - 0 | PASSED - 0 <br> FAILED - 1 <br> SKIPPED - 0 | PASSED - 7 <br> FAILED - 1 <br> SKIPPED - 0 |

Features: 1

Scenarios: 1

Steps: 8

Pass %: 0 %

Pass %: 0 %

Pass %: 87 %

| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| **Name** | **Duration** | **T** | **P** | **F** | **S** | **T** | **P** | **F** | **S** |
| *Customer user to search flight in Thomascook page* | *40.809 s* | *1* | *0* | *1* | *0* | *8* | *7* | *1* | *0* |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | *Customer user to search flight in Thomascook page* | *cusomer wants to book the flight* |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Customer user to search flight in Thomascook page | 1 | 0 | 1 | 0 | 40.809 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Customer user to search flight in Thomascook page | cusomer wants to book the flight | 8 | 7 | 1 | 0 | 40.805 s |

## **Customer user to search flight in Thomascook page**

| FAILED | DURATION - 40.809 s | | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | | Steps<br>Total - 8<br>Pass - 7<br>Fail - 1<br>Skip - 0 | |
|---|---|---|---|---|---|---|
| / 1:03:49.948 PM // 1:04:30.757 PM / | | | | | | |

### **cusomer wants to book the flight**

| FAILED | DURATION - 40.805 s | | Steps<br>Total - 8<br>Pass - 7<br>Fail - 1<br>Skip - 0 | |
|---|---|---|---|---|
| / 1:03:49.952 PM // 1:04:30.757 PM / | | | | |
| *Customer user to search flight in Thomascook page* | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given customer is on thomascook page. | PASSED | 10.033 s |
| 2 | When The user clicks on the Flights | PASSED | 0.121 s |
| 3 | When user clicks on the Oneway trip | PASSED | 3.678 s |
| 4 | When user gives the from location | PASSED | 3.185 s |
| 5 | When user gives the to location | PASSED | 0.056 s |
| 6 | When user clicks the date | PASSED | 3.294 s |
| 7 | When user selects the date from calendar | PASSED | 0.066 s |
| 8 | Then user clicks on the Search flight button | FAILED | 16.087 s |
| | java.lang.AssertionError: expected [Flight Detail] but found [Flights Detail]<br>    at org.testng.Assert.fail(Assert.java:111)<br>    at org.testng.Assert.failNotEquals(Assert.java:1578)<br>    at org.testng.Assert.assertEqualsImpl(Assert.java:150)<br>    at org.testng.Assert.assertEquals(Assert.java:132)<br>    at org.testng.Assert.assertEquals(Assert.java:656)<br>    at org.testng.Assert.assertEquals(Assert.java:666)<br>    at com.actions.flightActions.ShowDetails(flightActions.java:67) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | <span style="color:red">at com.stepDefinitions.flightStepdefinition.user_clicks_on_the_search_flight_button(flightStepdefinition.java:59)</span><br><span style="color:red">at ?.user clicks on the Search flight button(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/flight.feature:12)</span><br><span style="color:red">* Not displayable characters are replaced by '?'.</span> | | |
| | AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)<br><span style="color:green">cusomer wants to book the flight</span><br> | <span style="color:green">PASSED</span> | 0.896 s |