

Cucumber Report

Nov 20, 2023, 11:36:16 AM

Start : Nov 20, 11:29:19.580 AM

End : Nov 20, 11:36:10.188 AM

Duration : 6 m 50.608 s

Features


Scenarios

Steps

PASSED - 4
FAILED - 2
SKIPPED - 0

PASSED - 4
FAILED - 2
SKIPPED - 0


PASSED - 33
FAILED - 2
SKIPPED - 9




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Editing a mobile number</u>	59.240 s	1	0	1	0	7	2	1	4
<u>To get information about ThomasCook</u>	1 m 48.991 s	1	1	0	0	7	7	0	0
<u>user is in cruise page in thomascook page</u>	1 m 25.106 s	1	1	0	0	8	8	0	0
<u>Customer user to search flight in Thomascook page</u>	32.013 s	1	1	0	0	8	8	0	0
<u>User Selects a Holiday category</u>	1 m 2.065 s	1	0	1	0	8	2	1	5
<u>User use to login the Thomascook Login page</u>	1 m 3.098 s	1	1	0	0	6	6	0	0

#	Feature Name	Scenario Name
1	<u>Editing a mobile number</u>	<u>User edits their mobile number</u>
2	<u>User Selects a Holiday category</u>	<u>User selects a Europe Tour packages</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidScenario	1	1	0	0	1	1	0	0





#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>Editing a mobile number</u>	1	0	1	0	59.240 s
2	<u>To get information about ThomasCook</u>	1	1	0	0	1 m 48.991 s
3	<u>user is in cruise page in thomascook page</u>	1	1	0	0	1 m 25.106 s
4	<u>Customer user to search flight in Thomascook page</u>	1	1	0	0	32.013 s
5	<u>User Selects a Holiday category</u>	1	0	1	0	1 m 2.065 s
6	<u>User use to login the Thomascook Login page</u>	1	1	0	0	1 m 3.098 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Editing a mobile number</u>	<u>User edits their mobile number</u>	7	2	1	4	59.235 s
2	<u>To get information about ThomasCook</u>	<u>User wants to know about ThomasCook Website</u>	7	7	0	0	1 m 48.991 s
3	<u>user is in cruise page in thomascook page</u>	<u>user used to search cruise</u>	8	8	0	0	1 m 25.106 s
4	<u>Customer user to search flight in Thomascook page</u>	<u>cusomer wants to book the flight</u>	8	8	0	0	32.013 s
5	<u>User Selects a Holiday category</u>	<u>User selects a Europe Tour packages</u>	8	2	1	5	1 m 2.065 s
6	<u>User use to login the Thomascook Login page</u>	<u>user navigates to the ThomasCook Loginpage</u>	6	6	0	0	1 m 3.098 s

Editing a mobile number

FAILED	DURATION - 59.240 s	Scenarios		Steps	
/ 11:29:19.580 AM // 11:30:18.820 AM /		Total - 1		Total - 7	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	



User edits their mobile number

<div><div>FAILED</div><div>DURATION - 59.235 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 7</div><div>Pass - 2</div><div>Fail - 1</div><div>Skip - 4</div></div>	<div></div>
/ 11:29:19.585 AM // 11:30:18.820 AM /				
Editing a mobile number				


#	Step / Hook Details	Status	Duration
1	Given USER IS on Thomascook Website	PASSED	46.509 s
2	When the user click on my account	PASSED	0.232 s
3	And the user click an View My account	FAILED	0.541 s
	<p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: MicrosoftEdge=119.0.2151.58) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [e509667bdfe8357aad87a5aaa186d59b, clickElement {id=51A3D24C0AB9789D6A6A42FA10262D0B_element_97}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:63591}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\KMURAL~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63591/devtoo..., se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: msedge on windows (e509667bdfe8357aad87a5aaa186d59b)] -> xpath: //button[@id='viewAccount']] Session ID: e509667bdfe8357aad87a5aaa186d59b</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source) at com.actions.mobileUpdateAction.clickOnViewMyAccount(mobileUpdateAction.java:21) at com.stepDefinitions.mobileUpdateStepDefinition.the_user_click_an_view_my_account(mobileUpdateStepDefinition.java:32) at ?.the user click an View My account(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/MobileUpdate.feature:5) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
4	And the user click a edit button	SKIPPED	0.001 s
5	And the user changes a mobile number	SKIPPED	0.000 s
6	And user click a save button	SKIPPED	0.000 s
7	Then changes successfull message is dispalyed	SKIPPED	0.000 s
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	6.080 s
	User edits their mobile number		

To get information about ThomasCook


PASSED	DURATION - 1 m 48.991 s	Scenarios		Steps	
/ 11:30:18.869 AM // 11:32:07.860 AM /		Total - 1		Total - 7	
		Pass - 1		Pass - 7	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

User wants to know about ThomasCook Website




#	Step / Hook Details	Status	Duration
1	Given USER IS ON THOMASCOOK WEBPAGE	PASSED	34.993 s
2	When user clicks on about us	PASSED	20.624 s
3	And the user gets the information about Thomascook	PASSED	0.215 s
4	When the user clicks on policies	PASSED	14.001 s
5	And the user gets the priacy policy information	PASSED	0.062 s
6	When the user clicks on board of directors	PASSED	5.518 s
7	Then the user get board directors information	PASSED	0.054 s

user is in cruise page in thomascook page




user used to search cruise




#	Step / Hook Details	Status	Duration
1	Given user is in the ThomasCOOK page	PASSED	19.452 s
2	When user clicks the cruise button	PASSED	6.799 s
3	And user selects the value from dropdown	PASSED	13.140 s
4	And user clicks on the search button	PASSED	4.065 s
5	And user gets search results for the search	PASSED	0.519 s
6	Then user clicks on modify button	PASSED	0.711 s
7	And user clicks on modify search to change date and departure city	PASSED	22.718 s
8	Then user recieve the modified search	PASSED	0.547 s

Customer user to search flight in Thomascook page




customer wants to book the flight





#	Step / Hook Details	Status	Duration
1	Given customer is on thomascook page.	PASSED	9.346 s
2	When The user clicks on the Flights	PASSED	0.126 s
3	When user clicks on the Oneway trip	PASSED	8.143 s
4	When user gives the from location	PASSED	3.638 s
5	When user gives the to location	PASSED	0.061 s
6	When user clicks the date	PASSED	3.477 s
7	When user selects the date from calendar	PASSED	0.076 s
8	Then user clicks on the Search flight button	PASSED	3.379 s

User Selects a Holiday category




User selects a Europe Tour packages



<div>FAILED</div>	<div>DURATION - 1 m 2.065 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 11:34:05.004 AM // 11:35:07.069 AM /</div>				
<div>User Selects a Holiday category</div>				

#	Step / Hook Details	Status	Duration
1	Given I want to select a Holiday category	PASSED	28.037 s
2	When the user select a Europe Tour package	PASSED	0.461 s
3	And the user select a departure city as chennai	FAILED	30.563 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //div[@class='filtered departuretype']/child::p[@class='hidden-xs']' (tried for 20 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)</p> <p>at com.actions.holidayPageActions.setDeparture(holidayPageActions.java:36)</p> <p>at com.stepDefinitions.holidayStepDefinition.the_user_select_a_departure_city_as_chennai(holidayStepDefinition.java:27)</p> <p>at ?.the user select a departure city as chennai(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/holiday.feature:7)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:</p> <p>{"method":"xpath","selector":"//div[@class='filtered departuretype']/child::p[@class='hidden-xs']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [17b733a9cc64b4f97f800b05b1929020, findElement {using=xpath, value=//div[@class='filtered departuretype']/child::p[@class='hidden-xs']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\KMURAL~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\chrome\chromeOptions: {debuggerAddress: localhost:64380}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:64380/devtools, se.cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 17b733a9cc64b4f97f800b05b1929020</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</p>		



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.actions.holidayPageActions.setDeparture(holidayPageActions.java:36) at com.stepDefinitions.holidayStepDefinition.the_user_select_a_departure_city_as_chennai(holidayStepDefinition.java:27) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
4	And the user select a month of travel as feb	SKIPPED	0.000 s
5	And the user select a duration of travel less than 7 nights	SKIPPED	0.000 s
6	And the user select a package type without a flight	SKIPPED	0.000 s
7	And the user select theme with a family	SKIPPED	0.001 s
8	Then the user select the city Marvel Of Georgia	SKIPPED	0.000 s
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.586 s
	User selects a Europe Tour packages		
			

User use to login the Thomascook Login page

PASSED	DURATION - 1 m 3.098 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 11:35:07.090 AM // 11:36:10.188 AM /					

user navigates to the ThomasCook Loginpage

PASSED	DURATION - 1 m 3.098 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 11:35:07.090 AM // 11:36:10.188 AM /				
User use to login the Thomascook Login page				
@ValidScenario				

#	Step / Hook Details	Status	Duration
1	Given user is in the Thomascook page from Login	PASSED	46.352 s
2	When user clicks the login button on top right corner of homepage.	PASSED	0.138 s
3	When Again user clicks login button shows in drop down.	PASSED	0.068 s
4	And user enters the valid email id in popup which shown	PASSED	0.591 s
5	And user enters the valid password.	PASSED	0.078 s
6	Then Finally user clicks the loginbutton and user in homepage of Registered user	PASSED	11.276 s