

Cucumber Report

Nov 20, 2023, 10:26:50 AM

Start : Nov 20, 10:24:13.681 AM

End : Nov 20, 10:26:49.400 AM

Duration : 2 m 35.719 s

Features


Scenarios

Steps

PASSED - 2
FAILED - 2
SKIPPED - 0

PASSED - 2
FAILED - 2
SKIPPED - 0


PASSED - 20
FAILED - 2
SKIPPED - 7




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Editing a mobile number</u>	18.481 s	1	0	1	0	7	1	1	5
<u>Customer user to search flight in Thomascook page</u>	53.804 s	1	0	1	0	8	5	1	2
<u>User Selects a Holiday category</u>	1 m 10.526 s	1	1	0	0	8	8	0	0
<u>User use to login the Thomascook Login page</u>	12.866 s	1	1	0	0	6	6	0	0

#	Feature Name	Scenario Name
1	<u>Editing a mobile number</u>	<u>User edits their mobile number</u>
2	<u>Customer user to search flight in Thomascook page</u>	<u>customer wants to book the flight</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidScenario	1	1	0	0	1	1	0	0





#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>Editing a mobile number</u>	1	0	1	0	18.481 s
2	<u>Customer user to search flight in Thomascook page</u>	1	0	1	0	53.804 s
3	<u>User Selects a Holiday category</u>	1	1	0	0	1 m 10.526 s
4	<u>User use to login the Thomascook Login page</u>	1	1	0	0	12.866 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Editing a mobile number</u>	<u>User edits their mobile number</u>	7	1	1	5	18.474 s
2	<u>Customer user to search flight in Thomascook page</u>	<u>customer wants to book the flight</u>	8	5	1	2	53.803 s
3	<u>User Selects a Holiday category</u>	<u>User selects a Europe Tour packages</u>	8	8	0	0	1 m 10.526 s
4	<u>User use to login the Thomascook Login page</u>	<u>user navigates to the ThomasCook Loginpage</u>	6	6	0	0	12.866 s

Editing a mobile number

FAILED	DURATION - 18.481 s	Scenarios		Steps	
/ 10:24:13.681 AM // 10:24:32.162 AM /		Total - 1		Total - 7	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	



User edits their mobile number

<div><div>FAILED</div><div>DURATION - 18.474 s</div></div>		<div><table><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>0</td></tr><tr><td>3</td><td>0</td></tr><tr><td>4</td><td>0</td></tr><tr><td>5</td><td>0</td></tr><tr><td>6</td><td>0</td></tr><tr><td>7</td><td>0</td></tr></tbody></table></div>	Step	Count	1	1	2	0	3	0	4	0	5	0	6	0	7	0	<div><div>Steps</div><div>Total - 7</div><div>Pass - 1</div><div>Fail - 1</div><div>Skip - 5</div></div> <div></div>
Step	Count																		
1	1																		
2	0																		
3	0																		
4	0																		
5	0																		
6	0																		
7	0																		
/ 10:24:13.688 AM // 10:24:32.162 AM /																			
Editing a mobile number																			

#	Step / Hook Details	Status	Duration
1	Given USER IS on Thomascook Website	PASSED	14.766 s
2	When the user click on my account	FAILED	0.033 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='loginRegisterDropdown']"} (Session info: MicrosoftEdge=119.0.2151.58) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [ad3d9b8e583dd46742fca0a5ff8e5b33, findElement {using=xpath, value=//a[@id='loginRegisterDropdown']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:55863}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\KMURAL~1\AppData\L..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55863/devtoo..., se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ad3d9b8e583dd46742fca0a5ff8e5b33</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source) at com.actions.mobileUpdateAction.clickOnMyAccount(mobileUpdateAction.java:17) at com.stepDefinitions.mobileUpdateStepDefinition.the_user_click_on_my_account(mobileUpdateStepDefinition.java:27) at ?.the user click on my account(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/MobileUpdate.feature:4) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
3	And the user click an View My account	SKIPPED	0.001 s
4	And the user click a edit button	SKIPPED	0.000 s
5	And the user changes a mobile number	SKIPPED	0.001 s
6	And user click a save button	SKIPPED	0.000 s
7	Then changes successfull message is dispalyed	SKIPPED	0.001 s
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.380 s
	User edits their mobile number		


Customer user to search flight in Thomascook page

FAILED	DURATION - 53.804 s	Scenarios		Steps	
/ 10:24:32.181 AM // 10:25:25.985 AM /		Total - 1		Total - 8	
		Pass - 0		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	



customer wants to book the flight

<div>FAILED</div> <div>DURATION - 53.803 s</div>		<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>20.980</td></tr><tr><td>2</td><td>0.124</td></tr><tr><td>3</td><td>2.331</td></tr><tr><td>4</td><td>4.751</td></tr><tr><td>5</td><td>0.065</td></tr><tr><td>6</td><td>18.281</td></tr></tbody></table>	Step	Duration (s)	1	20.980	2	0.124	3	2.331	4	4.751	5	0.065	6	18.281	<div>Steps</div> <div>Total - 8</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 2</div> <div></div>
Step	Duration (s)																
1	20.980																
2	0.124																
3	2.331																
4	4.751																
5	0.065																
6	18.281																
/ 10:24:32.182 AM // 10:25:25.985 AM /																	
Customer user to search flight in Thomascook page																	


#	Step / Hook Details	Status	Duration
1	Given customer is on thomascok page.	PASSED	20.980 s
2	When The user clicks on the Flights	PASSED	0.124 s
3	When user clicks on the Oneway trip	PASSED	2.331 s
4	When user gives the from location	PASSED	4.751 s
5	When user gives the to location	PASSED	0.065 s
6	When user clicks the date	FAILED	18.281 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='form-control departCal hasDatepicker']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [56bc7e998290f1cc829382ac5d6138e8, findElement {using=xpath, value=//input[@class='form-control departCal hasDatepicker']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\KMURAL~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:55909}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:55909/devtoo..., se.cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 56bc7e998290f1cc829382ac5d6138e8 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source) at com.actions.flightActions.clickDate(flightActions.java:54) at com.stepDefinitions.flightStepdefinition.user_clicks_the_date(flightStepdefinition.java:48) at ?.user clicks the date(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/flight.feature:10) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
7	When user selects the date from calendar	SKIPPED	0.001 s
8	Then user clicks on the Search flight button	SKIPPED	0.000 s
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	5.774 s
	cusomer wants to book the flight		
			

User Selects a Holiday category


PASSED	DURATION - 1 m 10.526 s	Scenarios		Steps	
/ 10:25:25.995 AM // 10:26:36.521 AM /		Total - 1		Total - 8	
		Pass - 1		Pass - 8	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

User selects a Europe Tour packages




#	Step / Hook Details	Status	Duration
1	Given I want to select a Holiday category	PASSED	29.674 s
2	When the user select a Europe Tour package	PASSED	15.859 s
3	And the user select a departure city as chennai	PASSED	5.208 s
4	And the user select a month of travel as feb	PASSED	8.326 s
5	And the user select a duration of travel less than 7 nights	PASSED	1.344 s
6	And the user select a package type without a flight	PASSED	2.397 s
7	And the user select theme with a family	PASSED	3.140 s
8	Then the user select the city Marvel Of Georgia	PASSED	0.995 s

User use to login the Thomascook Login page



user navigates to the ThomasCook Loginpage



#	Step / Hook Details	Status	Duration
1	Given user is in the Thomascook page from Login	PASSED	8.728 s
2	When user clicks the login button on top right corner of homepage.	PASSED	0.327 s
3	When Again user clicks login button shows in drop down.	PASSED	0.149 s
4	And user enters the valid email id in popup which shown	PASSED	0.593 s
5	And user enters the valid password.	PASSED	0.130 s
6	Then Finally user clicks the loginbutton and user in homepage of Registered user	PASSED	0.532 s