**Duration**: 5.876 s Start: Nov 18, 10:46:36.130 AM End: Nov 18, 10:46:42.006 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 5 6 40 50 60 40 50 60 40 50 60 Pass % 70 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

Feature			Scer	nario		Ste		e <b>p</b>	
Name	Duration	T	P	F	S	T	P	F	S
User use to login the Thomascook Login page	5.876 s	1	0	1	0	6	0	1	5

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	User use to login the Thomascook Login page	user navigates to the ThomasCook Loginpage


TAG		Scer	nario		Feature				
Name	T	P	F	S	T	P	F	S	
@ValidScenario	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	User use to login the Thomascook Login page	1	0	1	0	5.876 s

SCENARIOS SUMMARY -- 6 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User use to login the Thomascook Login page	user navigates to the ThomasCook Loginpage	6	0	1	5	5.872 s

DETAILED SECTION -- 7 --

## **User use to login the Thomascook Login page**

FAILED	DURATION - 5.876 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 10:46:36.130 AM //	10:46:42.006 AM /	Pass - 0	1	Pass - 0	6
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

## user navigates to the ThomasCook Loginpage



#	Step / Hook Details	Status	Duration
1	Given user is in the Thomascook page from Login	FAILED	2.378 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b27f6428dc167157573e1fbef642f5d7, get {url=https://www.thomascook.in}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.99 (386bc09e8f4f, userDataDir: C:\Users\KMURAL~1\AppData\L}}, goog:chromeOptions: {debuggerAddress: localhost:63753}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), sec.opc; ws://localhost:63753/devtoo, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b27f6428dc167157573e1fbef642f5d7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.etrice.DriverCommandExecutor.java:191)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at com.utility.BaseClass.openPage(BaseClass.java:28) at com.stepDefinitions.loginStepdefinition.user_is_in_the_thomascook_page_from_login(loginStepdefinition.java:22) at ?.user is in the Thomascook page from Login(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/login.feature:5) * Not displayable characters are replaced by '?'.		
2	When user clicks the login button on top right corner of homepage.	SKIPPED	0.001 s
3	When Again user clicks login button shows in drop down.	SKIPPED	0.000 s
4	And user enters the valid email id in popup which shown	SKIPPED	0.001 s
5	And user enters the valid password.	SKIPPED	0.000 s
6	Then Finally user clicks the loginbutton and user in homepage of Registered user	SKIPPED	0.001 s
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.572 s
	user navigates to the ThomasCook Loginpage		
	The the of the sandor of the s		