

# Cucumber Report

Nov 20, 2023, 10:18:32 AM

Start : Nov 20, 10:15:24.659 AM

End : Nov 20, 10:18:30.801 AM

Duration : 3 m 6.142 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 4  
SKIPPED - 0

PASSED - 0  
FAILED - 4  
SKIPPED - 0


PASSED - 13  
FAILED - 4  
SKIPPED - 12




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Editing a mobile number</u>	40.132 s	1	0	1	0	7	1	1	5
<u>Customer user to search flight in Thomascook page</u>	48.898 s	1	0	1	0	8	5	1	2
<u>User Selects a Holiday category</u>	1 m 33.921 s	1	0	1	0	8	7	1	0
<u>User use to login the Thomascook Login page</u>	3.149 s	1	0	1	0	6	0	1	5

#	Feature Name	Scenario Name
1	<u>Editing a mobile number</u>	<u>User edits their mobile number</u>
2	<u>Customer user to search flight in Thomascook page</u>	<u>customer wants to book the flight</u>
3	<u>User Selects a Holiday category</u>	<u>User selects a Europe Tour packages</u>
4	<u>User use to login the Thomascook Login page</u>	<u>user navigates to the ThomasCook Loginpage</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidScenario	1	0	1	0	1	0	1	0





#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>Editing a mobile number</u>	1	0	1	0	40.132 s
2	<u>Customer user to search flight in Thomascook page</u>	1	0	1	0	48.898 s
3	<u>User Selects a Holiday category</u>	1	0	1	0	1 m 33.921 s
4	<u>User use to login the Thomascook Login page</u>	1	0	1	0	3.149 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Editing a mobile number</u>	<u>User edits their mobile number</u>	7	1	1	5	40.126 s
2	<u>Customer user to search flight in Thomascook page</u>	<u>customer wants to book the flight</u>	8	5	1	2	48.898 s
3	<u>User Selects a Holiday category</u>	<u>User selects a Europe Tour packages</u>	8	7	1	0	1 m 33.921 s
4	<u>User use to login the Thomascook Login page</u>	<u>user navigates to the ThomasCook Loginpage</u>	6	0	1	5	3.149 s

## Editing a mobile number

<b>FAILED</b>	<b>DURATION - 40.132 s</b>	Scenarios		Steps	
/ 10:15:24.659 AM // 10:16:04.791 AM /		Total - 1		Total - 7	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	



## User edits their mobile number

<div><div>FAILED</div><div>DURATION - 40.126 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 7</div><div>Pass - 1</div><div>Fail - 1</div><div>Skip - 5</div></div>	<div></div>
/ 10:15:24.665 AM // 10:16:04.791 AM /				
Editing a mobile number				

#	Step / Hook Details	Status	Duration
1	Given USER IS on Thomascook Website	PASSED	35.593 s
2	When the user click on my account	FAILED	0.319 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='loginRegisterDropdown']"} (Session info: MicrosoftEdge=119.0.2151.58) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [b61793eec467b19add4ea78993b47961, findElement {using=xpath, value=//a[@id='loginRegisterDropdown']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:55583}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\KMURAL~1\AppData\L..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55583/devtoo..., se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b61793eec467b19add4ea78993b47961</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source) at com.actions.mobileUpdateAction.clickOnMyAccount(mobileUpdateAction.java:17) at com.stepDefinitions.mobileUpdateStepDefinition.the_user_click_on_my_account(mobileUpdateStepDefinition.java:27) at ?.the user click on my account(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/MobileUpdate.feature:4) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
3	And the user click an View My account	SKIPPED	0.001 s
4	And the user click a edit button	SKIPPED	0.000 s
5	And the user changes a mobile number	SKIPPED	0.000 s
6	And user click a save button	SKIPPED	0.000 s
7	Then changes successfull message is dispalyed	SKIPPED	0.000 s
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	1.265 s
	User edits their mobile number		

## Customer user to search flight in Thomascook page


FAILED	DURATION - 48.898 s	Scenarios		Steps	
/ 10:16:04.808 AM // 10:16:53.706 AM /		Total - 1		Total - 8	
		Pass - 0		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	





## customer wants to book the flight

<div>FAILED</div> <div>DURATION - 48.898 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 10:16:04.808 AM // 10:16:53.706 AM /				
Customer user to search flight in Thomascook page				



#	Step / Hook Details	Status	Duration
1	Given customer is on thomascok page.	PASSED	19.029 s
2	When The user clicks on the Flights	PASSED	0.136 s
3	When user clicks on the Oneway trip	PASSED	3.195 s
4	When user gives the from location	PASSED	4.120 s
5	When user gives the to location	PASSED	0.050 s
6	When user clicks the date	FAILED	3.069 s
	org.openqa.selenium.NoSuchFrameException: no such frame (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [823995aca4f5a7266de2162789f9b832, switchToFrame {id=0}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\KMURAL~1\AppData\Local\Google\Chrome\User Data\Default\Profiles\Profile 1\Extensions\chrome-extension_...}, goog:chromeOptions: {debuggerAddress: localhost:55670}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:55670/devtools, se.cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 823995aca4f5a7266de2162789f9b832 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.frame(RemoteWebDriver.java:1120) at com.actions.flightActions.closeAd(flightActions.java:45) at com.stepDefinitions.flightStepdefinition.user_clicks_the_date(flightStepdefinition.java:47)		

#	Step / Hook Details	Status	Duration
	at ?.user clicks the date(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/flight.feature:10) * Not displayable characters are replaced by '?'. 7 When user selects the date from calendar 8 Then user clicks on the Search flight button		
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario) cusomer wants to book the flight 	SKIPPED SKIPPED PASSED	0.001 s 0.000 s 15.968 s

### User Selects a Holiday category


FAILED	DURATION - 1 m 33.921 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 7 Fail - 1 Skip - 0	
/ 10:16:53.716 AM // 10:18:27.637 AM /					

### User selects a Europe Tour packages



FAILED	DURATION - 1 m 33.921 s		Steps Total - 8 Pass - 7 Fail - 1 Skip - 0	
/ 10:16:53.716 AM // 10:18:27.637 AM /				
User Selects a Holiday category				

#	Step / Hook Details	Status	Duration
1	Given I want to select a Holiday category	PASSED	35.201 s
2	When the user select a Europe Tour package	PASSED	1.261 s
3	And the user select a departure city as chennai	PASSED	21.799 s



#	Step / Hook Details	Status	Duration
4	And the user select a month of travel as feb	PASSED	11.474 s
5	And the user select a duration of travel less than 7 nights	PASSED	5.741 s
6	And the user select a package type without a flight	PASSED	8.219 s
7	And the user select theme with a family	PASSED	3.960 s
8	<p>Then the user select the city Marvel Of Georgia</p> <pre> org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/ errors#stale-element-reference-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [da5891157755c3be338f444b6d5f89a4, isElementDisplayed {id=D5825F7B925A872D421DDF58C1640B0D_element_285}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\KMURAL~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:55743}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55743/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (da5891157755c3be338f444b6d5f89a4)] -&gt; xpath: //div[@class='col-lg-9 col-md-9 col-sm-9']/child::a[@title='Marvels Of Georgia']] Session ID: da5891157755c3be338f444b6d5f89a4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:283) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy35.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.actions.holidayPageActions.setMarvel(holidayPageActions.java:69) at com.stepDefinitions.holidayStepDefinition.the_user_select_the_city_marvel_of_georgia(holidayStepDefinition.java:57) at ?.the user select the city Marvel Of Georgia(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/holiday. </pre>	FAILED	0.733 s

#	Step / Hook Details	Status	Duration
	feature:12) * Not displayable characters are replaced by '?'. AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)		
	User selects a Europe Tour packages 	PASSED	0.982 s

## User use to login the Thomascook Login page

FAILED	DURATION - 3.149 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 10:18:27.652 AM // 10:18:30.801 AM /					

## user navigates to the ThomasCook Loginpage

FAILED	DURATION - 3.149 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 10:18:27.652 AM // 10:18:30.801 AM /				
User use to login the Thomascook Login page				
@ValidScenario				

#	Step / Hook Details	Status	Duration
1	Given user is in the Thomascook page from Login java.lang.NullPointerException: Cannot read field "url" because "this.data" is null at com.stepDefinitions.loginStepdefinition.user_is_in_the_thomascook_page_from_login(loginStepdefinition.java:22) at ?.user is in the Thomascook page from Login(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/login.feature:5) * Not displayable characters are replaced by '?'. When user clicks the login button on top right corner of homepage.	FAILED	0.003 s
2		SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	When Again user clicks login button shows in drop down.	SKIPPED	0.000 s
4	And user enters the valid email id in popup which shown	SKIPPED	0.000 s
5	And user enters the valid password.	SKIPPED	0.000 s
6	Then Finally user clicks the loginbutton and user in homepage of Registered user	SKIPPED	0.000 s
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.590 s
	user navigates to the ThomasCook Loginpage		