

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Customer user to search flight in Thomascook page	44.622 s	1	0	1	0	8	5	1	2

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
-	Customer user to search flight in Thomascook page	cusomer wants to book the flight

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Customer user to search flight in Thomascook page	1	0	1	0	44.622 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Customer user to search flight in	cusomer wants to book the flight	8	5	1	2	44.618 s
	Thomascook page						

DETAILED SECTION -- 6 --

Customer user to search flight in Thomascook page



cusomer wants to book the flight



#	Step / Hook Details	Status	Duration
1	Given customer is on thomascook page.	PASSED	16.582 s
2	When The user clicks on the Flights	PASSED	0.101 s
3	When user clicks on the Oneway trip	PASSED	1.555 s
4	When user gives the from location	PASSED	5.774 s
5	When user gives the to location	PASSED	0.060 s
6	When user clicks the date	FAILED	17.255 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//input[@class='form-control departCal hasDatepicker"]"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [370d214dbcf017ffe6bd022d4eef308a, findElement {using=xpath, value=//input[@class='form-control departCal hasDatepicker"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\KMURAL~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:49154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49154/devtoo, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:virtualAuthenticators: true} Session ID: 370d214dbcf017ffe6bd022d4eef308a		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source)		
	at com.actions.flightActions.clickDate(flightActions.java:55)		
	at com.stepDefinitions.flightStepdefinition.user_clicks_the_date(flightStepdefinition.java:48)		
	at ?.user clicks the date(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/flight.feature:10)		
	* Not displayable characters are replaced by '?'.		
7	When user selects the date from calendar	SKIPPED	0.000 s
8	Then user clicks on the Search flight button	SKIPPED	0.000 s
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.265 s
	cusomer wants to book the flight		
	The first time. Comparison Comparison		