

Cucumber Report

Nov 21, 2023, 3:09:58 PM

Start : Nov 21, 3:07:41.551 PM

End : Nov 21, 3:09:52.634 PM

Duration : 2 m 11.083 s

Features



Scenarios

Steps

PASSED - 4
FAILED - 2
SKIPPED - 0

PASSED - 4
FAILED - 2
SKIPPED - 0


PASSED - 35
FAILED - 2
SKIPPED - 7




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Editing a mobile number</u>	18.059 s	1	0	1	0	7	1	1	5
<u>To get information about ThomasCook</u>	13.878 s	1	1	0	0	7	7	0	0
<u>user is in cruise page in thomascook page</u>	26.764 s	1	1	0	0	8	8	0	0
<u>Customer user to search flight in Thomascook page</u>	17.145 s	1	0	1	0	8	5	1	2
<u>User Selects a Holiday category</u>	40.364 s	1	1	0	0	8	8	0	0
<u>User use to login the Thomascook Login page</u>	14.756 s	1	1	0	0	6	6	0	0

#	Feature Name	Scenario Name
1	<u>Editing a mobile number</u>	<u>User edits their mobile number</u>
2	<u>Customer user to search flight in Thomascook page</u>	<u>customer wants to book the flight</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidScenario	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Editing a mobile number</u>	1	0	1	0	18.059 s
2	<u>To get information about ThomasCook</u>	1	1	0	0	13.878 s
3	<u>user is in cruise page in thomascok page</u>	1	1	0	0	26.764 s
4	<u>Customer user to search flight in Thomascook page</u>	1	0	1	0	17.145 s
5	<u>User Selects a Holiday category</u>	1	1	0	0	40.364 s
6	<u>User use to login the Thomascook Login page</u>	1	1	0	0	14.756 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Editing a mobile number</u>	<u>User edits their mobile number</u>	7	1	1	5	18.055 s
2	<u>To get information about ThomasCook</u>	<u>User wants to know about ThomasCook Website</u>	7	7	0	0	13.878 s
3	<u>user is in cruise page in thomascook page</u>	<u>user used to search cruise</u>	8	8	0	0	26.764 s
4	<u>Customer user to search flight in Thomascook page</u>	<u>customer wants to book the flight</u>	8	5	1	2	17.145 s
5	<u>User Selects a Holiday category</u>	<u>User selects a Europe Tour packages</u>	8	8	0	0	40.364 s
6	<u>User use to login the Thomascook Login page</u>	<u>user navigates to the ThomasCook Loginpage</u>	6	6	0	0	14.755 s


Editing a mobile number

FAILED	DURATION - 18.059 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	
/ 3:07:41.551 PM // 3:07:59.610 PM /					



User edits their mobile number

<div><div>FAILED</div><div>DURATION - 18.055 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 3:07:41.555 PM // 3:07:59.610 PM /				
Editing a mobile number				



#	Step / Hook Details	Status	Duration
1	Given USER IS on Thomascook Website	PASSED	7.716 s
2	When the user click on my account java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source) at com.actions.mobileUpdateAction.clickOnMyAccount(mobileUpdateAction.java:17) at com.stepDefinitions.mobileUpdateStepDefinition.the_user_click_on_my_account(mobileUpdateStepDefinition.java:30) at ?.the user click on my account(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/MobileUpdate.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.004 s
3	And the user click an View My account	SKIPPED	0.001 s
4	And the user click a edit button	SKIPPED	0.000 s
5	And the user changes a mobile number	SKIPPED	0.000 s
6	And user click a save button	SKIPPED	0.001 s
7	Then changes successfull message is displayed	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	1.613 s
	User edits their mobile number		
			

To get information about ThomasCook



PASSED	DURATION - 13.878 s	Scenarios		Steps	
/ 3:07:59.684 PM // 3:08:13.562 PM /		Total - 1		Total - 7	
		Pass - 1		Pass - 7	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

User wants to know about ThomasCook Website



PASSED	DURATION - 13.878 s		Steps	
/ 3:07:59.684 PM // 3:08:13.562 PM /				
To get information about ThomasCook				

#	Step / Hook Details	Status	Duration
1	Given USER IS ON THOMASCOOK WEBPAGE	PASSED	7.256 s
2	When user clicks on about us	PASSED	2.480 s
3	And the user gets the information about Thomascook	PASSED	0.082 s
4	When the user clicks on policies	PASSED	1.914 s
5	And the user gets the privacy policy information	PASSED	0.073 s
6	When the user clicks on board of directors	PASSED	1.982 s
7	Then the user get board directors information	PASSED	0.088 s

user is in cruise page in thomascook page



<div>PASSED</div>	<div>DURATION - 26.764 s</div>	<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:08:13.573 PM // 3:08:40.337 PM /</div>					

user used to search cruise



<div>PASSED</div>	<div>DURATION - 26.764 s</div>		<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 3:08:13.573 PM // 3:08:40.337 PM /				
user is in cruise page in thomascook page				

#	Step / Hook Details	Status	Duration
1	Given user is in the ThomasCOOK page	PASSED	3.442 s
2	When user clicks the cruise button	PASSED	0.579 s
3	And user selects the value from dropdown	PASSED	8.786 s
4	And user clicks on the search button	PASSED	0.235 s
5	And user gets search results for the search	PASSED	1.486 s
6	Then user clicks on modify button	PASSED	0.790 s
7	And user clicks on modify search to change date and departure city	PASSED	10.876 s
8	Then user recieve the modified search	PASSED	0.566 s


Customer user to search flight in Thomascook page

FAILED	DURATION - 17.145 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 5 Fail - 1 Skip - 2	
/ 3:08:40.350 PM // 3:08:57.495 PM /					



customer wants to book the flight

<div><div>FAILED</div><div>DURATION - 17.145 s</div></div>		<div></div>	<div>Steps Total - 8 Pass - 5 Fail - 1 Skip - 2</div>	<div></div>
/ 3:08:40.350 PM // 3:08:57.495 PM /				
Customer user to search flight in Thomascook page				


#	Step / Hook Details	Status	Duration
1	Given customer is on thomascok page.	PASSED	4.362 s
2	When The user clicks on the Flights	PASSED	0.608 s
3	When user clicks on the Oneway trip	PASSED	1.647 s
4	When user gives the from location	PASSED	5.168 s
5	When user gives the to location	PASSED	0.069 s
6	When user clicks the date	FAILED	5.028 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='form-control departCal hasDatepicker']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f80d2448015ecf835534ae660132c81f, findElement {using=xpath, value="//input[@class='form-control departCal hasDatepicker']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\KMURAL~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\gcmhobpfdm...}, goog:chromeOptions: {debuggerAddress: localhost:54196}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54196/devtools, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f80d2448015ecf835534ae660132c81f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source) at com.actions.flightActions.clickDate(flightActions.java:57) at com.stepDefinitions.flightStepdefinition.user_clicks_the_date(flightStepdefinition.java:49) at ?.user clicks the date(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/flight.feature:10) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
7	When user selects the date from calendar	SKIPPED	0.000 s
8	Then user clicks on the Search flight button	SKIPPED	0.000 s
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.261 s
	customer wants to book the flight		
			

User Selects a Holiday category


PASSED	DURATION - 40.364 s	Scenarios		Steps	
/ 3:08:57.505 PM // 3:09:37.869 PM /		Total - 1		Total - 8	
		Pass - 1		Pass - 8	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

User selects a Europe Tour packages




#	Step / Hook Details	Status	Duration
1	Given I want to select a Holiday category	PASSED	5.059 s
2	When the user select a Europe Tour package	PASSED	0.341 s
3	And the user select a departure city as chennai	PASSED	10.429 s
4	And the user select a month of travel as feb	PASSED	4.048 s
5	And the user select a duration of travel less than 7 nights	PASSED	3.916 s
6	And the user select a package type without a flight	PASSED	4.550 s
7	And the user select theme with a family	PASSED	5.736 s
8	Then the user select the city Marvel Of Georgia	PASSED	6.282 s

User use to login the Thomascook Login page



user navigates to the ThomasCook Loginpage



#	Step / Hook Details	Status	Duration
1	Given user is in the Thomascook page from Login	PASSED	4.248 s
2	When user clicks the login button on top right corner of homepage.	PASSED	0.324 s
3	When Again user clicks login button shows in drop down.	PASSED	0.169 s
4	And user enters the valid email id in popup which shown	PASSED	0.446 s
5	And user enters the valid password.	PASSED	0.165 s
6	Then Finally user clicks the loginbutton and user in homepage of Registered user	PASSED	9.401 s