Cucumber Report

Nov 20, 2023, 4:31:31 PM

Start : Nov 20, 4:25:57.921 PM	End : Nov 20, 4:31:29.046 PM	Duration : 5 m 31.125 s

Features	Scenarios	Steps
PASSED - 4 FAILED - 2 SKIPPED - 0	PASSED - 4 FAILED - 2 SKIPPED - 0	PASSED - 37 FAILED - 2 SKIPPED - 5



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Editing a mobile number	25.322 s	1	0	1	0	7	1	1	5
To get information about ThomasCook	50.044 s	1	1	0	0	7	7	0	0
user is in cruise page in thomascook page	2 m 3.179 s	1	1	0	0	8	8	0	0
Customer user to search flight in Thomascook page	49.179 s	1	0	1	0	8	7	1	0
User Selects a Holiday category	1 m 6.433 s	1	1	0	0	8	8	0	0
User use to login the Thomascook Login page	16.728 s	1	1	0	0	6	6	0	0

#	Feature Name	Scenario Name
1	Editing a mobile number	User edits their mobile number
2	Customer user to search flight in Thomascook page	cusomer wants to book the flight

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidScenario	1	1	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	Editing a mobile number	1	0	1	0	25.322 s
2	To get information about ThomasCook	1	1	0	0	50.044 s
3	user is in cruise page in thomascook page	1	1	0	0	2 m 3.179 s
4	Customer user to search flight in Thomascook page	1	0	1	0	49.179 s
5	User Selects a Holiday category	1	1	0	0	1 m 6.433 s
6	User use to login the Thomascook Login page	1	1	0	0	16.728 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Editing a mobile number	User edits their mobile number	7	1	1	5	25.305 s
2	To get information about ThomasCook	User wants to know about ThomasCook Website	7	7	0	0	50.044 s
3	user is in cruise page in thomascook page	user used to search cruise	8	8	0	0	2 m 3.179 s
4	Customer user to search flight in Thomascook page	cusomer wants to book the flight	8	7	1	0	49.179 s
5	User Selects a Holiday category	User selects a Europe Tour packages	8	8	0	0	1 m 6.433 s
6	User use to login the Thomascook Login page	user navigates to the ThomasCook Loginpage	6	6	0	0	16.728 s

Editing a mobile number

FAILED	DURATION - 25.322 s	Scenarios		Steps	
/ 4:25:57.921 PM // 4:26:23.243 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 7 Pass - 1 Fail - 1 Skip - 5	

User edits their mobile number

FAILED	DURATION - 25.305 s		Steps	
/ 4:25:57.938 PM // 4:26:23.243 PM /			Total - 7 Pass - 1 Fail - 1 Skip - 5	
Editing a mobile number				

#	Step / Hook Details	Status	Duration
1	Given USER IS on Thomascook Website	PASSED	21.419 s
2	When the user click on my account	FAILED	0.172 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='loginRegisterDropdown']"} (Session info: MicrosoftEdge=119.0.2151.58) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [a2d1bf3d9cf732dd5f429b9dcd9bfc06, findElement {using=xpath, value=//a[@id='loginRegisterDropdown']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:59893}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\KMURAL~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59893/devtoo..., se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a2d1bf3d9cf732dd5f429b9dcd9bfc06 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source) at com.actions.mobileUpdateAction.clickOnMyAccount(mobileUpdateAction.java:17) at com.stepDefinitions.mobileUpdateStepDefinition.the_user_click_on_my_account(mobileUpdateStepDefinition.java:27) at ?.the user click on my account(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/MobileUpdate.feature:4) * Not displayable characters are replaced by '?'.		
3	And the user click an View My account	SKIPPED	0.001 s
4	And the user click a edit button	SKIPPED	0.000 s
5	And the user changes a mobile number	SKIPPED	0.001 s
6	And user click a save button	SKIPPED	0.000 s
7	Then changes successfull message is displayed	SKIPPED	0.000 s
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.976 s
	User edits their mobile number		

To get information about ThomasCook

PASSED	*DURATION - 50.044 s*	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 4:26:23.431 PM // 4:27:13.475 PM /					

User wants to know about ThomasCook Website

PASSED	DURATION - 50.044 s
/ 4:26:23.431 PM // 4:27:13.475 PM /	
To get information about ThomasCook	



Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given USER IS ON THOMASCOOK WEBPAGE	PASSED	32.842 s
2	When user clicks on about us	PASSED	0.284 s
3	And the user gets the information about Thomascook	PASSED	3.338 s
4	When the user clicks on policies	PASSED	3.229 s
5	And the user gets the priacy policy information	PASSED	0.335 s
6	When the user clicks on board of directors	PASSED	3.524 s
7	Then the user get board directors information	PASSED	2.408 s

user is in cruise page in thomascook page

PASSED	DURATION - 2 m 3.179 s
/ 4:27:13.483 PM // 4:29:16.662 PM /	

Scenarios
Total - 1
Pass - 1
Fail - 0
Skip - 0

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

user used to search cruise

PASSED	DURATION - 2 m 3.179 s
/ 4:27:13.483 PM // 4:29:16.662 PM /	
user is in cruise page in thomascook page	



Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is in the ThomasCOOK page	PASSED	57.865 s
2	When user clicks the cruise button	PASSED	6.933 s
3	And user selects the value from dropdown	PASSED	22.966 s
4	And user clicks on the search button	PASSED	3.028 s
5	And user gets search results for the search	PASSED	0.712 s
6	Then user clicks on modify button	PASSED	0.504 s
7	And user clicks on modify search to change date and departure city	PASSED	20.840 s
8	Then user recieve the modified search	PASSED	0.489 s

Customer user to search flight in Thomascook page

FAILED	DURATION - 49.179 s
/ 4:29:16.669 PM // 4:30:05.848 PM /	

Scenarios
Total - 1
Pass - 0
Fail - 1
Skip - 0

Steps
Total - 8
Pass - 7
Fail - 1
Skip - 0

cusomer wants to book the flight

FAILED	DURATION - 49.179 s
/ 4:29:16.669 PM // 4:30:05.848 PM /	
Customer user to search flight in Thomascook page	



Steps
Total - 8
Pass - 7
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given customer is on thomascook page.	PASSED	9.820 s
2	When The user clicks on the Flights	PASSED	0.117 s
3	When user clicks on the Oneway trip	PASSED	2.681 s
4	When user gives the from location	PASSED	3.204 s
5	When user gives the to location	PASSED	0.055 s
6	When user clicks the date	PASSED	8.378 s
7	When user selects the date from calendar	PASSED	0.056 s
8	Then user clicks on the Search flight button	FAILED	20.214 s

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.id: AIR-AZ' (tried for 10 second(s) with 500 milliseconds interval)
at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)
at com.actions.flightActions.ShowDetails(flightActions.java:66)
at com.stepDefinitions.flightStepdefinition.user_clicks_on_the_search_flight_button(flightStepdefinition.java:59)
at ?.user clicks on the Search flight button(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/flight.feature:12)
Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#AIR\-AZ"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [de1de8e629a677382f63a0af84339d0e, findElement {using=id, value=AIR-AZ}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\KMURAL~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60266}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60266/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: de1de8e629a677382f63a0af84339d0e
at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy35.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.actions.flightActions.ShowDetails(flightActions.java:66) at com.stepDefinitions.flightStepdefinition.user_clicks_on_the_search_flight_button(flightStepdefinition.java:59) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) * Not displayable characters are replaced by '?'.		
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario) cusomer wants to book the flight 	PASSED	0.788 s

User Selects a Holiday category

PASSED	DURATION - 1 m 6.433 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 4:30:05.868 PM // 4:31:12.301 PM /					

User selects a Europe Tour packages

PASSED	DURATION - 1 m 6.433 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 4:30:05.868 PM // 4:31:12.301 PM /				
User Selects a Holiday category				

#	Step / Hook Details	Status	Duration
1	Given I want to select a Holiday category	PASSED	9.758 s
2	When the user select a Europe Tour package	PASSED	39.682 s
3	And the user select a departure city as chennai	PASSED	3.039 s
4	And the user select a month of travel as feb	PASSED	3.497 s
5	And the user select a duration of travel less than 7 nights	PASSED	2.580 s
6	And the user select a package type without a flight	PASSED	2.907 s
7	And the user select theme with a family	PASSED	1.774 s
8	Then the user select the city Marvel Of Georgia	PASSED	0.862 s

User use to login the Thomascook Login page

PASSED	DURATION - 16.728 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 4:31:12.318 PM // 4:31:29.046 PM /					

user navigates to the ThomasCook Loginpage

PASSED	DURATION - 16.728 s
/ 4:31:12.318 PM // 4:31:29.046 PM /	
User use to login the Thomascook Login page	
@ValidScenario	



Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is in the Thomascook page from Login	PASSED	11.779 s
2	When user clicks the login button on top right corner of homepage.	PASSED	0.115 s
3	When Again user clicks login button shows in drop down.	PASSED	0.073 s
4	And user enters the valid email id in popup which shown	PASSED	0.241 s
5	And user enters the valid password.	PASSED	0.565 s
6	Then Finally user clicks the loginbutton and user in homepage of Registered user	PASSED	0.573 s