

Feature		Scenario				Step			
Name	Duration	<b>T</b>	P	F	S	T	P	F	S
Customer user to search flight in Thomascook page	14.142 s	1	0	1	0	8	5	1	2


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
-	Customer user to search flight in Thomascook page	cusomer wants to book the flight

FEATURES SUMMARY -- 4




#	Feature Name	T	P	F	S	Duration
1	Customer user to search flight in Thomascook page	1	0	1	0	14.142 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Customer user to search flight in	cusomer wants to book the flight	8	5	1	2	14.139 s
	Thomascook page						

DETAILED SECTION -- 6 --

## **Customer user to search flight in Thomascook page**



## cusomer wants to book the flight



#	Step / Hook Details	Status	Duration
1	Given customer is on thomascook page.	PASSED	7.788 s
2	When The user clicks on the Flights	PASSED	0.320 s
3	When user clicks on the Oneway trip	PASSED	2.089 s
4	When user gives the from location	PASSED	0.175 s
5	When user gives the to location	PASSED	0.054 s
6	When user clicks the date	FAILED	0.020 s
	org.openqa.selenium.NoSuchFrameException: no such frame (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [0ad8b976d48287eb4a9f55381405be2c, switchToFrame {id=0}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\KMURAL~1\AppData\L\}, goog:chromeOptions: {debuggerAddress: localhost:64685}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64685/devtoo, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0ad8b976d48287eb4a9f55381405be2c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.frame(RemoteWebDriver.java:1120) at com.actions.flightActions.closeAd(flightActions.java:46) at com.stepDefinitions.flightStepdefinition.user_clicks_the_date(flightStepdefinition.java:47) at ?.user clicks the date(flie:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/flight.feature:10) * Not displayable characters are replaced by '?'.		
7	When user selects the date from calendar	SKIPPED	0.001 s
8	Then user clicks on the Search flight button	SKIPPED	0.000 s
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)  cusomer wants to book the flight	PASSED	1.101 s