

Cucumber Report

Nov 21, 2023, 11:05:54 AM

Start : Nov 21, 11:01:30.949 AM

End : Nov 21, 11:05:36.804 AM

Duration : 4 m 5.855 s

Features

Scenarios

Steps

PASSED - 2

FAILED - 4

SKIPPED - 0

PASSED - 2


FAILED - 4

SKIPPED - 0

PASSED - 28

FAILED - 4


SKIPPED - 12




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Editing a mobile number</u>	38.914 s	1	0	1	0	7	2	1	4
<u>To get information about ThomasCook</u>	1 m 14.060 s	1	1	0	0	7	7	0	0
<u>user is in cruise page in thomascook page</u>	12.935 s	1	0	1	0	8	2	1	5
<u>Customer user to search flight in Thomascook page</u>	36.577 s	1	0	1	0	8	5	1	2
<u>User Selects a Holiday category</u>	1 m 11.535 s	1	0	1	0	8	6	1	1
<u>User use to login the Thomascook Login page</u>	11.628 s	1	1	0	0	6	6	0	0

#	Feature Name	Scenario Name
1	<u>Editing a mobile number</u>	<u>User edits their mobile number</u>
2	<u>user is in cruise page in thomascook page</u>	<u>user used to search cruise</u>
3	<u>Customer user to search flight in Thomascook page</u>	<u>cusomer wants to book the flight</u>
4	<u>User Selects a Holiday category</u>	<u>User selects a Europe Tour packages</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidScenario	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Editing a mobile number</u>	1	0	1	0	38.914 s
2	<u>To get information about ThomasCook</u>	1	1	0	0	1 m 14.060 s
3	<u>user is in cruise page in thomascook page</u>	1	0	1	0	12.935 s
4	<u>Customer user to search flight in Thomascook page</u>	1	0	1	0	36.577 s
5	<u>User Selects a Holiday category</u>	1	0	1	0	1 m 11.535 s
6	<u>User use to login the Thomascook Login page</u>	1	1	0	0	11.628 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Editing a mobile number</u>	<u>User edits their mobile number</u>	7	2	1	4	38.899 s
2	<u>To get information about ThomasCook</u>	<u>User wants to know about ThomasCook Website</u>	7	7	0	0	1 m 14.060 s
3	<u>user is in cruise page in thomascook page</u>	<u>user used to search cruise</u>	8	2	1	5	12.935 s
4	<u>Customer user to search flight in Thomascook page</u>	<u>customer wants to book the flight</u>	8	5	1	2	36.577 s
5	<u>User Selects a Holiday category</u>	<u>User selects a Europe Tour packages</u>	8	6	1	1	1 m 11.535 s
6	<u>User use to login the Thomascook Login page</u>	<u>user navigates to the ThomasCook Loginpage</u>	6	6	0	0	11.627 s

Editing a mobile number

FAILED	DURATION - 38.914 s	Scenarios		Steps	
/ 11:01:30.949 AM // 11:02:09.863 AM /		Total - 1		Total - 7	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	



User edits their mobile number

<div><div>FAILED</div><div>DURATION - 38.899 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 7</div><div>Pass - 2</div><div>Fail - 1</div><div>Skip - 4</div></div>	<div></div>
/ 11:01:30.964 AM // 11:02:09.863 AM /				
Editing a mobile number				


#	Step / Hook Details	Status	Duration
1	Given USER IS on Thomascook Website	PASSED	25.571 s
2	When the user click on my account	PASSED	0.125 s
3	And the user click an View My account	FAILED	0.059 s
	<p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: MicrosoftEdge=119.0.2151.72) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [4cdad2dacd3ccded1a6729882ad7cb1c, clickElement {id=8CBA3C216D260CB7A4AB17ED99B3FEFA_element_96}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:58268}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\KMURAL~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58268/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: msedge on windows (4cdad2dacd3ccded1a6729882ad7cb1c)] -> xpath: //button[@id='viewAccount']] Session ID: 4cdad2dacd3ccded1a6729882ad7cb1c</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source) at com.actions.mobileUpdateAction.clickOnViewMyAccount(mobileUpdateAction.java:21) at com.stepDefinitions.mobileUpdateStepDefinition.the_user_click_an_view_my_account(mobileUpdateStepDefinition.java:32) at ?.the user click an View My account(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/MobileUpdate.feature:5) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
4	And the user click a edit button	SKIPPED	0.001 s
5	And the user changes a mobile number	SKIPPED	0.001 s
6	And user click a save button	SKIPPED	0.000 s
7	Then changes successfull message is displayed	SKIPPED	0.000 s
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.173 s
	User edits their mobile number		

To get information about ThomasCook


PASSED	DURATION - 1 m 14.060 s	Scenarios		Steps	
/ 11:02:10.004 AM // 11:03:24.064 AM /		Total - 1		Total - 7	
		Pass - 1		Pass - 7	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

User wants to know about ThomasCook Website



#	Step / Hook Details	Status	Duration
1	Given USER IS ON THOMASCOOK WEBPAGE	PASSED	1 m 3.242 s
2	When user clicks on about us	PASSED	0.410 s
3	And the user gets the information about Thomascook	PASSED	2.892 s
4	When the user clicks on policies	PASSED	3.154 s
5	And the user gets the priacy policy information	PASSED	0.769 s
6	When the user clicks on board of directors	PASSED	3.153 s
7	Then the user get board directors information	PASSED	0.438 s


user is in cruise page in thomascook page





user used to search cruise

<div>FAILED</div> <div>DURATION - 12.935 s</div>		<div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>6.299</td></tr><tr><td>2</td><td>1.258</td></tr><tr><td>3</td><td>5.066</td></tr></tbody></table></div>	Step	Duration (s)	1	6.299	2	1.258	3	5.066	<div>Steps</div> <div>Total - 8</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div><div>8</div></div>
Step	Duration (s)											
1	6.299											
2	1.258											
3	5.066											
/ 11:03:24.073 AM // 11:03:37.008 AM /												
user is in cruise page in thomascook page												



#	Step / Hook Details	Status	Duration
1	Given user is in the ThomasCOOK page	PASSED	6.299 s
2	When user clicks the cruise button	PASSED	1.258 s
3	And user selects the value from dropdown	FAILED	5.066 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//select[@name='city']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [74bfb23a07aa3c445c45d846c302a38f, findElement {using=xpath, value=//select[@name='city']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\KMURAL~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:58247}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:58247/devtoo..., se.cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 74bfb23a07aa3c445c45d846c302a38f</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p>		

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source) at com.actions.cruiseactions.setSelectDepartureCity(cruiseactions.java:39) at com.stepDefinitions.cruisePageStepDefinition.user_selects_the_value_from_dropdown(cruisePageStepDefinition.java:30) at ?.user selects the value from dropdown(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/cruise.feature:5) * Not displayable characters are replaced by '?'.		
4	And user clicks on the search button	SKIPPED	0.001 s
5	And user gets search results for the search	SKIPPED	0.000 s
6	Then user clicks on modify button	SKIPPED	0.000 s
7	And user clicks on modify search to change date and departure city	SKIPPED	0.000 s
8	Then user recieve the modified search	SKIPPED	0.000 s
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.307 s
	user used to search cruise		
			


Customer user to search flight in Thomascook page

FAILED	DURATION - 36.577 s	Scenarios		Steps	
/ 11:03:37.023 AM // 11:04:13.600 AM /		Total - 1		Total - 8	
		Pass - 0		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	



customer wants to book the flight

<div>FAILED</div> <div>DURATION - 36.577 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 11:03:37.023 AM // 11:04:13.600 AM /				
Customer user to search flight in Thomascook page				



#	Step / Hook Details	Status	Duration
1	Given customer is on thomascok page.	PASSED	12.881 s
2	When The user clicks on the Flights	PASSED	0.194 s
3	When user clicks on the Oneway trip	PASSED	2.005 s
4	When user gives the from location	PASSED	5.850 s
5	When user gives the to location	PASSED	0.084 s
6	When user clicks the date	FAILED	5.018 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='form-control departCal hasDatepicker']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [74bfb23a07aa3c445c45d846c302a38f, findElement {using=xpath, value=//input[@class='form-control departCal hasDatepicker']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\KMURAL~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:58247}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58247/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 74bfb23a07aa3c445c45d846c302a38f</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source) at com.actions.flightActions.clickDate(flightActions.java:57) at com.stepDefinitions.flightStepdefinition.user_clicks_the_date(flightStepdefinition.java:48) at ?.user clicks the date(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/flight.feature:10) * Not displayable characters are replaced by '?'. </pre>		
7	When user selects the date from calendar	SKIPPED	0.000 s
8	Then user clicks on the Search flight button	SKIPPED	0.000 s
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	10.543 s
	cusomer wants to book the flight		
			


User Selects a Holiday category

<div>FAILED</div> <div>DURATION - 1 m 11.535 s</div>		<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 11:04:13.612 AM // 11:05:25.147 AM /					

User selects a Europe Tour packages

<div>FAILED</div> <div>DURATION - 1 m 11.535 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 11:04:13.612 AM // 11:05:25.147 AM /				
User Selects a Holiday category				

#	Step / Hook Details	Status	Duration
1	Given I want to select a Holiday category	PASSED	11.290 s
2	When the user select a Europe Tour package	PASSED	13.016 s
3	And the user select a departure city as chennai	PASSED	5.062 s
4	And the user select a month of travel as feb	PASSED	14.358 s
5	And the user select a duration of travel less than 7 nights	PASSED	10.353 s
6	And the user select a package type without a flight	PASSED	10.804 s
7	And the user select theme with a family	FAILED	5.200 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable: [object HTMLLabelElement] has no size and location (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [74bfb23a07aa3c445c45d846c302a38f, actions {actions=[org.openqa.selenium.interactions.Sequence@36068727]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\KMURAL~1\AppData\Local\Microsoft\EdgeDevToolsClient\}, goog:chromeOptions: {debuggerAddress: localhost:58247}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:58247/devtools, se.cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 74bfb23a07aa3c445c45d846c302a38f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:688)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605) at com.actions.holidayPageActions.setFamilyTheme(holidayPageActions.java:65) at com.stepDefinitions.holidayStepDefinition.the_user_select_theme_with_a_family(holidayStepDefinition.java:52) at ?.the user select theme with a family(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/holiday.feature:11) * Not displayable characters are replaced by '?'.		
8	Then the user select the city Marvel Of Georgia	SKIPPED	0.000 s
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	1.451 s
	User selects a Europe Tour packages		
			

User use to login the Thomascook Login page

PASSED	DURATION - 11.628 s	Scenarios		Steps	
/ 11:05:25.176 AM // 11:05:36.804 AM /		Total - 1		Total - 6	
		Pass - 1		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

user navigates to the ThomasCook Loginpage

PASSED	DURATION - 11.627 s				Steps	
/ 11:05:25.177 AM // 11:05:36.804 AM /					Total - 6	
User use to login the Thomascook Login page					Pass - 6	
@ValidScenario					Fail - 0	
					Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is in the Thomascook page from Login	PASSED	5.682 s
2	When user clicks the login button on top right corner of homepage.	PASSED	0.182 s

#	Step / Hook Details	Status	Duration
3	When Again user clicks login button shows in drop down.	PASSED	0.153 s
4	And user enters the valid email id in popup which shown	PASSED	0.288 s
5	And user enters the valid password.	PASSED	0.132 s
6	Then Finally user clicks the loginbutton and user in homepage of Registered user	PASSED	5.182 s