

Cucumber Report

Nov 21, 2023, 3:48:48 PM

Start : Nov 21, 3:46:31.474 PM

End : Nov 21, 3:48:47.380 PM

Duration : 2 m 15.906 s

Features


Scenarios

Steps

PASSED - 4
FAILED - 2
SKIPPED - 0

PASSED - 4
FAILED - 2
SKIPPED - 0


PASSED - 37
FAILED - 2
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Editing a mobile number</u>	19.950 s	1	0	1	0	7	1	1	5
<u>To get information about ThomasCook</u>	10.576 s	1	1	0	0	7	7	0	0
<u>user is in cruise page in thomascook page</u>	26.673 s	1	1	0	0	8	8	0	0
<u>Customer user to search flight in Thomascook page</u>	38.563 s	1	0	1	0	8	7	1	0
<u>User Selects a Holiday category</u>	28.079 s	1	1	0	0	8	8	0	0
<u>User use to login the Thomascook Login page</u>	11.981 s	1	1	0	0	6	6	0	0

#	Feature Name	Scenario Name
1	<u>Editing a mobile number</u>	<u>User edits their mobile number</u>
2	<u>Customer user to search flight in Thomascook page</u>	<u>customer wants to book the flight</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidScenario	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Editing a mobile number</u>	1	0	1	0	19.950 s
2	<u>To get information about ThomasCook</u>	1	1	0	0	10.576 s
3	<u>user is in cruise page in thomascook page</u>	1	1	0	0	26.673 s
4	<u>Customer user to search flight in Thomascook page</u>	1	0	1	0	38.563 s
5	<u>User Selects a Holiday category</u>	1	1	0	0	28.079 s
6	<u>User use to login the Thomascook Login page</u>	1	1	0	0	11.981 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Editing a mobile number</u>	<u>User edits their mobile number</u>	7	1	1	5	19.945 s
2	<u>To get information about ThomasCook</u>	<u>User wants to know about ThomasCook Website</u>	7	7	0	0	10.576 s
3	<u>user is in cruise page in thomascook page</u>	<u>user used to search cruise</u>	8	8	0	0	26.673 s
4	<u>Customer user to search flight in Thomascook page</u>	<u>customer wants to book the flight</u>	8	7	1	0	38.563 s
5	<u>User Selects a Holiday category</u>	<u>User selects a Europe Tour packages</u>	8	8	0	0	28.079 s
6	<u>User use to login the Thomascook Login page</u>	<u>user navigates to the ThomasCook Loginpage</u>	6	6	0	0	11.981 s


Editing a mobile number

FAILED	DURATION - 19.950 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	
/ 3:46:31.474 PM // 3:46:51.424 PM /					



User edits their mobile number

FAILED	DURATION - 19.945 s		Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	
/ 3:46:31.479 PM // 3:46:51.424 PM /				
Editing a mobile number				



#	Step / Hook Details	Status	Duration
1	Given USER IS on Thomascook Website	PASSED	8.052 s
2	When the user click on my account java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source) at com.actions.mobileUpdateAction.clickOnMyAccount(mobileUpdateAction.java:17) at com.stepDefinitions.mobileUpdateStepDefinition.the_user_click_on_my_account(mobileUpdateStepDefinition.java:30) at ?.the user click on my account(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/MobileUpdate.feature:4) * Not displayable characters are replaced by '?'.	FAILED	0.006 s
3	And the user click an View My account	SKIPPED	0.001 s
4	And the user click a edit button	SKIPPED	0.000 s
5	And the user changes a mobile number	SKIPPED	0.000 s
6	And user click a save button	SKIPPED	0.001 s
7	Then changes successfull message is displayed	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	1.887 s
	User edits their mobile number		
			

To get information about ThomasCook



PASSED	DURATION - 10.576 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 3:46:51.470 PM // 3:47:02.046 PM /					

User wants to know about ThomasCook Website



PASSED	DURATION - 10.576 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 3:46:51.470 PM // 3:47:02.046 PM /				
To get information about ThomasCook				

#	Step / Hook Details	Status	Duration
1	Given USER IS ON THOMASCOOK WEBPAGE	PASSED	3.588 s
2	When user clicks on about us	PASSED	2.267 s
3	And the user gets the information about Thomascook	PASSED	0.080 s
4	When the user clicks on policies	PASSED	2.545 s
5	And the user gets the priacy policy information	PASSED	0.069 s
6	When the user clicks on board of directors	PASSED	1.951 s
7	Then the user get board directors information	PASSED	0.073 s

user is in cruise page in thomascook page



PASSED	DURATION - 26.673 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 3:47:02.057 PM // 3:47:28.730 PM /					

user used to search cruise



<div>PASSED</div>	<div>DURATION - 26.673 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:47:02.057 PM // 3:47:28.730 PM /</div>				
<div>user is in cruise page in thomascook page</div>				

#	Step / Hook Details	Status	Duration
1	Given user is in the ThomasCOOK page	PASSED	3.138 s
2	When user clicks the cruise button	PASSED	0.561 s
3	And user selects the value from dropdown	PASSED	7.846 s
4	And user clicks on the search button	PASSED	2.382 s
5	And user gets search results for the search	PASSED	0.326 s
6	Then user clicks on modify button	PASSED	0.887 s
7	And user clicks on modify search to change date and departure city	PASSED	10.889 s
8	Then user receive the modified search	PASSED	0.640 s

Customer user to search flight in Thomascook page

FAILED	DURATION - 38.563 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 7 Fail - 1 Skip - 0	
/ 3:47:28.737 PM // 3:48:07.300 PM /					


customer wants to book the flight

FAILED	DURATION - 38.563 s		Steps Total - 8 Pass - 7 Fail - 1 Skip - 0	
/ 3:47:28.737 PM // 3:48:07.300 PM /				
Customer user to search flight in Thomascook page				



#	Step / Hook Details	Status	Duration
1	Given customer is on thomascok page.	PASSED	3.817 s
2	When The user clicks on the Flights	PASSED	0.232 s
3	When user clicks on the Oneway trip	PASSED	2.021 s
4	When user gives the from location	PASSED	5.182 s
5	When user gives the to location	PASSED	0.062 s
6	When user clicks the date	PASSED	0.081 s
7	When user selects the date from calendar	PASSED	0.067 s
8	Then user clicks on the Search flight button	FAILED	26.834 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.id: AIR-AZ' (tried for 20 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.actions.flightActions.ShowDetails(flightActions.java:68) at com.stepDefinitions.flightStepdefinition.user_clicks_on_the_search_flight_button(flightStepdefinition.java:60) at ?.user clicks on the Search flight button(file:///C:/BlackSquad_PilotProject_1/Thomascook/src/test/resources/features/flight.feature:12) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#AIR\AZ"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21' Driver info: org.openqa.selenium.chrome.ChromeDriver		

#	Step / Hook Details	Status	Duration
	<p>Command: [5b8c0d9d17d971bf1be717a7509dc3c0, findElement {using=id, value=AIR-AZ}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\KMURAL~1\AppData\Local\Google\Chrome\User Data\Default\Extensions\efaa231b-6b7d-4720-aad3-000000000000}, goog:chromeOptions: {debuggerAddress: localhost:56558}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56558/devtools/page/5b8c0d9d17d971bf1be717a7509dc3c0, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5b8c0d9d17d971bf1be717a7509dc3c0</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.actions.flightActions.ShowDetails(flightActions.java:68) at com.stepDefinitions.flightStepdefinition.user_clicks_on_the_search_flight_button(flightStepdefinition.java:60) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - com.stepDefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.264 s
	customer wants to book the flight		

#	Step / Hook Details	Status	Duration
			

User Selects a Holiday category



PASSED	DURATION - 28.079 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 3:48:07.314 PM // 3:48:35.393 PM /					

User selects a Europe Tour packages



PASSED	DURATION - 28.079 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 3:48:07.314 PM // 3:48:35.393 PM /				
User Selects a Holiday category				

#	Step / Hook Details	Status	Duration
1	Given I want to select a Holiday category	PASSED	3.299 s
2	When the user select a Europe Tour package	PASSED	4.494 s
3	And the user select a departure city as chennai	PASSED	2.578 s
4	And the user select a month of travel as feb	PASSED	2.870 s
5	And the user select a duration of travel less than 7 nights	PASSED	3.007 s
6	And the user select a package type without a flight	PASSED	3.428 s
7	And the user select theme with a family	PASSED	4.140 s
8	Then the user select the city Marvel Of Georgia	PASSED	4.261 s

User use to login the Thomascook Login page

PASSED	DURATION - 11.981 s	Scenarios		Steps	
/ 3:48:35.399 PM // 3:48:47.380 PM /		Total - 1		Total - 6	
		Pass - 1		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

user navigates to the ThomasCook Loginpage

<div>PASSED</div>	<div>DURATION - 11.981 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:48:35.399 PM // 3:48:47.380 PM /</div>				
<div>User use to login the Thomascook Login page</div>				
<div>@ValidScenario</div>				

#	Step / Hook Details	Status	Duration
1	Given user is in the Thomascook page from Login	PASSED	3.661 s
2	When user clicks the login button on top right corner of homepage.	PASSED	0.198 s
3	When Again user clicks login button shows in drop down.	PASSED	0.314 s
4	And user enters the valid email id in popup which shown	PASSED	0.259 s
5	And user enters the valid password.	PASSED	0.121 s
6	Then Finally user clicks the loginbutton and user in homepage Logged in	PASSED	7.425 s