

FORYOU

Assignment 3

Media Queries + Bootstrap Grid

DRAFT - browser screenshots and deployment URL pending

Team FORYOU | Group SE-2504

Asankhan Shyngys - Home and Collection

Shangerey Akerke - About and Contact

Objective

Build a responsive clothing-store concept using explicit media queries and the Bootstrap 12-column grid. Demonstrate cards, spacing utilities, navigation, buttons, a nine-image lookbook, forms and accessibility with HTML, CSS and the authorized official Bootstrap JavaScript bundle.

Scope and honest compliance

The four main pages use official Bootstrap 5.3.8 CSS, included locally. A fifth page demonstrates Tasks 1 and 2 without Bootstrap. The four main pages load the official Bootstrap JavaScript bundle locally for the standard Collapse and Carousel plugins. No custom JavaScript is needed. The independent media-query exercise remains HTML and CSS only.

This report includes images of actual source excerpts. It does not contain fabricated webpage screenshots. The environment blocked the browser local-file preview, so genuine rendered screenshots and functional browser checks remain pending. The deployment URL is not yet available.

Source: Web Assignment 3 Media Queries + Bootstrap Grid.pdf, supplied by the user.

Task 1

Responsive typography

Evidence location: media-queries.html + css/media-queries.css

1. Build the exercise with semantic headings, paragraphs and a viewport meta tag.
2. Use small base sizes on phones: 36px h1 and 16px paragraph text.
3. At 768px use 48px headings and 18px paragraphs; at 992px use 64px headings and 20px paragraphs.

css/media-queries.css | Actual source excerpt

```
32 @media (min-width: 768px) {
33   h1 { font-size: 3rem; }
34   h2 { font-size: 2rem; }
35   p { font-size: 1.125rem; }
36   .study-cards { grid-template-columns: repeat(2, minmax(0, 1fr)); }
37   .mobile-status { display: none; }
38   .tablet-status { display: inline; }
39 }
40 /* Desktop: larger heading and paragraph sizes, three cards per row. */
41 @media (min-width: 992px) {
42   h1 { font-size: 4rem; }
43   h2 { font-size: 2.5rem; }
44   p { font-size: 1.25rem; }
45   .study-cards { grid-template-columns: repeat(3, minmax(0, 1fr)); }
46   .tablet-status { display: none; }
47   .desktop-status { display: inline; }
48 }
49
```

Verification / limitation: Implemented in source. Check the 767/768px and 991/992px boundaries in a real browser.

Webpage screenshot: pending a real browser capture. Capture the relevant page at phone, tablet and desktop widths before final submission.

Task 2

Three-card group without Bootstrap

Evidence location: media-queries.html + css/media-queries.css

1. Keep this page independent: its only stylesheet is media-queries.css.
2. Use one CSS Grid column by default, two at 768px, and three at 992px.
3. Give each of the three cards an image, title, description and working collection link.

css/media-queries.css | Actual source excerpt

```
19 .study-cards { display: grid; grid-template-columns: 1fr; gap: 24px; }
20 .study-card { min-width: 0; display: flex; flex-direction: column; background: #fffcf7; border: 1px solid #d8c3c1; }
21 .study-card img { display: block; width: 100%; aspect-ratio: 1; height: auto; object-fit: contain; }
22 .card-copy { display: flex; flex-direction: column; flex-grow: 1; padding: 24px; }
23 .card-copy h3 { margin-top: 0; }
24 .card-copy a { margin-top: auto; }
25 .explanation { margin-top: 48px; border-top: 1px solid #d8c3c1; padding-top: 24px; }
26 footer { padding: 24px 5%; background: #34282a; color: #fbf6ee; }
```

Verification / limitation: Implemented. This page is the deliberate exception to Task 4, because Task 2 expressly prohibits Bootstrap.

Webpage screenshot: pending a real browser capture. Capture the relevant page at phone, tablet and desktop widths before final submission.

Task 3

Bootstrap 12-column grid

Evidence location: Home, Collection, About and Contact

1. Load the unmodified official Bootstrap 5.3.8 CSS from the local vendor folder.
2. Wrap content in container and row. Home has a two-column col-lg-6 section and a three-column col-lg-4 section.
3. Use col-12, col-sm-6, col-md-6 and col-lg-* where each content layout requires them.

index.html | Actual source excerpt

```
34 <!-- Task 3: two col-lg-6 columns in a Bootstrap container and row. -->
35 <section class="container px-3 px-sm-2 px-lg-4 py-4 py-lg-5" aria-labelledby="welcome">
36   <div class="row g-4 g-lg-5 align-items-center">
37     <div class="col-12 col-lg-6 py-lg-4">
38       <p class="eyebrow mb-4"><span class="brand-dot" aria-hidden="true">●</span> The everyday edit /
01</p>
39       <h1 id="welcome" class="hero-title mb-4">Less noise.<br><em>More you.</em></h1>
40       <p class="lead text-secondary mb-4">Easy shapes. Quiet colours. A small collection made for the
way you move through your day.</p>
41       <a class="btn btn-primary btn-lg px-4" href="collection.html">Explore the collection <span
class="ms-3" aria-hidden="true">🔍</span></a>
42       <p class="small text-secondary mt-4 mb-0">A clothing-store concept by two students in SE-2504.</p>
43     </div>
44     <div class="col-12 col-lg-6">
45       <figure class="m-0"><figcaption class="d-flex
justify-content-between small text-secondary mt-2"><span>FORYOU / Everyday essentials</span><span>01 –
04</span></figcaption></figure>
```

Verification / limitation: Implemented. Grid columns stack on smaller screens through Bootstrap CSS.

Webpage screenshot: pending a real browser capture. Capture the relevant page at phone, tablet and desktop widths before final submission.

Task 4

Bootstrap spacing utilities

Evidence location: All four main pages

1. Use Bootstrap m-*, p-*, g-* and gap-* classes in HTML.
2. Apply responsive examples such as px-sm-2, p-md-4, p-lg-5 and mt-lg-4.
3. Keep custom margin and padding declarations out of site.css; use it only for theme, images, typography and interactions.

collection.html | Actual source excerpt

```
85     <section id="size-guide" class="bg-soft p-3 p-md-4 p-lg-5 mt-3 mt-lg-4 mb-3" aria-labelledby="size-  
title">  
86         <div class="row g-4 g-lg-5">  
87             <div class="col-12 col-lg-6"><p class="eyebrow mb-2">Find your fit</p><h2 id="size-title"  
class="mb-3">A little guidance.</h2><p>These example body measurements are in centimetres.</p><ol  
class="ps-4 mb-4"><li class="mb-2">Measure around the fullest part of your chest.</li><li  
class="mb-2">Measure your waist and the fullest part of your hips.</li><li>Compare the measurements with  
the table.</li></ol><a class="btn btn-secondary btn-sm" href="contact.html#questions">Read sizing  
questions</a></div>  
88         <div class="col-12 col-lg-6"><div class="table-responsive" tabindex="0" role="region" aria-  
label="Scrollable clothing size guide">  
89             <table class="table table-striped align-middle mb-0"><caption class="caption-top pt-0">Unisex  
body measurements (cm)</caption><thead><tr><th scope="col">Size</th><th scope="col">Chest</th><th  
scope="col">Waist</th><th scope="col">Hip</th></tr></thead><tbody>
```

Verification / limitation: Automated source check confirms no custom margin or padding declarations in site.css.

Webpage screenshot: pending a real browser capture. Capture the relevant page at phone, tablet and desktop widths before final submission.

Task 5

Responsive navigation bar

Evidence location: All four main pages

1. Use navbar, navbar-expand-lg, navbar-nav, nav-link and bg-light classes with four page links.
2. Use button.navbar-toggler with data-bs-toggle=collapse and a matching collapse.navbar-collapse target.
3. Show the full desktop navigation from the lg breakpoint, and mark the current page with aria-current.

index.html | Actual source excerpt

```
19     <button class="navbar-toggler border-dark px-3 py-2" type="button"
20           data-bs-toggle="collapse" data-bs-target="#main-navigation"
21           aria-controls="main-navigation" aria-expanded="false" aria-label="Toggle navigation">
22       <span class="navbar-toggler-icon" aria-hidden="true"></span><span class="ms-2 small">Menu</span>
23     </button>
24     <div class="collapse navbar-collapse" id="main-navigation">
25       <ul class="navbar-nav ms-auto"><li class="nav-item"><a class="nav-link px-3 py-2 active fw-
semibold" href="index.html" aria-current="page">Home</a></li>
```

Verification / limitation: Uses the standard Bootstrap Collapse plugin. Source wiring checked; browser interaction testing remains pending.

Webpage screenshot: pending a real browser capture. Capture the relevant page at phone, tablet and desktop widths before final submission.

Task 6

Buttons and button group

Evidence location: Home, Collection and Contact

1. Use btn-primary, btn-secondary and btn-outline-primary instead of the previous custom button class.
2. Demonstrate btn-lg, btn-sm and a disabled submit state; use real links for navigation.
3. Group Collection section links in btn-group. The Contact reset button is a native functional button.

collection.html | Actual source excerpt

```
38      <!-- Task 6: linked Bootstrap button group; no fake filters or scripting. -->
39      <div class="btn-group" role="group" aria-label="Collection sections"><a class="btn btn-primary"
    href="#clothing">The pieces</a><a class="btn btn-outline-primary" href="#size-guide">Size guide</a></div>
40      </div>
```

Verification / limitation: Implemented. No inert fake filters, ordering service or custom script is included.

Webpage screenshot: pending a real browser capture. Capture the relevant page at phone, tablet and desktop widths before final submission.

Task 7

Nine-image carousel

Evidence location: About page lookbook

1. Place nine distinct images inside Bootstrap carousel-inner and carousel-item markup.
2. Use nine data-bs-slide-to indicator buttons, one active slide, and Previous/Next buttons targeting the carousel ID.
3. Use the official Bootstrap Carousel plugin with descriptive image alternatives and captions. Disable automatic playback with data-bs-interval=false.

about.html | Actual source excerpt

```
47 <div id="lookbook-carousel" class="carousel slide" data-bs-interval="false"
48     role="region" aria-roledescription="carousel" aria-label="FORYOU lookbook" aria-
    describedby="lookbook-help">
49     <div class="carousel-indicators position-static mb-3" data-bs-theme="dark">
50         <button type="button" data-bs-target="#lookbook-carousel" data-bs-slide-to="0" class="active" aria-
            current="true" aria-label="Slide 1 of 9"></button>
51         <button type="button" data-bs-target="#lookbook-carousel" data-bs-slide-to="1" aria-label="Slide 2 of
            9"></button>
52         <button type="button" data-bs-target="#lookbook-carousel" data-bs-slide-to="2" aria-label="Slide 3 of
            9"></button>
53         <button type="button" data-bs-target="#lookbook-carousel" data-bs-slide-to="3" aria-label="Slide 4 of
            9"></button>
54         <button type="button" data-bs-target="#lookbook-carousel" data-bs-slide-to="4" aria-label="Slide 5 of
            9"></button>
```

Verification / limitation: Uses the standard Bootstrap Carousel plugin. Selection, swipe and keyboard behavior need real browser verification.

Webpage screenshot: pending a real browser capture. Capture the relevant page at phone, tablet and desktop widths before final submission.

Task 8

Bootstrap cards

Evidence location: Home and Collection

1. Create three Home articles with card, card-img-top, card-body, card-title and card-text classes.
2. Group them using card-group as required by the assignment.
3. Reuse the visual treatment for four Collection cards in Bootstrap columns and two team cards on About.

index.html | Actual source excerpt

```
55     <div class="card-group gap-4"><article class="card h-100 product-card border-0 rounded-0">
56       
57       <div class="card-body d-flex flex-column px-0 pt-3 pb-0">
58         <p class="eyebrow text-secondary mb-2">Chalk</p>
59         <h3 class="card-title h4">Everyday shirt</h3>
60         <p class="card-text text-secondary">An easy cotton layer for a relaxed everyday wardrobe.</p>
61         <p class="fw-semibold mb-3">18,900 KZT</p>
62         <a class="btn btn-outline-primary align-self-start mt-auto" href="collection.html#size-guide">Find
        your size <span aria-hidden="true">🔍</span></a>
63       </div>
64     </article>
```

Verification / limitation: Implemented. Images, titles and descriptions are present on all three Home cards.

Webpage screenshot: pending a real browser capture. Capture the relevant page at phone, tablet and desktop widths before final submission.

Task 9

Responsive form

Evidence location: Contact page

1. Use form-control for text/email/textarea, form-select for topics, and input-group for the email field.
2. Use form-check inputs for radio choices and a checkbox. Associate every field with a visible label.
3. Use responsive Bootstrap columns, required attributes and length constraints. Keep sending disabled and explain the demo status.

contact.html | Actual source excerpt

```
50     <div class="row g-3 mb-3">
51         <div class="col-12 col-md-6"><label class="form-label" for="name">Name *</label><input
class="form-control" type="text" id="name" name="name" autocomplete="name" maxlength="100" required></div>
52         <div class="col-12 col-md-6"><label class="form-label" for="email">Email *</label><div
class="input-group"><span class="input-group-text" aria-hidden="true">@</span><input class="form-control"
type="email" id="email" name="email" autocomplete="email" required></div></div>
53     </div>
54     <div class="mb-3"><label class="form-label" for="topic">Topic *</label><select class="form-select"
id="topic" name="topic" required><option value="">Choose a topic</option><option>Product
question</option><option>Size advice</option><option>Project feedback</option></select></div>
55     <fieldset class="mb-3"><legend class="fs-6">Which collection interests you?</legend><div
class="form-check form-check-inline"><input class="form-check-input" type="radio" name="interest"
id="everyday" value="everyday" checked><label class="form-check-label" for="everyday">Everyday
essentials</label></div><div class="form-check form-check-inline"><input class="form-check-input"
type="radio" name="interest" id="layers" value="layers"><label class="form-check-label"
for="layers">Layering pieces</label></div></fieldset>
56     <div class="mb-3"><label class="form-label" for="message">Message *</label><textarea class="form-
control" id="message" name="message" rows="4" minlength="10" maxlength="2000" aria-describedby="message-
help" required></textarea><p class="form-text mb-0" id="message-help">Use 10-2,000 characters for your
example enquiry.</p></div>
57     <div class="form-check mb-4"><input class="form-check-input" type="checkbox" id="understood"
name="understood"><label class="form-check-label" for="understood">I understand this form is a
demonstration.</label></div>
58     <div class="d-flex flex-wrap gap-2"><button class="btn btn-primary" type="submit" disabled>Sending
unavailable</button><button class="btn btn-outline-secondary" type="reset">Clear form</button></div>
59     </form>
```

Verification / limitation: Implemented. There is no backend; the clear-form button uses native type=reset.

Webpage screenshot: pending a real browser capture. Capture the relevant page at phone, tablet and desktop widths before final submission.

Task 10

Accessibility

Evidence location: All pages

1. Use semantic nav, main, section, article, footer, form and fieldset elements.
2. Add image alternatives, labelled controls, skip links, current-page indicators and visible focus.
3. Use button controls and Bootstrap-managed menu state, respect reduced-motion preferences, and verify the main colour pairs numerically.

css/site.css | Actual source excerpt

```
41 :focus-visible { outline: 3px solid #743e4b; outline-offset: 4px; }
42 .carousel-indicators [data-bs-target] { min-height: 44px; background-clip: content-box; }
43 .lookbook-image { height: 300px; object-fit: cover; }
44 @media (min-width: 768px) {
45   body { font-size: 1.0625rem; }
46   h1 { font-size: 3.5rem; }
47   h2 { font-size: 2.5rem; }
48   .lookbook-image { height: 460px; }
```

Verification / limitation: Source and core contrast checks passed. Keyboard order, disclosure and slider operation still need real browser testing.

Webpage screenshot: pending a real browser capture. Capture the relevant page at phone, tablet and desktop widths before final submission.

Verification & submission

- about.html: references, anchors, labels, image alternatives and both footer names verified; no inline events.
- collection.html: references, anchors, labels, image alternatives and both footer names verified; no inline events.
- contact.html: references, anchors, labels, image alternatives and both footer names verified; no inline events.
- index.html: references, anchors, labels, image alternatives and both footer names verified; no inline events.
- media-queries.html: references, anchors, labels, image alternatives and both footer names verified; no inline events.
- Pure-CSS study: exactly three cards, no Bootstrap import, explicit 1/2/3 columns and three typography ranges.
- Main theme has no custom margin/padding declarations; Bootstrap utilities control spacing.
- Lookbook: nine images and slide indicators, one active slide, matching Bootstrap targets, Previous/Next controls.
- Four main pages: local Bootstrap CSS and bundle, containers, standard Collapse navbar and styled buttons.
- Bootstrap 5.3.8 CSS matches the SHA-384 integrity hash in official documentation.
- Bootstrap 5.3.8 JavaScript bundle matches the official SHA-384 hash.
- Core normal-text colour pairs exceed 4.5:1 contrast: {'body': 13.16, 'secondary': 5.62, 'primary button': 8.29, 'outline button': 7.71}

Still required before submission

1. Verify the Bootstrap menu and all nine carousel indicators, including Previous/Next wraparound.
2. Test all pages at 375px, 768px and 1440px, including breakpoint boundaries.
3. Capture genuine webpage screenshots and add them to this report.
4. Commit and push the approved site, deploy through GitHub Pages or Netlify, and verify the actual URL.
5. Insert that URL below, export the final report and regenerate the ZIP.
6. Both members submit the report and ZIP and defend the work by the LMS deadline.

Verified deployed URL: PENDING - not deployed.

Reflection draft for team review

Media queries provide direct control over typography and card counts. Bootstrap provides consistent layout and spacing across the main pages. Keeping the pure-CSS study separate resolves the different task constraints. Bootstrap handles menu and carousel interaction through HTML data attributes and its official JavaScript bundle. This separates our layout and theme work from the supplied component behavior.

Official references

<https://getbootstrap.com/docs/5.3/getting-started/introduction/>
<https://getbootstrap.com/docs/5.3/layout/grid/>
<https://getbootstrap.com/docs/5.3/utilities/spacing/>
<https://getbootstrap.com/docs/5.3/components/carousel/>
<https://getbootstrap.com/docs/5.3/components/card/>