

DIAGNOSTIC REPORT



CLIENT CODE : C000073148

CLIENT'S NAME AND ADDRESS :
L.S. PATIENT CARE CENTRE
TARAMANDAL DEORIA BYE PASS ROAD, NEAR BHARAT PETROL PUMP,
SBI BANK,
GORAKHPUR 273017
UTTAR PRADESH INDIA
9519244165

SRL LIMITED
SRL,REFERENCE LAB, GP-26, MARUTI INDUSTRIAL ESTATE,UDYOG
VIHAR,SECTOR-18,
GURGAON, 122015
HARYANA, INDIA
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : connect@srl.in

PATIENT NAME : SUMAN BALA SRIVASTAVA

PATIENT ID : SUMAF629980050

ACCESSION NO : 0009UE063572 AGE : 62 Years SEX : Female DATE OF BIRTH :

DRAWN : 12/05/2021 15:19 RECEIVED : 13/05/2021 17:38 REPORTED : 13/05/2021 18:15

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

CLINICAL INFORMATION :

ICMR Registration No: SRLRL001

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

MOLECULAR BIOLOGY

SARS COV -2 REAL TIME PCR

SARS-COV-2 RNA POSITIVE
CT VALUE 21.00
Comments -

Interpretation(s)

SARS COV -2 REAL TIME PCR-

SARS-CoV-2, formerly known as 2019-nCoV, is the causative agent of the coronavirus disease 2019 (COVID-19). Main symptoms of the disease include fever, cough and shortness of breath. The virus is spread via person-to-person contact through respiratory droplets produced when a person coughs or sneezes. The SARS-CoV-2 RNA is generally detectable in nasopharyngeal/oropharyngeal swabs during the acute phase of infection. Positive results are indicative of active infection. Real Time PCR assay targets specific genes and can be used for diagnosis of SARS-CoV-2 virus infection which contributes to severe upper respiratory distress and complications. Positive result indicates that RNA from SARS-CoV-2 was detected in the specimen, and the patient is considered infected with the virus and presumed to be contagious. Negative test result for this test means that SARS-CoV-2 RNA was not detected in the specimen above the limit of detection of the assay.

Limitations:

- Negative results do not preclude COVID-19 and should not be used as the sole basis for patient management decisions. Negative results must be combined with clinical observations, patient history, and epidemiological information.
- Positive results do not rule out bacterial infection or co-infection with other viruses.
- Optimum specimen types and timing for peak viral levels during infections caused by 2019-nCoV have not been determined. Collection of multiple specimens (types and time points) from the same patient may be necessary to detect the virus.
- Follow-up testing may particularly be important if patient has a clinical picture of viral pneumonia, a potential exposure history, and/or radiographic findings (chest CT or MRI scan) consistent with COVID -19 pneumonia. However repeat testing in the near-term after clearance (within 90 days) should be avoided as prolonged shedding of non-viable virus is not uncommon.
- Ct values generated from different assay systems within the same laboratory, or from different laboratories, are not directly comparable and do not necessarily reflect the same viral load due to inter-assay and inter-laboratory variability.
- Variation in timing of sample collection, fluctuations in virus shedding, and difference between detection limit of different testing methods within same or different labs could lead to variation in results particularly during initial phase of infection.
- If the virus mutates in the rRT-PCR target region, 2019-nCoV may not be detected or may be detected less predictably. Inhibitors or other types of interference may produce a false negative result.
- The performance of this test has not been established for monitoring treatment of 2019-nCoV infection.

Note: Test is performed using ICMR approved Kit.

References:

- Laboratory testing for coronavirus disease 2019 (COVID-19) in suspected human cases. Interim guidance. World Health Organization.
- Druce et al. JCM. 2011
- N. Engl. J. Med. 2020, 382, 929-936

End Of Report

Please visit www.srlworld.com for related Test Information for this accession

Rashmi

Dr. Rashmi Talwar, PhD
Section Head- Genetics

Yoginder

Dr. Yoginder Pal Singh, Ph.D
Molecular Biologist

Anurag

Dr. Anurag Bansal
LAB DIRECTOR



Scan to View Details



Scan to View Report