Create.html

```
<html>
  <head>
    <title>Student Create</title>
  </head>
  <body><fieldset ><legend> Student Details</legend>
    <form method="post" action="Create">


        <table > <tr> <td>
                Student ID:</td><td><input type="text" name="sid"  required=""/></td></tr>
       <tr><td> Student Name:</td><td><input type="text" name="sname" required="" /></td></tr>
       <tr><td> Branch:</td><td><input type="text" name="sbranch"  required=""/></td></tr>
       <tr> <td> Phno:</td><td><input type="number" name="sphno" required="" /></td></tr>
     <tr> <td> <input type="submit" value="Submit" /></td></tr>



        </table>
    </form></fieldset>
  </body>
</html>
```

HOME.html

```
<html>
  <head>
    <title>login form</title>
  </head>
  <body>
    <form method="post" action="LOGIN">
      Email ID:<input type="text" name="email"  required=""/><br/>
      Password:<input type="text" name="pass" required="" /><br/>
    <input type="submit" value="login" />
    </form>
  </body>
</html>
```

Select.html

```
<html>
  <head>
    <title>Student Select</title>
  </head>
  <body>
    <form method="post" action="Select">

    Student ID:<input type="text" name="sid" /><br/>

    <input type="submit" value="submit" />
```

```
    </form>
  </body>
</html>
```

Update.html

```
<html>
  <head>
    <title>Student Update</title>
  </head>
  <body>
    <form method="post" action="Update">
      Student ID:<input type="text" name="sid"  required=""/><br/>

    <input type="submit" value="Submit" />
    </form>
  </body>
</html>
```

web.xml

```
<?xml version="1.0" encoding="UTF-8"?>

<web-app xmlns="http://xmlns.jcp.org/xml/ns/javaee"
         xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
```

```
        xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/javaee
http://xmlns.jcp.org/xml/ns/javaee/web-app_3_1.xsd"
        version="3.1">
<welcome-file-list>
  <welcome-file>HOME.html</welcome-file>
</welcome-file-list>
  <servlet>
    <servlet-name>LOGIN</servlet-name>
    <servlet-class>LOGIN</servlet-class>
  </servlet>
  <servlet-mapping>
    <servlet-name>LOGIN</servlet-name>
    <url-pattern>/LOGIN</url-pattern>
  </servlet-mapping>
  <servlet>
    <servlet-name>Create</servlet-name>
    <servlet-class>Create</servlet-class>
  </servlet>
  <servlet-mapping>
    <servlet-name>Create</servlet-name>
    <url-pattern>/Create</url-pattern>
  </servlet-mapping>
```

```
<servlet>
   <servlet-name>Update</servlet-name>
   <servlet-class>Update</servlet-class>
</servlet>
<servlet-mapping>
   <servlet-name>Update</servlet-name>
   <url-pattern>/Update</url-pattern>
</servlet-mapping>
<servlet>
   <servlet-name>Select</servlet-name>
   <servlet-class>Select</servlet-class>
</servlet>
<servlet-mapping>
   <servlet-name>Select</servlet-name>
   <url-pattern>/Select</url-pattern>
</servlet-mapping>
 <servlet>
   <servlet-name>Delete</servlet-name>
   <servlet-class>Delete</servlet-class>
</servlet>
<servlet-mapping>
   <servlet-name>Delete</servlet-name>
```

```
    <url-pattern>/Delete</url-pattern>
  </servlet-mapping>
</web-app>
```

Welcome.html

```
<html>
  <head>
    <title>login form</title>
  </head>
  <body>
    <form method="post" action="Welcome">
      <h1>CRUD OPERATIONS</h1>
      <a href="Create.html">Student Insert</a><br>
      <a href="Update.html">Student Update</a><br>
      <a href="Select.html">Student Select</a><br>
      <a href="Delete.html">Student Delete</a><br>

    </form>
  </body>
</html>
```

Create.java

```
import java.io.IOException;

import  java.io.PrintWriter;

import java.sql.*;


import javax.servlet.*;

import javax.servlet.http.*;

public class Create extends HttpServlet {


   protected void doPost(HttpServletRequest request, HttpServletResponse
response)

          throws ServletException, IOException {

       response.setContentType("text/html;charset=UTF-8");

       String  sid=request.getParameter("sid");

      String  sname=request.getParameter("sname");

       String sbranch=request.getParameter("sbranch");

       long sphno=Long.parseLong(request.getParameter("sphno"));
```

```
try {
        Class.forName("com.mysql.jdbc.Driver");
        Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3306/week12","root","");
        PreparedStatement ps;
        ps = con.prepareStatement("INSERT INTO stud VALUES (?, ?,?, ?)");


      ps.setString(1,sid);
ps.setString(2,sname);
ps.setString(3,sbranch);
ps.setLong(4,sphno);
 PrintWriter out = response.getWriter();



 int i=ps.executeUpdate();
 out.println("succesully inserted");
    out.println("<a href=Welcome.html>main page</a>");
    }catch(Exception e) {
        PrintWriter out = response.getWriter();
          out.println(" inserted faild");
      }
```

```
   }

}
```

Delete.java

```
import java.io.IOException;
import java.io.PrintWriter;
import java.sql.*;

import javax.servlet.*;
import javax.servlet.http.*;
public class Delete extends HttpServlet {

   protected void doPost(HttpServletRequest request, HttpServletResponse
response)
          throws ServletException, IOException {
       response.setContentType("text/html;charset=UTF-8");
        String  sid=request.getParameter("sid");



    try {
          Class.forName("com.mysql.jdbc.Driver");
          Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3306/week12","root","");

            PreparedStatement ps=con.prepareStatement( "DELETE FROM stud WHERE
sid=?");
             ps.setString(1,sid);
        ps.executeUpdate();
        System.out.println(sid+"Successfully deleted from the record");

   RequestDispatcher rs = request.getRequestDispatcher("Welcome.html");
         rs.include(request, response);
    }catch(Exception e) {
          e.printStackTrace();
       }

   }
}
```

LOGIN.java

```
/*
 * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt
to change this license
```

```
 * Click nbfs://nbhost/SystemFileSystem/Templates/JSP_Servlet/Servlet.java to edit this template
 */

import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.RequestDispatcher;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;

@WebServlet(urlPatterns = {"/login"})
public class LOGIN extends HttpServlet {



   protected void doPost(HttpServletRequest request, HttpServletResponse response)
           throws ServletException, IOException {
       response.setContentType("text/html;charset=UTF-8");
       PrintWriter out = response.getWriter();
```

```
String email = request.getParameter("email");
String pass = request.getParameter("pass");




if(Validate.checkUser(email, pass))
{

    RequestDispatcher rs = request.getRequestDispatcher("Welcome.html");
    rs.forward(request, response);
}
else
{
   out.println("Username or Password incorrect");

   RequestDispatcher rs = request.getRequestDispatcher("Home.html");
   rs.include(request, response);
}
```

```
   }


 }
```

Select.java

```
import java.io.IOException;

import  java.io.PrintWriter;

import java.sql.*;


import javax.servlet.*;

import javax.servlet.http.*;

public class Select extends HttpServlet {


   protected void doPost(HttpServletRequest request, HttpServletResponse
response)

          throws ServletException, IOException {

       response.setContentType("text/html;charset=UTF-8");

       String sid=request.getParameter("sid");

        String  sname= null,sbranch=null;

        long sphno=0;
```

```
    try {
        Class.forName("com.mysql.jdbc.Driver");
        Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3306/week12","root","");
        PreparedStatement ps = con.prepareStatement("select * from stud where
sid=?");
        ps.setString(1, sid);



        ResultSet rs =ps.executeQuery();
        while(rs.next()){
       sid= rs.getString(1);
       sname= rs.getString(2);
       sbranch=rs.getString(3);
       sphno= rs.getLong(4);


        break;
        }
    }catch(Exception e) {
        e.printStackTrace();
```

```
        }

        try (PrintWriter out = response.getWriter()) {
            out.println("<!DOCTYPE html>");
            out.println("<html>");
            out.println("<head>");
            out.println("<title>Servlet Welcome</title>");
            out.println("</head>");
            out.println("<body>");

            out.println("<h1>Sudent ID : " + sid+ "</h1>");
            out.println("<h1> Student name : " + sname+ "</h1>");
            out.println("<h1>Student phno : " + sphno+ "</h1>");
            out.println("<h1>Student Branch: " + sbranch+ "</h1>");
            out.println("<a href=Welcome.html>main page</a>");
            out.println("</body>");
            out.println("</html>");

        }
    }}
```

Update.java

```
import java.io.IOException;
import java.io.PrintWriter;
import java.sql.*;

import javax.servlet.*;
```

```
import javax.servlet.http.*;
public class Update extends HttpServlet {

   protected void doPost(HttpServletRequest request, HttpServletResponse
response)
          throws ServletException, IOException {
       response.setContentType("text/html;charset=UTF-8");
        String  sid=request.getParameter("sid");
     String  sname=request.getParameter("sname");
       String  sbranch=request.getParameter("sbranch");
       long sphno=Long.parseLong(request.getParameter("sphno"));


    try {
          Class.forName("com.mysql.jdbc.Driver");
          Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3306/week12","root","");
          Statement stmt = con.createStatement();
            PreparedStatement ps=con.prepareStatement( "UPDATE stud SET sname =
?,sbranch=?,sphno=? WHERE sid =?");
             ps.setString(1,sname);
ps.setString(2,sbranch);
ps.setLong(3,sphno);
 ps.setString(4,sid);

        ps.executeUpdate();


   RequestDispatcher rs = request.getRequestDispatcher("Welcome.html");
         rs.include(request, response);
    }catch(Exception e) {
          e.printStackTrace();
       }

   }
}
```

Validate.java

```
import java.sql.*;

public class Validate {
```

```
public static boolean checkUser(String email,String pass)
 {


     boolean st=false;
    try {
        Class.forName("com.mysql.jdbc.Driver");
        Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3306/login1","root","");
        PreparedStatement ps = con.prepareStatement("select * from login where
email=? and pass=?");
        ps.setString(1, email);
        ps.setString(2, pass);



        ResultSet rs =ps.executeQuery();


        st = rs.next();



    }
    catch(Exception e) {
        e.printStackTrace();
    }
   return st;
```

```
    }
}
```


Output:



localhost:8080/week12/Delete
Chat
CRUD OPERATIONS
Student Insert
Student Update
Student Select
Student Delete
33°
ENG
IN
1:31 PM
10/9/2026

Insert operation



Select operation





Delete operation:

