

1)Which of the following is a feature of JUnit

Dependency between testcases

VO Tests can be timed out.....

Tests can be grouped

Test cases can be prioritized

2)The method that was used by Selenium initially to avoid the Same Origin Policy was

0 Enable Origin Policy for all browsers

Proxy Injection.....

Enable Same Origin Policy

SQL Injection

3)DOM stands for

Document Orientation Model

Document Object Model.....

Detailed Object Model

0 Detailed Orientation Model

4)Which is the fastest implementation of WebDriver?

Chrome Driver

HtmlUnit Driver.....

Firefox Driver

Internet Explorer Driver

5) Selenium globbing pattern allows only

asterisk and class

Dollar symbol and character class

asterisk and dollar symbols

asterisk and character class.....

6) The two ways of discovering the XPath of an element are ?

Css and Firebug

FireBug and FireXpath

Inspect Element Tool and

Firebug

0

VO Firebug and Xpath Checker.....

7) What is Selenese?

Selenium keywords

Selenium scripting language

Selenium commands.....

Selenium Class

8)The Assert method of JUnit does NOT allow you to specify

The error message

Value of variables.....

The Expected Result

The Actual Result

9)WebElement.clear()

Clears the value of a textbox.....

Deletes child elements of current web element

Clears any hiding elements from view

Clears the text of a label

10)Selenium does NOT support

automation of

Jquery

HTML5

Flash.....

AJAX

11)The text pattern types that is NOT supported in Selenium is

☐ globbing

☐ regular expressions

☐ template.....

☐ exact

12)The following is not the Junit annotatio?

BeforeClass

VO DataProvider.....

AfterClass

Test

13)Selenium can be deployed on the following Operating Systems

Solaris, OS X

Windows, Linux and Android

Windows, Linux, Solaris and OS X.....

Windows, Linux

14)Which of these locators is fastest in identifying web elements?

XPath

ID.....

DOM

Css

15)CSS stands for

Consolidated Style Sheets

Cascading Specification

Sheets

0 Cascading Style Sheets.....

Consolidated Specification

Sheets

16)Which of the following is NOT a feature of Selenium Webdriver?

Usage of browser's native support for automaton

Support for file upload

0 oriented API

Support for OS native applications.....

17)Following is not the step to run automation using Selenium

Viewing the results in the format specified.....

Run the test

Modify the scripts according to the testing needs

Record the scripts using Selenium IDE

18) Which of the following statements about `WebElement.getText()` method is correct?

Gets the text of current web element including sub-elements.....

Gets the visible and invisible

text from a web element

Gets the text with leading and whitespaces

Gets the inner HTML along with text if sub-elements are present

19) Websockets mechanism is used by

Firefox Driver

Chrome Driver

Safari Driver.....

Internet Explorer Driver

20) Which of the following is not True about CSS locators?

CSS locators do not work on

Safari browser

CSS locators are easy to read

CSS locators can filter based on element text.....

CSS locators are faster compared to XPath

21)The method to get the value of a text field web element is

☐ getTagName()

☐ getAttribute().....

☐ getText()

☐ getValue()

22)Which of the following is NOT an advantage of Webdriver in comparison with Selenium RC?

☐ Multiple languages support.....

Realistic interaction with web elements

☐ Object oriented API

Executions are faster in Webdriver

23) What tests can selenium do?

Unit testing and Functional

☐ Functional, Regression and Performance

Integration and Regression

Functional and Regression.....

24)Selenium IDE is less powerful in creation of scripts because

Many actions are not recorded by IDE and have to be manually entered.....

All the actions performed are recorded by IDE

IDE does not record and we have to do complete scripting manually

Looping has to be done manually

25) Parent node is referred to in Xpath as
Ans: ..

26) File upload is NOT supported by

Internet Explorer Driver

Firefox Driver

VO Safari Driver.....

0 Chrome Driver

27) The behavior of a web page is controlled by

HTML

CSS

JavaScript.....

Xpath

28) The Exception: "No runnable methods" occurs when

if you use the JUnit 3.4 core runner to execute

a class that has no "@Test" method

if you use the JUnit 4.4 core runner to execute a class that has no "@Test" method.....

If class has compilation errors

if you use the JUnit 4 core runner to execute a class that has no "@Test" method

29) The WebDriver.getPageSource() method

Gets the HTML source of last loaded page.....

☐ Gets the URL source of last loaded page

Gets the URL source of first loaded page

Gets the HTML source of first page

30) What is the name of the package that you use for JUnit

import junit.*;

☐ import package.junit.*;

☐ import com.junit.*;

☐ import org.junit.*;.....

31) Which of the following methods is Invalid?

WebDriver.findElement()

WebElement.findElement()

Webdriver.findElementById().....

ElementFinder.findElement()

32) The method to mimic refresh of the current page is

Webdriver.navigate().....

☐ Webdriver.refresh()

Webdriver.load()

Webdriver.manage()

33) Selenium IDE generates commands using Core

Keywords

Selenium Commands

☐ Selenese.....

34) The annotations generated with Junit 4 tests in Selenium IDE are NOT

The @Test public void method()

The @Config public void method().....

The @After public void method()

☐ The @Before public void method()

35) How do we add checkpoints manually to our tests in Selenium IDE?

☐ Reference Section

☐ Context Menu.....

☐ Locator Builders

☐ Add Checkpoint Option

36)What is the open source license that Selenium comes with?

☐ BSD 3

☐ Apache License 2.0.....

☐ MIT

☐ OPL

37)WebElement.isSelected() is NOT applicable for

☐ Menu Items.....

☐ Radio buttons

☐ Options in a drop-down

☐ Checkboxes

38)The following is not the interface of Junit?

☐ Protectable

TestFailure.....

TestListener

Test

39)The following test framework is used with Java programming language?

☐ jxl

UnitTest

☒ TestNG.....

Nunit

40)Which of the following uses native JavaScript calls.

Selenium Core

Selenium Web Driver

Selenium Grid

Selenium IDE.....

41)The plug in for Selenium Ide that stores the screen shots automatically on script failure is

ScreenShot on Fail plug in.....

Capture Screen Shot Plugin

☐ Screen Grabber Plug in

0 Failed Screen shot Plug in

42)storeFooPresent(variable) does

Stores the text of pop-up into some default variable

stores the text of the pop-up in a variable

Stores the text of pop-up as a

constant

stores the text of the pop-up 0 in a variable and returns true or false.....

43)How to handle Ajax controls in Selenium?

Using wait for condition command.....

Using wait for command

Using wait for page to load command

Using wait for script to load command

44)Which of the following statements about Webdriver is correct?

Webdriver is neutral for 0 platform, but depends on language

Webdriver is neutral for 0language, but depends on platform

Webdriver is platform and language neutral interface.....

Webdriver is not neutral, it depends on platform and language

45) The following is used to run the exported tests in any browser and any platform?

Selenium Core

Selenese

Selenium Webdriver.....

Selenium 2

46) Using Selenium Server with non java language bindings is required for

Firefox Driver

Chrome Driver

Internet Explorer Driver

HtmlUnit Driver.....

47) Which of the following is a replacement for Selenium RC?

Selenium Grid

0 Selenium Server.....

Selenium Core

Selenium Webdriver

48) Which Selenium component is used to execute single test method in multiple

browsers?

Selenium IDE

Selenium Web Driver

Selenium Grid.....

Selenium Core

49) Which of these Selenium components drive tests natively on browsers instead of using Javascript?

Selenium Webdriver.....

Selenium IDE

Selenium Core

Selenium RC

50) We cannot do the following if we use JUnit Framework with our Selenium 1 or Selenium 2 scripts

We cannot use reporting 0 format other than XML & HTML.....

We can define many reporting formats in our own way

We can define many reporting formats in our own way but cannot add test data to reports

We will not be able to define our own reporting format

51) Which of the following find mechanism is NOT supported by By class?

Tag Name

DOM.....

Css

Class Name

52) Which method can be used to switch to a pop up window?

☐ WebDriver.selectWindow()

WebDriver.navigate()

☐ WebDriver.switchTo().....

WebDriver.switchToWindow()

53) The following is NOT the use of the annotation in JUnit?

Compiler-time and

deployment-time processing

Information for the compiler

☐ Initiating JRE.....

Runtime processing

54) How do you edit the recorded command in IDE?

Record->Edit

By selecting the command. 0 and choosing the desired value from drop-down.....

Edit Recording Mode

No option is available

55)Which of the following we use to check the properties of a web page?

Assert, Verify and Check commands

VO Assert and Verify Commands.....

Check and Verify commands

Check and Assert commands

56)The following framework is an instance of the xUnit architecture for unit testing frameworks

VO Junit.....

TestNG

Nunit

0 Hybrid

57)Which of the following is NOT a pre-condition to click a element using WebElement.click() method?

Element should be visible

Element should have height and width greater than 0

Element should be present

Clicking on the element should not load a new page.....

58)Selenium provides test results in following format

HTML

Selenium does not provide test results.....

Text

XML

59)The Webdriver get() method

Launches a browser

0 Gets a web element

Gets the text of a webelement

V0 Loads a URL..... .

60)Which of the following is NOT a Xpath operator

Ans: /

61)Headless execution is done by

V0 HtmlUnit Driver.....

Internet Explorer Driver

Firefox Driver

Chrome Driver

62)Which of the following is NOT a feature in Selenium IDE?

Adjust speed of test

Looping and conditional statements are allowed.....

Pause test

Variable can be defined

63)The interface which represents a browser in Selenium Webdriver is

WebElement

Browser Type

Webdriver.....

DriverCommand

64)Selenium IDE is the add on only for the following browser

Internet Explorer

Safari

Mozilla Firefox.....

Google Chrome

65)The sequence of evaluation and flow control is done in Selenium IDE using

User Extensions..

Looping Constructs

Conditional Statements

Assert Statements

66)How to denote the parent element in XPath locator?

0 parent()

Cannot be referred in Xpath (It is XPath constraint)

.. answer

0 parent() and ..

67)When clicking on a web element loads a new page, which of the of the following is correct about WebElement.click() method?

Does not wait for the next page to load

Attempts to wait until the page is loaded.....

Click fails if a new page is loaded

Blocks until page is loaded

68)The content of a web page is controlled by

Xpath

VO HTML.....

JavaScript

O CSS

69)What is the difference between
Webdriver.findElement() and
Webdriver.findElements() methods for a given
By mechanism?

FindElement() finds child element whereas
findElements() finds all elements in a page

FindElement() finds last matching element
whereas findElements() finds all elements in a
page

FindElement() finds last matching element
whereas findElements() finds all child
elements in a page

FindElement() finds first matching element
whereas findElements() finds all elements in a
page.....

70)Which of the following is NOT a valid
locator type in Selenium?

Name

OID

O Value.....

O CSS

71)The three modes in which we can use the Selenium Assertions are

Assert, VerifyAssertion and waitFor

Assert, Verify and waitFor.....

assertAssertions, VerifyAssertions and waitFor

Assert, Verify and Assertions

72)The driver implementation which is NOT developed by seleniumhq

Internet Explorer Driver

Safari Driver

Chrome Driver.....

Firefox Driver

73)Where do we specify our user javascript extensions in Selenium IDE?

File Menu

Actions Menu

Preference Menu

Options Menu.....

74)Select the diasadvantage of Selenium from the following

Does not support embedded Flash objects in web pages.....

Does not support Linux OS

Does not support Python scripting language

Does not support Opera browser

75) Which of the following statements is incorrect?

☐ Webdriver.quit() fails if any window is open.....

☐ Webdriver.close() quits Obrowser when only one window is open

☐ Webdriver.quit() closes all windows

76) Which of the following statements about Webdriver is correct?

☐ JSON over TCP protocol is used

☐ XML over TCP protocol is used

☐ JSON over HTTP protocol is used.....

☐ XML over HTTP protocol is used

77) What are the three major components of Selenium IDE?

☐ Command, Target, Input

☐ Order, Target, Value

☐ Command, Destination, Value

0 Command, Target, Value.....

78)The deafult timeout value of recorded command is

3s 30ms

30s-30000ms.....

305-300ms

300s-3000ms

79)The three flavours of Selenium Commands are

0 Command, Target, Value

Core, Actions, Assertions

Assertions, Actions and inputs

Actions, Accessors and Assertions.....

80)How to denote the immediate child in CSS selectors?

Ocurrent-child

Immediate child cannot be handled in CSS

.

>

81)The layout of a web page is controlled by

Xpath

VO CSS.....

HTML

0 JavaScript

82)The Selenium command to print the two variables in the same line is

PutVars

echo.....

GetVars

StoreVars

83)How can we change the test recorded in Xpath to css locator?

Using the css selector 0 available next to Find in Selenium

Select the element recorded using Xpath, enable the css selector and click on the Find Button

0 First enable the css selector and click on find button

Using the drop down 0 available next to Find in Selenium.....

84)WebElement.getLocation() returns

Top left hand corner point of web

element.....

Bottom left hand corner point of web element

Top right hand corner point of web elemen

Bottom right hand corner point of web element

85) In Xpath, indexing of element starts from

2

0

1.....

_1

86)Selenium automates

Navigators

URLS

Native applications

Browsers.....

87)Difference between single and double slash as first character in XPath

/refers to a node anywhere in the node hierarchy

// refers to root node

/refers to root node.....

// refers to node after root node

88)which of the following is not True about CSST

CSS saves a lot of work

Styles were added in HTML. S.....

0 External CSS are stored in files

CSS defines how HTML elements are to be displayed

89)Reference Section of Selenium IDE is wwvd for?

Description of the commands.....

Expected result of commands

Check for certain text

To view the test execution

90)Which of the following browsers require a server to be started to use Webdriver?

0 Internet Explorer

Safari

Firefox

Chrome.....

91)What is the Selenium IDE plug in to run the Selenium Test Suite?

Whit Code Plexer

Test Runner.....

Flex Pilot

Test Suite Runner

92)The following are the main components of Selenium RC?

Client Libraries and Selenese commands

Webdriver

Selenium Server and Client Libraries.....

Selenium Core, Webdriver and Selenium Server

93)The interface which represents a HTML element in Selenium Webdriver is

Webdriver

WebElement.....

WrapsElement

RemoteWebElement

94)The syntax to compile a Junit Test Class is?

javac -np junit-4.4.jar HelloTest.java

javac junit-4.4.jar Hello

Test.java.....

javac -cp junit-4.4.jar Hello Test.java

javac -cp junit-4.4 Hello Test.java

95)Which of these locators is NOT much readable comparitively?

Old

Name

Identifier

CSS.....

96)When locating by identifier, if no element has a matching id attribute

Element with matching value is returned

No element is returned

Element with matching text is returned

Element with matching name is returned.....

97)The method to type text into a web element is

WebElement.sendKeys().....

WebElement.type()

WebElement.text()

WebElement keyPress()

98)Which of the following is NOT a
WebElement method?

OisDisplayed()

isEnabled()

isClicked()

isSelected()

99)Which of the following is a feature of JUnit

Tests can be timed out.....

Tests can be grouped

Test cases can be prioritized

Dependency between test cases

100)The method that was used by Selenium
initially to avoid the Same Origin Policy was

Proxy Injection.....

Enable Same Origin Policy

Enable Origin Policy for all browsers

SQL Injection

101)DOM stands for

Document Object Model.....

Detailed Object Model

Detailed Orientation Model

Document Orientation

102)Which is the fastest implementation of WebDriver?

Firefox Driver

Chrome Driver

Internet Explorer Driver

HtmlUnit Driver.....

103)Selenium globbing pattern allows only Dollar symbol and character class

asterisk and class

asterisk and character class.....

asterisk and dollar

104)The two ways of discovering the XPath of an element are ?

FireBug and FireXpath

Inspect Element Tool and Firebug

OCss and Firebug

VO Firebug and Xpath Checker.....

105)What is Selenese?

VO Selenium commands.....

Selenium scripting language

0 Selenium Class

0 Selenium keywords

106)The Assert method of JUnit does NOT allow you to specify

The Expected Result

The Actual Result

VO Value of variables.....

The error message

107) WebElement.clear()

Clears the text of a label

Clears the value of a textbox.....

Clears any hiding elements from view