

Absorption by Roots — The Processes Involved

This lesson delves into the fascinating world of plant roots, exploring how they absorb essential water and minerals from the soil. We'll examine the mechanisms involved in this process, including osmosis, diffusion, and active transport, and discuss their crucial role in plant life.



Plant Physiology

1

1. Plant Physiology

Plant physiology is a captivating branch of biology that delves into the life functions of plants. It explores the intricacies of how plants function, from the cellular level to the complex interactions of organ systems. This field unveils the secrets behind the growth, development, and survival of plants.




Scope of Syllabus

Root Characteristics

We'll examine the key features of roots that make them exceptionally adept at absorbing water, including their massive surface area, the presence of root hairs, and the concentration of cell sap within root hairs. We'll delve into the structure of a fully grown root hair and discuss its role in absorption.

Experiments

We'll discuss experiments that demonstrate the conduction of water through the xylem, providing visual evidence for this critical process. These experiments will shed light on the forces that drive water upwards through the plant, enhancing our understanding of this essential function.



Importance of Water and Minerals

Photosynthesis


Water is a crucial raw material for photosynthesis, the process by which plants convert sunlight into energy. Without sufficient water, plants cannot produce the food they need to survive and thrive.

Transpiration

Transpiration, the release of water vapor from leaves, is essential for cooling plants and creating a suction force that draws water upwards through the plant. Water is also needed to transport minerals and other essential nutrients throughout the plant.


Mechanical Support

Water is essential for providing turgidity, which gives plants their rigidity and shape. Turgidity is essential for maintaining the structural integrity of stems and leaves and allowing plants to stand upright.



Absorption by the Roots

Roots play a vital role in anchoring plants to the soil, providing a sturdy foundation for their growth. They act as intricate networks, absorbing water and minerals from the soil and transporting them upwards to the rest of the plant. This constant movement of water and minerals is essential for sustaining all the plant's processes, including photosynthesis and growth.



Need of Water and Minerals for Plants

A. Need of Water

Water in Protoplasm

Water is vital for plant cells, playing a crucial role in their functioning.

Photosynthesis

Water is used as a raw material in photosynthesis, generating the plant's energy.

Transpiration

Water is essential for transpiration, cooling the plant and drawing water upwards.

Transport

Water transports nutrients throughout the plant.

Turgidity


Water provides turgidity, keeping plant cells plump and rigid.

B. Need of Mineral Nutrients

Plants require a diverse range of mineral nutrients, which they obtain from the soil through their root system. These minerals, including nitrogen for protein synthesis, phosphorus for energy transfer, and potassium for water regulation, are absorbed as dissolved salts and ions. The minerals serve multiple critical functions: strengthening cell walls, maintaining structural integrity, enabling enzyme production, and powering essential metabolic processes that keep the plant alive and thriving. Without these vital nutrients, plants cannot complete their life cycle or produce the molecules necessary for growth and reproduction.


Characteristics of Roots for Absorbing Water

Roots have evolved an impressive ability to draw water from the soil. This ability is a result of a combination of factors, each contributing to the efficient uptake of water: a huge surface area provided by rootlets and root hairs, a higher concentration of cell sap within root hairs compared to the surrounding soil water, and thin walls of root hairs, which allow free movement of water and dissolved substances.




Surface Area of Roots

Roots exhibit an astounding surface area. Imagine a small garden plant; its root hairs, if laid end to end, could stretch for kilometers! This remarkable surface area is crucial for maximizing contact with the soil, enabling the plant to efficiently absorb water and minerals. It's a prime example of how plants have adapted for survival in their environment.




Concentration of Cell Sap

Root hairs are specialized extensions of epidermal cells that play a pivotal role in water absorption. They contain cell sap with a higher concentration of solutes than the surrounding soil water. This concentration gradient drives water movement, as water naturally travels from a region of higher concentration (dilute solution) to a region of lower concentration (concentrated solution) through a semi-permeable membrane, a process known as osmosis.




Thin Walls of Root Hairs

Root hairs are not just long and thin; they also have thin, permeable cell walls. This permeability allows for the free movement of water and dissolved substances, facilitating the efficient absorption of these essential nutrients. The thin cell wall, along with the concentration gradient of cell sap, creates the perfect conditions for rapid water uptake.



Absorption and Conduction of Water and Minerals

The absorption of water and minerals by roots is a dynamic process involving a complex interplay of different mechanisms. These mechanisms work in concert to ensure that plants have access to the water and nutrients they need to thrive. We'll explore each of these mechanisms in detail, revealing the intricacies of this fundamental process.




Imbibition

Definition

Imbibition is a fascinating process in which living or dead plant cells absorb water through surface attraction, causing them to swell. It's like a sponge soaking up water, but it's driven by the strong attraction between the water molecules and the cell's internal structures.


Example

Imagine soaking dry seeds in water. As the seeds absorb water through imbibition, they swell, preparing for germination. This process is essential for the seed to break dormancy and begin to grow.






Diffusion

Diffusion is a fundamental process in which molecules move from a region of higher concentration to a region of lower concentration when in direct contact. It's like a crowd of people naturally spreading out from a crowded area into a less crowded space. This movement occurs because molecules are constantly in motion, and they tend to spread out until they are evenly distributed.



Osmosis

Osmosis is a specialized type of diffusion that involves the movement of water molecules from a region of higher concentration (dilute solution) to a region of lower concentration (concentrated solution) through a semi-permeable membrane. The semi-permeable membrane allows some molecules to pass through, while others are blocked, creating a selective flow of water. It's like a fence allowing only certain people to pass through, creating a difference in population density on either side.

Hypertonic solution	Isotonic solution	Hypotonic solution
		
• Cells have higher water potential than solution • Net movement of water out • Shrivelled cells	• Water potential equal between cells and solution • No net movement of water • Normal cells	• Cells have lower water potential than solution • Net movement of water in • Cells swell
KEY  = MOVEMENT OF WATER BY OSMOSIS  = SOLUTE		

Copyright © Save My Exams. All Rights Reserved


Inward and Outward Osmosis

Endosmosis

Endosmosis is the inward diffusion of water through a semi-permeable membrane. It occurs when the surrounding solution is less concentrated than the solution inside the cell, causing the cell to swell. It's like a balloon filling with air, expanding as it takes in more water.


Exosmosis

Exosmosis is the outward diffusion of water through a semi-permeable membrane. It occurs when the surrounding solution is more concentrated than the solution inside the cell, causing the cell to shrink. It's like a balloon losing air, deflating as it loses water.




Active Transport

Active transport is a remarkable process that allows substances to move from a region of lower concentration to a region of higher concentration, defying the natural flow of diffusion. This uphill movement requires energy, which is supplied by the cell in the form of ATP. It's like pushing a boulder uphill; it takes effort and energy to move something against its natural tendency to roll downhill.




Turgidity and Flaccidity (Plasmolysis)



Turgidity

Turgidity is the state of a cell when it is fully distended due to water absorption, providing mechanical support. It's like a balloon filled with air, maintaining its shape and rigidity.

Turgor pressure, the pressure exerted by the cell contents against the cell wall, is crucial for maintaining the cell's shape and firmness.



Flaccidity


Flaccidity occurs when a cell loses water, causing it to become limp. It's like a balloon losing air, deflating and becoming soft and pliable. This loss of turgor pressure can weaken the plant's structure and affect its ability to stand upright.

Plasmolysis

Plasmolysis is the process where the cytoplasm of a plant cell contracts away from the cell wall due to the loss of water. This occurs when the cell is placed in a hypertonic solution, a solution with a higher concentration of solutes than the cell's internal environment. It's like a balloon shrinking as it loses air, creating a gap between the balloon's surface and the air inside.

Plasmolysis: Red Onion

RED ONION DISTILLED WATER




RED ONION SALT WATER




Deplasmolysis

Deplasmolysis is the process of rehydration where the protoplasm of a plasmolyzed cell swells back to its original state. This happens when the cell is placed in a hypotonic solution, a solution with a lower concentration of solutes than the cell's internal environment. It's like a deflated balloon being reinflated, restoring its original shape and firmness.




Importance of Turgidity

Turgidity is more than just keeping plant cells plump; it plays a vital role in supporting plant structures, especially in soft tissues like leaves and stems. It provides rigidity, allowing plants to stand upright and maintain their shape. Turgidity is also crucial for processes like the opening and closing of stomata, the tiny pores on leaves that regulate gas exchange and water loss.



Root Pressure

Root pressure is the pressure that develops in the roots due to the continuous inward movement of water. It's like a water pump pushing water upwards, providing the initial force for the upward movement of sap through the xylem. This pressure is driven by the difference in water potential between the root cells and the surrounding soil water. It's a fascinating example of how plants utilize internal forces to facilitate transport processes.




Guttation

Guttation is a process where water is expelled from the tips or margins of leaves due to root pressure. It's like a plant sweating, releasing excess water in the form of tiny droplets. This phenomenon is often observed in certain plants, especially during the night when transpiration is low. The water droplets are typically seen at the leaf margins, where the pressure from the xylem is high enough to force water out.



Forces Contributing to Ascent of Sap

The upward movement of sap from the roots to the leaves is a complex process driven by several forces working together. These forces include root pressure, which provides the initial push; capillarity, which helps water rise in narrow xylem vessels; transpirational pull, which creates a vacuum that pulls water upwards; and adhesion, which helps water molecules stick to the walls of xylem vessels, facilitating upward movement.




Cohesion and Adhesion

Cohesion

Cohesion is the attraction between water molecules, which helps maintain a continuous column of water in the xylem. It's like a chain of water molecules linked together, preventing the column from breaking.


Adhesion

Adhesion is the attraction between water molecules and the surfaces of plant cells, which helps draw more water molecules from below. It's like water sticking to the sides of a glass, drawing more water upwards. These combined forces ensure that the continuous flow of water through the xylem remains unbroken.



Experiments on Absorption and Conduction of Water

To further understand the fascinating processes of water absorption and conduction in plants, scientists have devised various experiments that provide visual evidence for these complex mechanisms. These experiments, like scientific puzzles, help us unravel the secrets behind how plants thrive in their environment.



Experiment 1: To Show that Roots Absorb Water

This simple yet effective experiment provides direct evidence that roots absorb water. By observing the change in water level in a test-tube containing plant roots, we can see how much water the roots have absorbed. This experiment is a fundamental demonstration of one of the essential functions of roots.

1 Initial Setup

A healthy plant with intact roots is placed in a test tube filled with water, and the initial water level is marked.

2 Observation Period

Over several hours, the water level in the test tube gradually decreases, indicating active water absorption by the roots.

3 Final Results

The difference between the initial and final water levels clearly demonstrates that roots have absorbed water from the test tube.



Experiment 2: To Show that Water is Conducted Upwards through the Xylem

1 Setup

A young balsam plant is carefully uprooted and placed in water containing red dye or eosin solution.

2 Initial Observation

Within minutes, the red coloring begins to appear in the stem, starting from the base.

3 Progressive Changes

Over several hours, the red dye moves upward through the stem, reaching the leaves and eventually coloring the leaf veins.

4 Final Results

When the stem is cut horizontally, red-stained xylem vessels are clearly visible, confirming that water travels upward through these specific tissues.



Experiment 3: Conduction of Water through Xylem

This experiment demonstrates the essential role of xylem in water transport by comparing two shoots with different tissues removed.

1 Shoot with Phloem Removed

The shoot remains healthy and turgid since the xylem is intact, allowing water to continue moving upward through the plant.

2 Shoot with Xylem Removed

The shoot quickly wilts and droops because water cannot move upward through the plant, demonstrating that xylem is crucial for water transport.

3 Final Results

The stark contrast between the two shoots conclusively proves that xylem, not phloem, is responsible for upward water conduction in plants.



Experiment 4: To Show that Food from the Leaves is Conducted Downwards through the Phloem

This experiment highlights the importance of the phloem in transporting nutrients throughout the plant. By removing a ring of bark, which contains the phloem, we can observe how the downward flow of nutrients is interrupted. This experiment demonstrates the phloem's crucial role in distributing food produced in the leaves to the rest of the plant.

1 Initial Changes


Within days of removing the ring of bark, the stem area just above the girdle begins to swell due to accumulation of food materials that cannot move downward.

2 Progressive Effects

The portion below the girdle becomes progressively thinner due to lack of nutrient supply, while the upper portion continues to thicken.


3 Long-term Impact

If maintained long enough, the roots eventually starve from lack of nutrients, proving that phloem is essential for downward transport of food materials.



Summary of Key Processes

The absorption of water and minerals by roots is a multifaceted process that involves several key mechanisms. These mechanisms work together to ensure that plants have access to the water and nutrients they need for survival and growth.



Summary of Key Processes (continued)

1 Imbibition

Imbibition is the passive absorption of water by cells through surface attraction, a crucial process for seed germination.

2 Diffusion

Diffusion is the movement of molecules from a region of higher concentration to a region of lower concentration when in direct contact, essential for the transport of nutrients and gases.

3 Osmosis

Osmosis is the movement of water through a semi-permeable membrane from a region of higher water potential to a region of lower water potential, driving water uptake by roots.

4 Active Transport

Active transport is the energy-dependent movement of substances from a region of lower concentration to a region of higher concentration, critical for the uptake of essential nutrients against their concentration gradient.

Conclusion

Understanding the processes of absorption and conduction in plants is essential for appreciating the intricate interplay between plants and their environment. These processes are the foundation of plant life, enabling plants to thrive and reproduce. By unraveling the secrets behind these mechanisms, we gain a deeper understanding of the vital functions that sustain plant life on our planet.

