

Cucumber Report

26-May-2023, 2:57:45 PM

Start : May 26, 2:57:34.538 PM

End : May 26, 2:57:44.352 PM

Duration : 9.814 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 4
SKIPPED - 0

PASSED - 8
FAILED - 4
SKIPPED - 14




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>LimeRoad order</u>	9.814 s	4	0	4	0	26	8	4	14

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@login	1	0	1	0	1	0	1	0
@RegressionTest	4	0	4	0	1	0	1	0
@tshirt	1	0	1	0	1	0	1	0
@jeans	1	0	1	0	1	0	1	0
@home	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>LimeRoad order</u>	4	0	4	0	9.814 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>LimeRoad order</u>	<u>To login into the LimeRoad application</u>	8	2	1	5	6.271 s
2	<u>LimeRoad order</u>	<u>To search a product in Tshirt</u>	6	2	1	3	1.582 s
3	<u>LimeRoad order</u>	<u>To search a product in Jeans</u>	6	2	1	3	0.930 s
4	<u>LimeRoad order</u>	<u>To search a product in Home</u>	6	2	1	3	0.900 s

LimeRoad order

FAILED	DURATION - 9.814 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 26 Pass - 8 Fail - 4 Skip - 14	
/ 2:57:34.538 PM // 2:57:44.352 PM /					

To login into the LimeRoad application

<div>FAILED</div> <div>DURATION - 6.271 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 2:57:34.546 PM // 2:57:40.817 PM /</div>				
<div>LimeRoad order</div>				
<div>@login @RegressionTest</div>				

#	Step / Hook Details	Status	Duration
1	Given Launch the url "https://www.limeroad.com/"	PASSED	5.034 s
2	When click the element to select shop men it navigate to men page	PASSED	1.092 s
3	And user Hover cursor on profile icon login option will be shown below <pre> java.lang.NullPointerException at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy18.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at com.Base.BaseClass.explicitWaitVisibility(BaseClass.java:73) at com.StepDefinition.LimeroadStepDefinition.user_hover_cursor_on_profile_icon_login_option_will_be_shown_below(LimeroadStepDefinition.java:35) at ?.user Hover cursor on profile icon login option will be shown below(file:///C:/Users/gobiv/eclipse-workspace/LimeRoad1/src/test/java/com/Feature/LimeRoad.feature:8) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.086 s

#	Step / Hook Details	Status	Duration
4	And user click the login button to navigate to login page	SKIPPED	0.003 s
5	And user enter login credentials as their mobile number	SKIPPED	0.002 s
6	And user click next button to receive the otp in thier mobile	SKIPPED	0.001 s
7	And user enter the otp in console as a input	SKIPPED	0.001 s
8	Then user click verify button if Otp matches user will succesfully login into the limeroad application	SKIPPED	0.002 s

To search a product in Tshirt



FAILED		DURATION - 1.582 s		<div><div>Steps</div><div>Total - 6</div><div>Pass - 2</div><div>Fail - 1</div><div>Skip - 3</div></div> <div><div>6</div></div>
/ 2:57:40.888 PM // 2:57:42.470 PM /				
LimeRoad order				
@RegressionTest @tshirt				

1	2	3	4	5	6
1.0	0.5	0.1	0.0	0.0	0.0

#	Step / Hook Details	Status	Duration
1	When user navigate to the url "https://www.limeroad.com/"	PASSED	1.049 s
2	And user click Tshirt icon to get all collection of tshirts	PASSED	0.458 s
3	And user click required product model as Step Out In Style from the all product model	FAILED	0.064 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'Step Out In Style')]"}</p> <p>(Session info: chrome=113.0.5672.127) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAPTOP-5QTL0E8', ip: '192.168.131.8', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\gobiv\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:51090}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9219b852054445014f8a956dacc43a3d *** Element info: {Using=xpath, value=//div[contains(text(),'Step Out In Style')]"}</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy18.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:50) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:948) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:913) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:578) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:484) at com.Base.BaseClass.scrollAndClick(BaseClass.java:199) at com.StepDefinition.LimeroadStepDefinition. user_click_required_product_model_as_step_out_in_style_from_the_all_product_model(LimeroadStepDefinition.java:77) at ?.user click required product model as Step Out In Style from the all product model(file:///C:/Users/gobiv/eclipse-workspace/ LimeRoad1/src/test/java/com/Feature/LimeRoad.feature:19) * Not displayable characters are replaced by '?'. </pre>		
4	And user click required product item as Maroon Solid T-Shirt from the all items displayed	SKIPPED	0.000 s
5	And user click required size as M from the various option provided	SKIPPED	0.000 s
6	And user click add to cart button to save the item to the cart	SKIPPED	0.000 s



To search a product in Jeans

FAILED		DURATION - 0.930 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 2:57:42.509 PM // 2:57:43.439 PM /						
LimeRoad order						
@RegressionTest @jeans						

#	Step / Hook Details	Status	Duration
1	When user navigate to the url "https://www.limeroad.com/"	PASSED	0.466 s
2	And user click Jeans icon to get all collection of jeans	PASSED	0.392 s
3	And user click required product model as Mid Rise Jeans from the all product model	FAILED	0.054 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//div[contains(text(),'Mid Rise Jeans')])[1]}" (Session info: chrome=113.0.5672.127) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAPTOP-5QTL0E8', ip: '192.168.131.8', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\gobiv\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:51090}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9219b852054445014f8a956dacc43a3d *** Element info: {Using=xpath, value=(//div[contains(text(),'Mid Rise Jeans')])[1]}</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy18.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:50) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:948) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:913) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:578) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:484) at com.Base.BaseClass.scrollAndClick(BaseClass.java:199)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at com.StepDefinition.LimeroadStepDefinition. user_click_required_product_model_as_mid_rise_jeans_from_the_all_product_model(LimeroadStepDefinition.java:103) at ?.user click required product model as Mid Rise Jeans from the all product model(file:///C:/Users/gobiv/eclipse-workspace/LimeRoad1/src/ test/java/com/Feature/LimeRoad.feature:30) * Not displayable characters are replaced by '?'. </pre>		
4	And user click required product item as Mid Rise Washed Denim Jean from the all items displayed	SKIPPED	0.000 s
5	And user click required size as 36 from the various option provided	SKIPPED	0.000 s
6	And user click add to cart button to save the item to the cart	SKIPPED	0.004 s

To search a product in Home

FAILED	DURATION - 0.900 s		Steps Total - 6 Pass - 2 Fail - 1 Skip - 3	
/ 2:57:43.452 PM // 2:57:44.352 PM /				
LimeRoad order				
@RegressionTest @home				

#	Step / Hook Details	Status	Duration
1	When user navigate to the url "https://www.limeroad.com/"	PASSED	0.384 s
2	And user click Home icon to get all collection of home	PASSED	0.483 s
3	And user click required product model as New and Wow from the all product model <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(), 'New And Wow')]} (Session info: chrome=113.0.5672.127) For documentation on this error, please visit: https://www.seleniumhq.org/ exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'LAPTOP-5QTLE0E8', ip: '192.168.131.8', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.18' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\gobiv\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:51090}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9219b852054445014f8a956dacc43a3d *** Element info: {Using=xpath, value=//div[contains(text(), 'New And Wow')]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) </pre>	FAILED	0.027 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy18.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:50) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:948) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:913) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:578) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:484) at com.Base.BaseClass.scrollAndClick(BaseClass.java:199) at com.StepDefinition.LimeroadStepDefinition. user_click_required_product_model_as_new_and_wow_from_the_all_product_model(LimeroadStepDefinition.java:121) at ?.user click required product model as New and Wow from the all product model(file:///C:/Users/gobiv/eclipse-workspace/LimeRoad1/src/ test/java/com/Feature/LimeRoad.feature:40) * Not displayable characters are replaced by '?'. </pre>		
4	And user click required product item as Microfiber Multipurpose Runner from the all items displayed	SKIPPED	0.000 s
5	And user click add to cart button to save the item to the cart	SKIPPED	0.000 s
6	Then user close the browser to exit the current scenario	SKIPPED	0.000 s