#### 1

# EE5609 Assignment 17

# SHANTANU YADAV, EE20MTECH12001

### 1 Problem

Let  $f: [-1,1] \to \mathbf{R}$  be a function given by

$$f(x) = \begin{cases} x^2 \cos\left(\frac{1}{x}\right) & x \neq 0 \\ 0 & x = 0 \end{cases}$$

Then

- 1) f is of bounded variation on [-1,1]
- 2) f' is of bounded variation on [-1,1]
- 3)  $|f'(x)| \le 1 \ \forall x \in [-1, 1]$
- 4)  $|f'(x)| \le 3 \ \forall x \in [-1, 1]$

## 2 EXPLANATION

We know that

$$-1 \le \cos\left(\frac{1}{x}\right) \le 1\tag{2.0.1}$$

$$\implies -x^2 \le x^2 \cos\left(\frac{1}{x}\right) \le x^2 \tag{2.0.2}$$

But since  $x \in [-1, 1]$ 

$$-1 \le x^2 \cos\left(\frac{1}{x}\right) \le 1 \tag{2.0.3}$$

Upon differentiating (2.0.2) we get

$$-2x \le f' \le 2x \tag{2.0.4}$$

$$\implies -2 \le f' \le 2 \tag{2.0.5}$$

$$\implies |f'| \le 2 \quad \forall x \in [-1, 1] \tag{2.0.6}$$

Thus f is of bounded variation on [-1,1].