



CERTIFICATIONS



ASHMA INDIA

SWIMMING POOL WATER TREATMENT | IRON REMOVAL PLANT | R.O. PLANT D.M. PLANT | WATER SOFTENER
PACKAGE DRINKING PLANT | ETP | STP | WATER VENDING MACHINE | DIALYSIS R.O. PLANT | RAIN WATER HARVESTING

AN ISO 9001 : 2015 CERTIFIED & MSME REGISTERED COMPANY

Customer Care No. - 1800-120-2133

Website : www.ashmaindia.com

E-mail - swagataenterprise08@gmail.com

ashma®



*Experience The Power of
Auto Intelligence
in Kitchen Chimney*



- Water Purifiers
- Kitchen Chimney

Collecting
Chimney

TECHNICAL SPECIFICATION

PEARL



Speed	: 3 Step + Twin Buffle
Lamp	: LED
Outlet Dia	: 160mm.
Switch	: Touch & Monitor Sensor
Rated Motor Input Power	: 180 W
Voltage	: AC220 - 240V
Air Flow	: 2200m3/H
Oil Container	: Stainless Steel

MRP : 44,999/-

TECHNICAL SPECIFICATION

SALVIA LED



Speed	: 3 Step
Lamp	: LED
Outlet Dia	: 160mm.
Switch	: Touch & Monitor Sensor
Rated Motor Input Power	: 180 W
Voltage	: AC220 - 240V
Air Flow	: 2200m3/H
Operation Type	: Hydraulic Operated
Oil Container	: Stainless Steel

MRP : 49,999/-

TECHNICAL SPECIFICATION

SALVIA MOTION



Speed	: 3 Step
Lamp	: LED
Outlet Dia	: 160mm.
Switch	: Touch & Monitor Sensor
Rated Motor Input Power	: 180 W
Voltage	: AC220 - 240V
Air Flow	: 2000m3/H
Oil Container	: Stainless Steel

MRP : 33,499/-

Collecting
Water Purifier

HOT COLD & NORMAL



Floor Standing	: Yes
Floor Standing + Cooling Cabinet	: No
Floor Standing + Storage Cabinet	: No
Floor Standing for Purifier	: Yes
Table Top	: Available
Normal & Cold Option	: Yes
Hot & Cold Option	: Yes
Storage Capacity	: 10 Ltrs.
Power Source	: 220v / 1P / 50HZ
Power Cold (Max)	: 130w
Refrigerant	: R134A (CFC FREE)
Cooling Capacity (Ltrs./Hr) 13 Deg.C	: 5 Ltrs. / Hr.
Cold Temperature Range	: 7-13 Deg. C.
Condenser	: Static
Power Hot	: 500w
Heating Capacity (Ltrs./Hr) 90 Deg. C	: 5 Ltrs. (Hr.)
External Cabinet Material	: AVS PLASTIC + METAL SIDES
Item Depth (mm)	: 330mm
Item Height (mm)	: 1120mm
Item Weight (Kg)	: 19 Kg

MRP : 49,999/-





TECHNICAL SPECIFICATION

VIAT

Flow Rate	: 12-15 Ltrs. / Hr.
Water Pressure	: 0.5 Kg/Sqcm (Min) : 35w
Power Consumption	: 35W
Power Supply	: SMPS
Pump	: ASHMA 100GPD
Supply Voltage	: 130-290VSE
Water Storage	: 8 Ltrs.
Dimension	: 375x170x550mm
Weight	: 12 Kg
Purification System	: RO+UV+UF+TDS

MRP : 23,499/-

Collecting
Water Purifier



TECHNICAL SPECIFICATION

I PURE

Flow Rate	: 12-15 Ltrs. / Hr.
Water Pressure	: 0.5 Kg/Sqcm (Min) : 35w
Power Consumption	: 35W
Power Supply	: SMPS
Pump	: ASHMA 100GPD
Supply Voltage	: 130-290VSE
Water Storage	: 8 Ltrs.
Dimension	: 375x170x550mm
Weight	: 12 Kg
Purification System	: RO+UV+UF+TDS

MRP : 21,499/-

TECHNICAL SPECIFICATION

4G HOT & COLD NORMAL

Flow Rate	: 12-15 Ltrs. / Hr.
Water Pressure	: 0.5 Kg/Sqcm (Min) : 35w
Power Consumption	: 35W
Power Supply	: SMPS
Pump	: 100GPD
Supply Voltage	: 130-290VSE
Water Storage	: 7 Ltrs. Normal 3 Ltrs. Hot 3 Ltrs. Cold
Dimension	: 660x431mm
Weight	: 16 Kg
Purification System	: RO+UV+UF+TDS

MRP : 29,999/-



TECHNICAL SPECIFICATION

SALVIA LED

Speed	: 3 Step
Lamp	: LED
Outlet Dia	: 160mm.
Switch	: Touch & Monitor Sensor
Rated Motor Input Power	: 180 W
Voltage	: AC220 - 240V
Air Flow	: 2200m3/H
Oil Container	: Stainless Steel
Capacity Operation	: Hydraulic Operated

MRP : 43,499/-

Collecting
Chimney



TECHNICAL SPECIFICATION

RENCEO

Speed	: 3 Step
Lamp	: LED
Outlet Dia	: 160mm.
Switch	: Touch & Monitor Sensor
Rated Motor Input Power	: 180 W
Voltage	: AC220 - 240V
Air Flow	: 2000m3/H
Oil Container	: Stainless Steel

MRP : 34,999/-



TECHNICAL SPECIFICATION

PEONY

Speed	: 3 Step + Turbo
Lamp	: LED
Outlet Dia	: 160mm.
Switch	: Touch & Monitor Sensor
Rated Motor Input Power	: 180 W
Voltage	: AC220 - 240V
Air Flow	: 2200m3/H
Oil Container	: Stainless Steel

MRP : 44,999/-



TECHNICAL SPECIFICATION

SALVIA 3G

Speed	: 2 Step
Lamp	: LED
Outlet Dia	: 160mm.
Switch	: Switch Button
Rated Motor Input Power	: 180 W
Voltage	: AC220 - 240V
Air Flow	: 1800m3/H
Oil Container	: Stainless Steel

MRP : 22,999/-



TECHNICAL SPECIFICATION

STION

Flow Rate	: 12-15 Ltrs. / Hr.
Water Pressure	: 0.5 Kg/Sqcm (Min) : 35w
Power Consumption	: 35W
Power Supply	: SMPS
Pump	: ASHMA 100GPD
Supply Voltage	: 130-290VSE
Water Storage	: 8 Ltrs.
Dimension	: 375x170x550mm
Weight	: 12 Kg
Purification System	: RO+UV+UF+TDS+alkaline

MRP : 23,499/-

Collecting
Water Purifier



TECHNICAL SPECIFICATION

REAM

Flow Rate	: 12-15 Ltrs. / Hr.
Water Pressure	: 0.5 Kg/Sqcm (Min) : 35w
Power Consumption	: 35W
Power Supply	: SMPS
Pump	: ASHMA 100GPD
Supply Voltage	: 130-290VSE
Water Storage	: 12 Ltrs.
Dimension	: 375x170x550mm
Weight	: 12 Kg
Purification System	: RO+UV+UF+TDS+alkaline

MRP : 21,499/-

Collecting
Water Purifier



TECHNICAL SPECIFICATION

Mr. Pure

Flow Rate	: 12-15 Ltrs. / Hr.
Water Pressure	: 0.5 Kg/Sqcm (Min) : 35w
Power Consumption	: 35W
Power Supply	: SMPS
Pump	: ASHMA 100GPD
Supply Voltage	: 130-290VSE
Water Storage	: 10 Ltrs.
Dimension	: 375x170x550mm
Weight	: 12 Kg
Purification System	: RO+UV+UF+TDS+Copper

MRP : 21,999/-



TECHNICAL SPECIFICATION

ALCEA

Flow Rate	: 12-15 Ltrs. / Hr.
Water Pressure	: 0.5 Kg/Sqcm (Min) : 35w
Power Consumption	: 35W
Power Supply	: SMPS
Pump	: ASHMA 100GPD
Supply Voltage	: 130-290VSE
Water Storage	: 12 Ltrs.
Dimension	: 375x170x550mm
Weight	: 12 Kg
Purification System	: RO+UV+UF+ Minerals+TDS

MRP : 21,499/-



TECHNICAL SPECIFICATION

SALTO

Flow Rate	: 12-15 Ltrs. / Hr.
Water Pressure	: 0.5 Kg/Sqcm (Min) : 35w
Power Consumption	: 35W
Power Supply	: SMPS
Pump	: ASHMA 100GPD
Supply Voltage	: 130-290VSE
Water Storage	: 12 Ltrs.
Dimension	: 375x170x550mm
Weight	: 12 Kg
Purification System	: RO+UV+UF+TDS+Copper

MRP : 21,499/-



TECHNICAL SPECIFICATION

ALLY

Flow Rate	: 12-15 Ltrs. / Hr.
Water Pressure	: 0.5 Kg/Sqcm (Min) : 35w
Power Consumption	: 35W
Power Supply	: SMPS
Pump	: ASHMA 100GPD
Supply Voltage	: 130-290VSE
Water Storage	: 12 Ltrs.
Dimension	: 375x170x550mm
Weight	: 12 Kg
Purification System	: RO+UV+UF+ Minerals+TDS

MRP : 19,999/-