```
Soln - 1:
  #include<stdio.h>
  int main()
                                                     char c;
                                                  scanf("%s",&c);
                                                     if(c=='A' || c=='B' || c=='C' || c=='D' || c=='E' || c=='F' || c=='G' || c=='H' || c=='I' ||
                                                  c == 'J' \parallel c == 'K' \parallel c == 'L' \parallel c == 'M' \parallel c == 'N' \parallel c == 'O' \parallel c == 'P' \parallel c == 'Q' \parallel c == 'R' 
                                                  c == 'S' \parallel c == 'T' \parallel c == 'U' \parallel c == 'V' \parallel c == 'W' \parallel c == 'X' \parallel c == 'Y' \parallel c == 'Z' \parallel c == 'a' 
                                                  c == 'b' \parallel c == 'e' \parallel c == 'f' \parallel c == 'h' \parallel c == 'k' \parallel c == 'l' \parallel c == 'n' \parallel c == 'p' \parallel c == 'r' 
                                                     c == 'c' \parallel c == 'd' \parallel c == 'j' \parallel c == 'j' \parallel c == 'm' \parallel c == 'o' \parallel c == 'g' \parallel c == 's' 
                                                     c=='z' \parallel c=='y' \parallel c=='x' \parallel c=='w' \parallel c=='v' \parallel c=='u' \parallel c=='t'
                                                                                                     printf("Alphabet\n");
                                                     else{
                                                                                                     printf("Not an Alphabet");
     }
  Soln - 2:
#include<stdio.h>
  int main()
                                                     char c;
                                                     scanf("%s",&c);
                                                     if(c>=65 && c<=90 || c>=97 && c<=122)
                                                          {
                                                                                                     printf("Alphabet\n");
                                                     else{
```

```
printf("Not an Alphabet");
}
```