

Tasks completed for the Sales Data Transformation and Data Modelling

1. Data Import:

Import List of Orders.csv:

The screenshot shows the Power BI Desktop interface with the 'List of Orders.csv' data import window open. The window displays a table with the following data:

Order ID	Order Date	Customer Name	State	City
B-25601	01-04-2018	Bharat	Gujarat	Ahmedabad
B-25602	01-04-2018	Pearl	Maharashtra	Pune
B-25603	03-04-2018	Jahan	Madhya Pradesh	Bhopal
B-25604	03-04-2018	Divsha	Rajasthan	Jaipur
B-25605	05-04-2018	Kasheen	West Bengal	Kolkata
B-25606	06-04-2018	Hazel	Karnataka	Bangalore
B-25607	06-04-2018	Sonakshi	Jammu and Kashmir	Kashmir
B-25608	08-04-2018	Aarushi	Tamil Nadu	Chennai
B-25609	09-04-2018	Jitesh	Uttar Pradesh	Lucknow
B-25610	09-04-2018	Yogesh	Bihar	Patna
B-25611	11-04-2018	Anita	Kerala	Thiruvananthapuram
B-25612	12-04-2018	Shrichand	Punjab	Chandigarh
B-25613	12-04-2018	Mukesh	Haryana	Chandigarh
B-25614	13-04-2018	Vandana	Himachal Pradesh	Simla
B-25615	15-04-2018	Bhavna	Sikkim	Gangtok
B-25616	15-04-2018	Kanak	Goa	Goa
B-25617	17-04-2018	Sagar	Nagaland	Kohima
B-25618	18-04-2018	Manju	Andhra Pradesh	Hyderabad
B-25619	18-04-2018	Ramesh	Gujarat	Ahmedabad
B-25620	20-04-2018	Sarita	Maharashtra	Pune

The window also shows the 'File Origin' as '1252: Western European (Windows)', the 'Delimiter' as 'Comma', and the 'Data Type Detection' as 'Based on first 200 rows'. The 'Load' button is highlighted in green.

File Home Transform Add Column View Tools Help

Close & Apply New Source Recent Sources Enter Data Data source settings Manage Parameters Export query results Refresh Advanced Editor Choose Remove Columns Keep Rows Remove Rows Sort Split Column Group By Data Type: Text Use First Row as Headers Merge Queries Append Queries Combine Files Combine

Queries [1] = Table.TransformColumnTypes(*Promoted Headers,{"Order ID", type text}, {"Order Date", type date},

Order ID	Order Date	CustomerName	State	City
B-25601	01-04-2018	Bharat	Gujarat	Ahmedabad
B-25602	01-04-2018	Pearl	Maharashtra	Pune
B-25603	03-04-2018	Jahan	Madhya Pradesh	Bhopal
B-25604	03-04-2018	Divsha	Rajasthan	Jaipur
B-25605	05-04-2018	Kasheen	West Bengal	Kolkata
B-25606	06-04-2018	Hazel	Karnataka	Bangalore
B-25607	06-04-2018	Sonakshi	Jammu and Kashmir	Kashmir
B-25608	08-04-2018	Aarushi	Tamil Nadu	Chennai
B-25609	09-04-2018	Ititesh	Uttar Pradesh	Lucknow
B-25610	09-04-2018	Yogesh	Bihar	Patna
B-25611	11-04-2018	Anita	Kerala	Thiruvananthapuram
B-25612	12-04-2018	Shrichand	Punjab	Chandigarh
B-25613	12-04-2018	Mukesh	Haryana	Chandigarh
B-25614	13-04-2018	Vandana	Himachal Pradesh	Simla
B-25615	15-04-2018	Bhavna	Sikkim	Gangtok
B-25616	15-04-2018	Kanak	Goa	Goa
B-25617	17-04-2018	Sagar	Nagaland	Kohima
B-25618	18-04-2018	Manju	Andhra Pradesh	Hyderabad
B-25619	18-04-2018	Ramesh	Gujarat	Ahmedabad
B-25620	20-04-2018	Sarita	Maharashtra	Pune
B-25621	20-04-2018	Deepak	Madhya Pradesh	Bhopal
B-25622	22-04-2018	Monisha	Rajasthan	Jaipur
B-25623	22-04-2018	Atharv	West Bengal	Kolkata
B-25624	22-04-2018	Vini	Karnataka	Bangalore

5 COLUMNS, 560 ROWS Column profiling based on top 1000 rows PREVIEW DOWNLOADED AT 10:54

Import Order Details.csv:

File Home Transform Add Column View Tools Help

Close & Apply New Source Recent Sources Enter Data Data source settings Manage Parameters Export query results Refresh Advanced Editor Choose Remove Columns Keep Rows Remove Rows Sort Split Column Group By Data Type: Text Use First Row as Headers Merge Queries Append Queries Combine Files Combine

Queries [2] = Table.TransformColumnTypes(*Promoted Headers,{"Order ID", type text}, {"Amount", Int64.Type}, {"Profit",

Order ID	Amount	Profit	Quantity	Category	Sub-Category
B-25601	1275	-1148	7	Furniture	Bookcases
B-25601	66	-12	5	Clothing	Stole
B-25601	8	-2	3	Clothing	Hankerchief
B-25601	80	-56	4	Electronics	Electronic G
B-25602	168	-111	2	Electronics	Phones
B-25602	424	-272	5	Electronics	Phones
B-25602	2617	1151	4	Electronics	Phones
B-25602	561	212	3	Clothing	Saree
B-25602	119	-5	8	Clothing	Saree
B-25603	1355	-60	5	Clothing	Trousers
B-25603	24	-30	1	Furniture	Chairs
B-25603	193	-166	3	Clothing	Saree
B-25603	180	5	3	Clothing	Trousers
B-25603	116	16	4	Clothing	Stole
B-25603	107	36	6	Clothing	Stole
B-25603	12	1	2	Clothing	Hankerchief
B-25603	38	18	1	Clothing	Kurti
B-25604	65	17	2	Clothing	T-shirt
B-25604	157	5	9	Clothing	Saree
B-25605	75	0	7	Clothing	Saree
B-25606	87	4	2	Clothing	Shirt
B-25607	50	15	4	Clothing	Leggings
B-25608	1364	-1864	5	Furniture	Tables

6 COLUMNS, 999+ ROWS Column profiling based on top 1000 rows PREVIEW DOWNLOADED AT 22:06

Import Sales Target.csv

Power Query Editor interface showing a table with 3 columns: Month of Order Date, Category, and Target. The table contains 24 rows of data. The 'Query Settings' pane on the right shows the 'Properties' and 'Applied Steps' for the 'Sales target' query.

Month of Order Date	Category	Target
01-04-2018	Furniture	10400
01-05-2018	Furniture	10500
01-06-2018	Furniture	10600
01-07-2018	Furniture	10800
01-08-2018	Furniture	10900
01-09-2018	Furniture	11000
01-10-2018	Furniture	11100
01-11-2018	Furniture	11300
01-12-2018	Furniture	11400
01-01-2019	Furniture	11500
01-02-2019	Furniture	11600
01-03-2019	Furniture	11800
01-04-2018	Clothing	12000
01-05-2018	Clothing	12000
01-06-2018	Clothing	12000
01-07-2018	Clothing	14000
01-08-2018	Clothing	14000
01-09-2018	Clothing	14000
01-10-2018	Clothing	16000
01-11-2018	Clothing	16000
01-12-2018	Clothing	16000
01-01-2019	Clothing	16000
01-02-2019	Clothing	16000
01-03-2019	Clothing	16000

2. Row Limiting & Data Types:

Restrict the List of Orders table to the first 500 rows

Power Query Editor interface showing a table with 5 columns: Order ID, Order Date, CustomerName, State, and City. The table contains 24 rows of data. A 'Keep Top Rows' dialog box is open, prompting the user to specify how many rows to keep, with the value '500' entered.

Order ID	Order Date	CustomerName	State	City
B-25601	01-04-2018	Bharat	Gujarat	Ahmedabad
B-25602	01-04-2018	Pearl	Maharashtra	Pune
B-25603				
B-25604				
B-25605				
B-25606				
B-25607				
B-25608				
B-25609				
B-25610				
B-25611				
B-25612				
B-25613				
B-25614	13-04-2018	Vandana	Himachal Pradesh	Simla
B-25615	15-04-2018	Bhavna	Sikkim	Gangtok
B-25616	15-04-2018	Kanak	Goa	Goa
B-25617	17-04-2018	Sagar	Nagaland	Kohima
B-25618	18-04-2018	Manju	Andhra Pradesh	Hyderabad
B-25619	18-04-2018	Ramesh	Gujarat	Ahmedabad
B-25620	20-04-2018	Sarita	Maharashtra	Pune
B-25621	20-04-2018	Deepak	Madhya Pradesh	Bhopal
B-25622	22-04-2018	Monisha	Rajasthan	Jaipur
B-25623	22-04-2018	Atharv	West Bengal	Kolkata
B-25624	22-04-2018	Vini	Karnataka	Bangalore

Set the Order Date column to the Date data type

The screenshot shows the Power Query Editor interface. The 'Data Type: Date' dropdown menu is open, and 'Date' is selected. The background table has the following data:

Order ID	Order Date	CustomerName	State	City
1	01-04-2018	Bharat	Gujarat	Ahmedabad
2	01-04-2018	Pearl	Maharashtra	Pune
3	03-04-2018	Jahan	Madhya Pradesh	Bhopal
4	03-04-2018	Divisha	Rajasthan	Jaipur
5	05-04-2018	Kasheen	West Bengal	Kolkata
6	06-04-2018	Hazel	Karnataka	Bangalore
7	06-04-2018	Sonakshi	Jammu and Kashmir	Kashmir
8	08-04-2018	Aarushi	Tamil Nadu	Chennai
9	09-04-2018	Iltesh	Uttar Pradesh	Lucknow
10	09-04-2018	Yogesh	Bihar	Patna
11	11-04-2018	Anita	Kerala	Thiruvananthapuram
12	12-04-2018	Shrichand	Punjab	Chandigarh
13	12-04-2018	Mukesh	Haryana	Chandigarh
14	13-04-2018	Vandana	Himachal Pradesh	Simla
15	15-04-2018	Bhavna	Sikkim	Gangtok
16	15-04-2018	Kanak	Goa	Goa
17	17-04-2018	Sagar	Nagaland	Kohima
18	18-04-2018	Manju	Andhra Pradesh	Hyderabad
19	18-04-2018	Ramesh	Gujarat	Ahmedabad
20	20-04-2018	Sarita	Maharashtra	Pune
21	20-04-2018	Deepak	Madhya Pradesh	Bhopal
22	22-04-2018	Monisha	Rajasthan	Jaipur
23	22-04-2018	Atharv	West Bengal	Kolkata
24	22-04-2018	Vini	Karnataka	Bangalore

Change the Amount and Target columns to fixed decimal numbers

The screenshot shows the Power Query Editor interface. The 'Data Type: Fixed decimal number' dropdown menu is open, and 'Fixed decimal number' is selected. The background table has the following data:

Order ID	Amount	Profit	Quantity	Category
1	1,275.00	-1148	7	Furniture
2	66.00	-12	5	Clothing
3	8.00	-2	3	Clothing
4	80.00	-56	4	Electronics
5	168.00	-111	2	Electronics
6	424.00	-272	5	Electronics
7	2,617.00	1151	4	Electronics
8	561.00	212	3	Clothing
9	119.00	-5	8	Clothing
10	1,355.00	-60	5	Clothing
11	24.00	-30	1	Furniture
12	193.00	-166	3	Clothing
13	180.00	5	3	Clothing
14	116.00	16	4	Clothing
15	107.00	36	6	Clothing
16	12.00	1	2	Clothing
17	38.00	18	1	Clothing
18	65.00	17	2	Clothing
19	157.00	5	9	Clothing
20	75.00	0	7	Clothing
21	87.00	4	2	Clothing
22	50.00	15	4	Clothing
23	1,364.00	-1864	5	Furniture

Untitled - Power Query Editor

File Home Transform Add Column View Tools Help

Close & Apply, New Source, Recent, Enter Data, Data source settings, Manage Parameters, Export query results, Refresh Preview, Properties, Advanced Editor, Choose Columns, Remove Columns, Keep Rows, Remove Rows, Sort, Split Column, Group By

Queries [3]: List of Orders, Order Details, Sales target

Table: Table.TransformColumnTypes(*Promoted Headers*,{{"Month of Order Date", type date}, {"Category", type text}, {"Target", type number}})

	Month of Order Date	Category	Target
1	01-04-2018	Furniture	10400
2	01-05-2018	Furniture	10500
3	01-06-2018	Furniture	10600
4	01-07-2018	Furniture	10800
5	01-08-2018	Furniture	10900
6	01-09-2018	Furniture	11000
7	01-10-2018	Furniture	11100
8	01-11-2018	Furniture	11300
9	01-12-2018	Furniture	11400
10	01-01-2019	Furniture	11500
11	01-02-2019	Furniture	11600
12	01-03-2019	Furniture	11800
13	01-04-2018	Clothing	12000
14	01-05-2018	Clothing	12000
15	01-06-2018	Clothing	12000
16	01-07-2018	Clothing	14000
17	01-08-2018	Clothing	14000
18	01-09-2018	Clothing	14000
19	01-10-2018	Clothing	16000
20	01-11-2018	Clothing	16000
21	01-12-2018	Clothing	16000
22	01-01-2019	Clothing	16000
23	01-02-2019	Clothing	16000
24	01-03-2019	Clothing	16000

3 COLUMNS, 36 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 10:56

DEWA +1.09% 11:06 18-06-2026

3. Text Formatting:

Format the Customer Name column to proper case

Untitled - Power Query Editor

File Home Transform Add Column View Tools Help

Group By, Transpose, Reverse Rows, Detect Data Type, Fill, Unpivot Columns, Move, Split Column, Format, Merge Columns, Statistics, Standard Scientific, Trigonometry, Rounding, Date, Time, Duration, Run R script, Run Python script

Queries [3]: List of Orders, Order Details, Sales target

Table: Table.TransformColumns(*Trimmed Text*,{{"CustomerName", type text}})

	Order ID	Order Date	CustomerName	City
1	B-25601	01-04-2018	Bharat	Ahmedabad
2	B-25602	01-04-2018	Pearl	Pune
3	B-25603	03-04-2018	Jahan	Bhopal
4	B-25604	03-04-2018	Divsha	Jaipur
5	B-25605	05-04-2018	Kasheen	Kolkata
6	B-25606	06-04-2018	Hazel	Bangalore
7	B-25607	06-04-2018	Sonakshi	Kashmir
8	B-25608	08-04-2018	Aarushi	Chennai
9	B-25609	09-04-2018	Ilitesh	Lucknow
10	B-25610	09-04-2018	Yogesh	Patna
11	B-25611	11-04-2018	Anita	Thiruvananthapuram
12	B-25612	12-04-2018	Shrichand	Chandigarh
13	B-25613	12-04-2018	Mukesh	Chandigarh
14	B-25614	13-04-2018	Vandana	Simla
15	B-25615	15-04-2018	Bhavna	Gangtok
16	B-25616	15-04-2018	Kanak	Goa
17	B-25617	17-04-2018	Sagar	Kohima
18	B-25618	18-04-2018	Manju	Hyderabad
19	B-25619	18-04-2018	Ramesh	Ahmedabad
20	B-25620	20-04-2018	Sanita	Pune
21	B-25621	20-04-2018	Deepak	Bhopal
22	B-25622	22-04-2018	Monisha	Jaipur
23	B-25623	22-04-2018	Atharv	Kolkata
24	B-25624	22-04-2018	Vini	Bangalore

5 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 11:12

11:12 18-06-2026

4. Column Creation:

Merge the City and State columns to create a new column named Location

The screenshot shows the Power Query Editor interface. A dialog box titled "Merge Columns" is open, asking to choose how to merge selected columns. The "Separator" is set to "Comma". The "New column name (optional)" is set to "Location". The background table has columns: Order ID, Order Date, CustomerName, State, and City. The data rows show various orders with their dates, customer names, states, and cities.

Order ID	Order Date	CustomerName	State	City
1	01-04-2018	Bharat	Gujarat	Ahmedabad
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15	15-04-2018	Bhavin	Sikkim	Gangtok
16	15-04-2018	Kanak	Goa	Goa
17	17-04-2018	Sagar	Nagaland	Kohima
18	18-04-2018	Manju	Andhra Pradesh	Hyderabad
19	18-04-2018	Ramesh	Gujarat	Ahmedabad
20	20-04-2018	Sarita	Maharashtra	Pune
21	20-04-2018	Deepak	Madhya Pradesh	Bhopal
22	22-04-2018	Monisha	Rajasthan	Jaipur
23	22-04-2018	Atharv	West Bengal	Kolkata
24	22-04-2018	Vini	Karnataka	Bangalore

Create a custom column named Profit Margin calculated as: Profit / Amount (expressed as a percentage)

The screenshot shows the Power Query Editor interface. A dialog box titled "Custom Column" is open, asking to add a new column that is computed from other columns. The "New column name" is set to "Profit Margin". The "Custom column formula" is set to `= [Profit]/[Amount]`. The background table has columns: Order ID, Amount, Profit, Quantity, Category, and Sub-Category. The data rows show various orders with their amounts, profits, quantities, categories, and sub-categories.

Order ID	Amount	Profit	Quantity	Category	Sub-Category
1	157.00	5	9	Clothing	Saree
2	75.00	0	7	Clothing	Saree
3	87.00	4	2	Clothing	Shirt
4	50.00	15	4	Clothing	Leggings
5	1,364.00	-1864	5	Furniture	Tables

5. Conditional Column:

Add a conditional column named Profit Status

■ Profit < 0 → Loss ■ Profit = 0 → Break-Even ■ Profit > 0 → Profit

Add Conditional Column

Add a conditional column that is computed from the other columns or values.

New column name: Profit Status

Column Name	Operator	Value	Output
Profit	is less than	0	Loss
Profit	equals	0	Break-Even
Profit			

OK Cancel

Amount	Profit	Quantity	Category	Sub-Category	Profit Margin	Profit Status
75.00	0	7	Clothing	Saree	0.00%	
87.00	4	2	Clothing	Shirt	4.60%	
50.00	15	4	Clothing	Leggings	30.00%	
1,364.00	-1864	5	Furniture	Tables	-136.66%	

6. Merging Data (Joins)

Merge the List of Orders and Order Details tables using Order ID.

Name the merged output table as Orders Data.

Merge

Select tables and matching columns to create a merged table.

List of Orders

Order ID	Order Date	CustomerName	Location
B-25601	01-04-2018	Bharat	Ahmedabad, Gujarat
B-25602	01-04-2018	Pearl	Pune, Maharashtra
B-25603	03-04-2018	Jahan	Bhopal, Madhya Pradesh
B-25604	03-04-2018	Divsha	Jaipur, Rajasthan
B-25605	05-04-2018	Kasheen	Kolkata, West Bengal

Order Details

Order ID	Amount	Profit	Quantity	Category	Sub-Category	Profit Margin	Profit Status
B-25601	1,275.00	-1148	7	Furniture	Bookcases	-90.04%	Loss
B-25601	66.00	-12	5	Clothing	Stole	-18.18%	Loss
B-25601	8.00	-2	3	Clothing	Hankierchief	-25.00%	Loss
B-25601	80.00	-56	4	Electronics	Electronic Games	-70.00%	Loss
B-25602	168.00	-111	2	Electronics	Phones	-66.07%	Loss

Join Kind: Inner (only matching rows)

Use fuzzy matching to perform the merge

Fuzzy matching options

The selection matches 500 of 500 rows from the first table, and 1500 of 1...

OK Cancel

7. Handling Missing Data & Duplicate Data

Replacing missing values “K” in customer name column to “Unknown”

Replace Values

Replace one value with another in the selected columns.

Value To Find: K

Replace With: Unknown

Advanced options:

- ☒ Match entire cell contents
- ☐ Replace using special characters
- Insert special character: [v]

Query Settings

PROPERTIES

Name: List of Orders

APPLIED STEPS

- Source
- Promoted Headers
- Changed Type
- Trimmed Text
- Cleaned Text
- Kept First 500 Rows
- Changed Orderdate to Date Time
- CustomerName Trimmed
- Cleaned Text1
- Changed Proper Case
- Merged Col Called Location
- Trimmed Text1
- Cleaned Text2
- Replaced Comma with space
- Filtered Rows
- Replaced K to Unknown

Retaining nulls with Average of total profit “16%”

Number Tools

Formula: = List.Average(#<div>Added Conditional Profit Status</div>[Profit])

Result: 15.9700000000000027

Query Settings

PROPERTIES

Name: Order Details

APPLIED STEPS

- Source
- Promoted Headers
- Changed Type
- Changed Amount to Fixed De...
- Added Profit Margin Column
- Changed to Percentage
- Added Conditional Profit Status
- Calculated Average

Power Query Editor interface showing a table with columns: Quantity, Category, Sub-Category, % Profit Margin, and Profit Status. A "Replace Values" dialog box is open, showing "Value To Find" as "0.00%" and "Replace With" as "16%". The table data includes rows for Furniture, Clothing, and other categories. The right sidebar shows "Query Settings" and "APPLIED STEPS".

Quantity	Category	Sub-Category	% Profit Margin	Profit Status
-1148	7	Furniture	-90.04%	Loss
-12				
-2				
-56				
-111				
-272				
1151				
212				
-5				
-60				
-30				
-166				
5				
16				
36	6	Clothing	33.64%	Profit
1	2	Clothing	8.33%	Profit
18	1	Clothing	47.37%	Profit
17	2	Clothing	26.15%	Profit
5	9	Clothing	3.18%	Profit
0	7	Clothing	0.00%	Break-Even
4	2	Clothing	4.60%	Profit
15	4	Clothing	30.00%	Profit
-1864	5	Furniture	-136.66%	Loss

Identified duplicate rows to Remove Duplication

Power Query Editor interface showing a table with columns: Order ID, Order Date, CustomerName, and Location. The table contains 24 rows of data. The right sidebar shows "Query Settings" and "APPLIED STEPS".

Order ID	Order Date	CustomerName	Location
B-25601	01-04-2018	Bharat	Ahmedabad, Gujarat
B-25602	01-04-2018	Pearl	Pune, Maharashtra
B-25603	03-04-2018	Jahan	Bhopal, Madhya Pradesh
B-25604	03-04-2018	Divsha	Jaipur, Rajasthan
B-25605	05-04-2018	Kasheen	Kolkata, West Bengal
B-25606	06-04-2018	Hazel	Bangalore, Karnataka
B-25607	06-04-2018	Sonakshi	Kashmir, Jammu and Kashmir
B-25608	08-04-2018	Aarushi	Chennai, Tamil Nadu
B-25609	09-04-2018	Iltesh	Lucknow, Uttar Pradesh
B-25610	09-04-2018	Yogesh	Patna, Bihar
B-25611	11-04-2018	Anita	Thiruvananthapuram, Kerala
B-25612	12-04-2018	Shrichand	Chandigarh, Punjab
B-25613	12-04-2018	Mukesh	Chandigarh, Haryana
B-25614	13-04-2018	Vandana	Simla, Himachal Pradesh
B-25615	15-04-2018	Bhavna	Gangtok, Sikkim
B-25616	15-04-2018	Kanak	Goa, Goa
B-25617	17-04-2018	Sagar	Kohima, Nagaland
B-25618	18-04-2018	Manju	Hyderabad, Andhra Pradesh
B-25619	18-04-2018	Ramesh	Ahmedabad, Gujarat
B-25620	20-04-2018	Sarita	Pune, Maharashtra
B-25621	20-04-2018	Deepak	Bhopal, Madhya Pradesh
B-25622	22-04-2018	Monisha	Jaipur, Rajasthan
B-25623	22-04-2018	Atharv	Kolkata, West Bengal
B-25624	22-04-2018	Vini	Bangalore, Karnataka

pro

File Home Transform Add Column View Tools Help

Column From Custom Invoke Custom Examples Column Function General

Conditional Column Index Column Duplicate Column

Format ABC 123 Extract Parse From Text

Merge Columns

Statistics Standard Scientific 10² Trigonometry Rounding Information

Date Time Duration

From Date & Time

Queries [4]

List of Orders

Order Details

Sales target

Orders Data

fx = Table.Distinct("#Changed again to Percentage", {"Order ID"})

Order ID	Amount	Profit	Quantity	Category	Sub-Category
1 B-25601	1,275.00	-1148		7 Furniture	Bookcases
2 B-25602	168.00	-111		2 Electronics	Phones
3 B-25603	1,355.00	-60		5 Clothing	Trousers
4 B-25604	65.00	17		2 Clothing	T-shirt
5 B-25605	75.00	0		7 Clothing	Saree
6 B-25606	87.00	4		2 Clothing	Shirt
7 B-25607	50.00	15		4 Clothing	Leggings
8 B-25608	1,364.00	-1864		5 Furniture	Tables
9 B-25609	485.00	29		4 Electronics	Electronic Gs
10 B-25610	1,076.00	-38		4 Electronics	Printers
11 B-25611	160.00	-59		2 Clothing	Saree
12 B-25612	259.00	-55		2 Furniture	Chairs
13 B-25613	1,603.00	0		9 Clothing	Saree
14 B-25614	494.00	54		4 Furniture	Bookcases
15 B-25615	68.00	20		5 Clothing	Hankerchief
16 B-25616	42.00	12		5 Clothing	Hankerchief
17 B-25617	305.00	-270		5 Electronics	Electronic Gs
18 B-25618	362.00	127		1 Furniture	Bookcases
19 B-25619	353.00	90		8 Clothing	Saree
20 B-25620	193.00	46		1 Electronics	Printers
21 B-25621	233.00	-10		5 Electronics	Electronic Gs
22 B-25622	534.00	0		3 Clothing	Saree
23 B-25623	53.00	1		4 Clothing	Stole

8 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 16:04

16:05 18-06-2026

Removed Duplicate Order ID in List of Orders Table

Untitled - Power Query Editor

File Home Transform Add Column View Tools Help

Query Settings

Layout

Formula Bar

Monospaced

Column distribution

Show whitespace

Column quality

Data Preview

Always allow

Go to Columns

Parameters

Advanced Editor

Query Dependencies

Dependencies

Queries [4]

List of Orders

Order Details

Sales target

Orders Data

fx = Table.Distinct("#Replaced comma with space", {"Order ID"})

Order ID	Order Date	CustomerName	Location
Valid 100%	Valid 100%	Valid 100%	Valid 100%
Error 0%	Error 0%	Error 0%	Error 0%
Empty 0%	Empty 0%	Empty 0%	Empty 0%
1 B-25601	01-04-2018	Bharat	Ahmedabad, Gujarat
2 B-25602	01-04-2018	Pearl	Pune, Maharashtra
3 B-25603	03-04-2018	Jehan	Bhopal, Madhya Pradesh
4 B-25604	03-04-2018	Divisha	Jaipur, Rajasthan
5 B-25605	05-04-2018	Kasheen	Kolkata, West Bengal
6 B-25606	06-04-2018	Hazel	Bangalore, Karnataka
7 B-25607	06-04-2018	Sonakshi	Kashmir, Jammu and Kashmir
8 B-25608	08-04-2018	Aarushi	Chennai, Tamil Nadu
9 B-25609	09-04-2018	Ilitesh	Lucknow, Uttar Pradesh
10 B-25610	09-04-2018	Yogesh	Patna, Bihar
11 B-25611	11-04-2018	Anita	Thiruvananthapuram, Kerala
12 B-25612	12-04-2018	Shrichand	Chandigarh, Punjab
13 B-25613	12-04-2018	Mukesh	Chandigarh, Haryana
14 B-25614	13-04-2018	Vandana	Simla, Himachal Pradesh
15 B-25615	15-04-2018	Bhavna	Gangtok, Sikkim
16 B-25616	15-04-2018	Kanek	Gos, Goa
17 B-25617	17-04-2018	Sagar	Kohima, Nagaland
18 B-25618	18-04-2018	Manju	Hyderabad, Andhra Pradesh
19 B-25619	18-04-2018	Ramesh	Ahmedabad, Gujarat
20 B-25620	20-04-2018	Sarita	Pune, Maharashtra
21 B-25621	20-04-2018	Deepak	Bhopal, Madhya Pradesh

4 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 12:24

12:28 18-06-2026

35°C Sunny

8. Sorting and Filtering Data

Sort records in the Orders Data table by Order Date in descending order

The screenshot shows the Power Query Editor interface. The 'Queries' pane on the left lists 'List of Orders', 'Order Details', 'Sales target', and 'Orders Data'. The 'Orders Data' query is selected, and its formula bar shows the following M code: `= Table.Sort(#"Expanded Order Details",{{"Order Date", Order.Descending}})`. The data table is displayed with columns: Order ID, Order Date, CustomerName, Location, Order Details.Amount, Order Details.Profit, and Order Details.Quantity. The data is sorted by Order Date in descending order, with the latest date (31-03-2019) at the top. A 'Sort Descending' tooltip is visible over the 'Order Date' column header.

Order ID	Order Date	CustomerName	Location	Order Details.Amount	Order Details.Profit	Order Details.Quantity
1	31-03-2019	Hitika	Indore, Madhya Pradesh	72.00	16	
2	31-03-2019	Hitika	Indore, Madhya Pradesh	828.00	230	
3	31-03-2019	Hitika	Indore, Madhya Pradesh	34.00	10	
4	30-03-2019	Bhishm	Mumbai, Maharashtra	207.00	37	
5	30-03-2019	Bhishm	Mumbai, Maharashtra	2,366.00	552	
6	30-03-2019	Bhishm	Mumbai, Maharashtra	9.00	3	
7	30-03-2019	Bhishm	Mumbai, Maharashtra	835.00	267	
8	29-03-2019	Pinky	Kashmir, Jammu and Kashmir	46.00	14	
9	29-03-2019	Pinky	Kashmir, Jammu and Kashmir	497.00	179	
10	29-03-2019	Pinky	Kashmir, Jammu and Kashmir	409.00	86	
11	29-03-2019	Pinky	Kashmir, Jammu and Kashmir	59.00	15	
12	29-03-2019	Pinky	Kashmir, Jammu and Kashmir	96.00	48	
13	29-03-2019	Pinky	Kashmir, Jammu and Kashmir	82.00	8	
14	28-03-2019	Atharv	Kolkata, West Bengal	103.00	46	
15	28-03-2019	Vini	Bangalore, Karnataka	97.00	12	
16	28-03-2019	Vini	Bangalore, Karnataka	19.00	8	
17	28-03-2019	Atharv	Kolkata, West Bengal	88.00	11	
18	28-03-2019	Vini	Bangalore, Karnataka	39.00	18	
19	28-03-2019	Atharv	Kolkata, West Bengal	264.00	-26	
20	28-03-2019	Atharv	Kolkata, West Bengal	451.00	25	
21	28-03-2019	Vini	Bangalore, Karnataka	185.00	-26	
22	28-03-2019	Vini	Bangalore, Karnataka	14.00	5	
23	28-03-2019	Vini	Bangalore, Karnataka	671.00	-309	

Apply filters to analyze orders from a specific state of "Tamil Nadu"

The screenshot shows the Power Query Editor interface. The 'Queries' pane on the left lists 'List of Orders', 'Order Details', 'Sales target', and 'Orders Data'. The 'Orders Data' query is selected, and its formula bar shows the following M code: `= Table.SelectRows(#"Sorted in descendingf order", each ([Location] = "Chennai, Tamil Nadu"))`. The data table is displayed with columns: Order ID, Order Date, CustomerName, Location, Order Details.Amount, and Order Details.Profit. The data is filtered to show only orders from 'Chennai, Tamil Nadu'. A 'Query Settings' dialog box is open on the right, showing the 'APPLIED STEPS' list: 'Source', 'Expanded Order Details', 'Sorted in descendingf order', and 'Filtered Rows'.

Order ID	Order Date	CustomerName	Location	Order Details.Amount	Order Details.Profit
1	22-03-2019	Aarushi	Chennai, Tamil Nadu	79.00	
2	22-03-2019	Aarushi	Chennai, Tamil Nadu	169.00	
3	22-03-2019	Aarushi	Chennai, Tamil Nadu	359.00	
4	22-03-2019	Aarushi	Chennai, Tamil Nadu	93.00	
5	22-03-2019	Aarushi	Chennai, Tamil Nadu	24.00	
6	22-03-2019	Aarushi	Chennai, Tamil Nadu	637.00	
7	14-02-2019	Aarushi	Chennai, Tamil Nadu	61.00	
8	14-02-2019	Aarushi	Chennai, Tamil Nadu	326.00	
9	09-02-2019	Kalyani	Chennai, Tamil Nadu	22.00	
10	09-02-2019	Kalyani	Chennai, Tamil Nadu	206.00	
11	09-02-2019	Kalyani	Chennai, Tamil Nadu	10.00	
12	09-02-2019	Kalyani	Chennai, Tamil Nadu	57.00	
13	15-11-2018	Akshay	Chennai, Tamil Nadu	112.00	
14	21-09-2018	Dinesh	Chennai, Tamil Nadu	12.00	
15	11-07-2018	Surabhi	Chennai, Tamil Nadu	58.00	
16	23-06-2018	Amisha	Chennai, Tamil Nadu	207.00	
17	23-06-2018	Amisha	Chennai, Tamil Nadu	27.00	
18	23-06-2018	Amisha	Chennai, Tamil Nadu	65.00	
19	23-06-2018	Amisha	Chennai, Tamil Nadu	87.00	
20	23-06-2018	Amisha	Chennai, Tamil Nadu	7.00	
21	23-06-2018	Amisha	Chennai, Tamil Nadu	516.00	
22	08-04-2018	Aarushi	Chennai, Tamil Nadu	257.00	
23	08-04-2018	Aarushi	Chennai, Tamil Nadu	856.00	

9. Grouping and Aggregating Data

Count of Order ID

Group By

Specify the column to group by and the desired output.

☒ Basic ☐ Advanced

Order ID

New column name: Total Order ID Counts

Operation: Count Distinct Rows

Column:

OK Cancel

Query Settings

PROPERTIES

Name: Order Details

APPLIED STEPS

- Source
- Promoted Headers
- Changed Type
- Changed Amount to Fixed de...
- Added Profit Margin Column
- Changed to Percentage data...
- Added Profit Status column
- Changed Type1

Query Settings

PROPERTIES

Name: Order Details

APPLIED STEPS

- Source
- Promoted Headers
- Changed Type
- Changed Amount to Fixed de...
- Added Profit Margin Column
- Changed to Percentage data...
- Added Profit Status column
- Changed Type1
- Grouped Rows

Average Profit by Category

Power Query Editor - Query: Average Profit by Category

Formula Bar: `= Table.Group(#\"Changed Type1\", {\"Category\"}, {{\"Average Profit\", each List.Average({Profit}), type nullable}})`

Category	Average Profit
Furniture	9.456790123
Clothing	11.76290832
Electronics	34.07142857

Applied Steps: Source, Promoted Headers, Changed Type, Changed Amount to Fixed de..., Added Profit Margin Column, Changed to Percentage datat..., Added Profit Status column, Changed Type1, Grouped Rows.

Total Amount by Sub-Category

Power Query Editor - Query: Total Amount by Sub-Category

Formula Bar: `= Table.TransformColumnTypes(#\"Added Profit Status column\", {{\"Profit Status\", type text}})`

Order ID	Amount	Profit	Quantity	Category	Sub-Category
1 B-25601					
2 B-25601					
3 B-25601					
4 B-25601					
5 B-25602					
6 B-25602					
7 B-25602					
8 B-25602					
9 B-25603					
10 B-25603					
11 B-25603					
12 B-25603					
13 B-25603					
14 B-25603					
15 B-25603					
16 B-25603					
17 B-25603					
18 B-25604					
19 B-25604					
20 B-25605					
21 B-25606					
22 B-25607					
23 B-25608					
24 B-25608					

Applied Steps: Source, Promoted Headers, Changed Type, Changed Amount to Fixed de..., Added Profit Margin Column, Changed to Percentage datat..., Added Profit Status column, Changed Type1.

Power Query Editor interface showing a table with 2 columns: Sub-Category and Total Amount. The table contains 17 rows of data, including items like Bookcases, Stole, Hankerchief, Electronic Games, Phones, Saree, Trousers, Chairs, Kurti, T-shirt, Shirt, Leggings, Tables, Printers, Accessories, Furnishings, and Skirt.

Query Settings: Order Details

APPLIED STEPS: Source, Promoted Headers, Changed Type, Changed Amount to Fixed de..., Added Profit Margin Column, Changed to Percentage datat..., Added Profit Status column, Changed Type1, Grouped Rows

2 COLUMNS, 17 ROWS Column profiling based on top 1000 rows

Total Target by Month of order date

Power Query Editor interface showing a table with 3 columns: Month of Order Date, Category, and Target. The table contains 36 rows of data, including items like Furniture, Clothing, and Target.

Query Settings: Sales target

APPLIED STEPS: Source, Promoted Headers, Changed Type, Changed Target to Fixed deci...

3 COLUMNS, 36 ROWS Column profiling based on top 1000 rows

Group By dialog box: Specify the column to group by and the desired output. Basic (selected). New column name: Total Target. Operation: Sum. Column: Target.


Power Query Editor interface showing a table with columns: Month of Order Date, Total Target. The table contains 12 rows of data.

Month of Order Date	Total Target
01-04-2018	31400
01-05-2018	31500
01-06-2018	31600
01-07-2018	33800
01-08-2018	33900
01-09-2018	34000
01-10-2018	36100
01-11-2018	36300
01-12-2018	36400
01-01-2019	43500
01-02-2019	43600
01-03-2019	43800

10. Data Modelling

Establish a relationship between List of Orders and Order Details using Order ID

Establish a relationship between Order Details and Sales Target using Category



Use Manage Relationships to ensure relationships are active and correctly defined

The screenshot shows the 'Manage relationships' window in Power BI Desktop. The window displays a list of relationships between tables. The 'From: table (column)' column lists 'Order Details (Category)', 'Order Details (Order ID)', and 'Orders Data (Order ID)'. The 'To: table (column)' column lists 'Sales target (Category)', 'List of Orders (Order ID)', and 'List of Orders (Order ID)'. The 'Status' column shows 'Active' for all relationships. The 'Relationship' column shows the relationship type: one-to-many for 'Order Details (Category)' to 'Sales target (Category)', and one-to-one for 'Order Details (Order ID)' and 'Orders Data (Order ID)' to 'List of Orders (Order ID)'. The window has a 'Close' button at the bottom right.

From: table (column) ↑	Relationship	To: table (column)	Status
☐ Order Details (Category)	*—>*	Sales target (Category)	Active ...
☐ Order Details (Order ID)	*—1	List of Orders (Order ID)	Active ...
☐ Orders Data (Order ID)	*—1	List of Orders (Order ID)	Active ...