

Tasks completed for the Sales Data Transformation and Data Modelling

1. Data Import:

Import List of Orders.csv:

The screenshot shows the Power BI Desktop interface with the 'List of Orders.csv' data import window open. The window displays a table with the following columns: Order ID, Order Date, Customer Name, State, and City. The data is truncated to the first 200 rows. The 'Load' button is highlighted.

Order ID	Order Date	Customer Name	State	City
B-25601	01-04-2018	Bharat	Gujarat	Ahmedabad
B-25602	01-04-2018	Pearl	Maharashtra	Pune
B-25603	03-04-2018	Jahan	Madhya Pradesh	Bhopal
B-25604	03-04-2018	Divsha	Rajasthan	Jaipur
B-25605	05-04-2018	Kasheen	West Bengal	Kolkata
B-25606	06-04-2018	Hazel	Karnataka	Bangalore
B-25607	06-04-2018	Sonakshi	Jammu and Kashmir	Kashmir
B-25608	08-04-2018	Aarushi	Tamil Nadu	Chennai
B-25609	09-04-2018	Jitesh	Uttar Pradesh	Lucknow
B-25610	09-04-2018	Yogesh	Bihar	Patna
B-25611	11-04-2018	Anita	Kerala	Thiruvananthapuram
B-25612	12-04-2018	Shrichand	Punjab	Chandigarh
B-25613	12-04-2018	Mukesh	Haryana	Chandigarh
B-25614	13-04-2018	Vandana	Himachal Pradesh	Simla
B-25615	15-04-2018	Bhavna	Sikkim	Gangtok
B-25616	15-04-2018	Kanak	Goa	Goa
B-25617	17-04-2018	Sagar	Nagaland	Kohima
B-25618	18-04-2018	Manju	Andhra Pradesh	Hyderabad
B-25619	18-04-2018	Ramesh	Gujarat	Ahmedabad
B-25620	20-04-2018	Sarita	Maharashtra	Pune

File Home Transform Add Column View Tools Help

Close & Apply New Source Recent Sources Enter Data Data source settings Manage Parameters Export query results Refresh Preview Advanced Editor Choose Remove Columns Keep Rows Remove Rows Sort Split Column Group By Data Type: Text Use First Row as Headers Merge Queries Append Queries Combine Files Combine

Queries [1] = Table.TransformColumnTypes(*Promoted Headers,{"Order ID", type text}, {"Order Date", type date},

Order ID	Order Date	CustomerName	State	City
B-25601	01-04-2018	Bharat	Gujarat	Ahmedabad
B-25602	01-04-2018	Pearl	Maharashtra	Pune
B-25603	03-04-2018	Jahan	Madhya Pradesh	Bhopal
B-25604	03-04-2018	Divsha	Rajasthan	Jaipur
B-25605	05-04-2018	Kasheen	West Bengal	Kolkata
B-25606	06-04-2018	Hazel	Karnataka	Bangalore
B-25607	06-04-2018	Sonakshi	Jammu and Kashmir	Kashmir
B-25608	08-04-2018	Aarushi	Tamil Nadu	Chennai
B-25609	09-04-2018	Ititesh	Uttar Pradesh	Lucknow
B-25610	09-04-2018	Yogesh	Bihar	Patna
B-25611	11-04-2018	Anita	Kerala	Thiruvananthapuram
B-25612	12-04-2018	Shrichand	Punjab	Chandigarh
B-25613	12-04-2018	Mukesh	Haryana	Chandigarh
B-25614	13-04-2018	Vandana	Himachal Pradesh	Simla
B-25615	15-04-2018	Bhavna	Sikkim	Gangtok
B-25616	15-04-2018	Kanak	Goa	Goa
B-25617	17-04-2018	Sagar	Nagaland	Kohima
B-25618	18-04-2018	Manju	Andhra Pradesh	Hyderabad
B-25619	18-04-2018	Ramesh	Gujarat	Ahmedabad
B-25620	20-04-2018	Sarita	Maharashtra	Pune
B-25621	20-04-2018	Deepak	Madhya Pradesh	Bhopal
B-25622	22-04-2018	Monisha	Rajasthan	Jaipur
B-25623	22-04-2018	Atharv	West Bengal	Kolkata
B-25624	22-04-2018	Vini	Karnataka	Bangalore

5 COLUMNS, 560 ROWS Column profiling based on top 1000 rows PREVIEW DOWNLOADED AT 10:54

Import Order Details.csv:

File Home Transform Add Column View Tools Help

Close & Apply New Source Recent Sources Enter Data Data source settings Manage Parameters Export query results Refresh Preview Advanced Editor Choose Remove Columns Keep Rows Remove Rows Sort Split Column Group By Data Type: Text Use First Row as Headers Merge Queries Append Queries Combine Files Combine

Queries [2] = Table.TransformColumnTypes(*Promoted Headers,{"Order ID", type text}, {"Amount", Int64.Type}, {"Profit",

Order ID	Amount	Profit	Quantity	Category	Sub-Category
B-25601	1275	-1148	7	Furniture	Bookcases
B-25601	66	-12	5	Clothing	Stole
B-25601	8	-2	3	Clothing	Hankerchief
B-25601	80	-56	4	Electronics	Electronic G
B-25602	168	-111	2	Electronics	Phones
B-25602	424	-272	5	Electronics	Phones
B-25602	2617	1151	4	Electronics	Phones
B-25602	561	212	3	Clothing	Saree
B-25602	119	-5	8	Clothing	Saree
B-25603	1355	-60	5	Clothing	Trousers
B-25603	24	-30	1	Furniture	Chairs
B-25603	193	-166	3	Clothing	Saree
B-25603	180	5	3	Clothing	Trousers
B-25603	116	16	4	Clothing	Stole
B-25603	107	36	6	Clothing	Stole
B-25603	12	1	2	Clothing	Hankerchief
B-25603	38	18	1	Clothing	Kurti
B-25604	65	17	2	Clothing	T-shirt
B-25604	157	5	9	Clothing	Saree
B-25605	75	0	7	Clothing	Saree
B-25606	87	4	2	Clothing	Shirt
B-25607	50	15	4	Clothing	Leggings
B-25608	1364	-1864	5	Furniture	Tables

6 COLUMNS, 999+ ROWS Column profiling based on top 1000 rows PREVIEW DOWNLOADED AT 22:06

Import Sales Target.csv

Power Query Editor interface showing a table with columns: Month of Order Date, Category, and Target. The table contains 24 rows of data. The right sidebar shows the Query Settings for 'Sales target'.

Month of Order Date	Category	Target
01-04-2018	Furniture	10400
01-05-2018	Furniture	10500
01-06-2018	Furniture	10600
01-07-2018	Furniture	10800
01-08-2018	Furniture	10900
01-09-2018	Furniture	11000
01-10-2018	Furniture	11100
01-11-2018	Furniture	11300
01-12-2018	Furniture	11400
01-01-2019	Furniture	11500
01-02-2019	Furniture	11600
01-03-2019	Furniture	11800
01-04-2018	Clothing	12000
01-05-2018	Clothing	12000
01-06-2018	Clothing	12000
01-07-2018	Clothing	14000
01-08-2018	Clothing	14000
01-09-2018	Clothing	14000
01-10-2018	Clothing	16000
01-11-2018	Clothing	16000
01-12-2018	Clothing	16000
01-01-2019	Clothing	16000
01-02-2019	Clothing	16000
01-03-2019	Clothing	16000

2. Row Limiting & Data Types:

Restrict the List of Orders table to the first 500 rows

Power Query Editor interface showing a table with columns: Order ID, Order Date, CustomerName, State, and City. The table contains 24 rows of data. A dialog box titled 'Keep Top Rows' is open, showing the 'Number of rows' set to 500.

Order ID	Order Date	CustomerName	State	City
B-25601	01-04-2018	Bharat	Gujarat	Ahmedabad
B-25602	01-04-2018	Pearl	Maharashtra	Pune
B-25603				
B-25604				
B-25605				
B-25606				
B-25607				
B-25608				
B-25609				
B-25610				
B-25611				
B-25612				
B-25613				
B-25614	13-04-2018	Vandana	Himachal Pradesh	Simla
B-25615	15-04-2018	Bhavna	Sikkim	Gangtok
B-25616	15-04-2018	Kanak	Goa	Goa
B-25617	17-04-2018	Sagar	Nagaland	Kohima
B-25618	18-04-2018	Manju	Andhra Pradesh	Hyderabad
B-25619	18-04-2018	Ramesh	Gujarat	Ahmedabad
B-25620	20-04-2018	Sarita	Maharashtra	Pune
B-25621	20-04-2018	Deepak	Madhya Pradesh	Bhopal
B-25622	22-04-2018	Monisha	Rajasthan	Jaipur
B-25623	22-04-2018	Atharv	West Bengal	Kolkata
B-25624	22-04-2018	Vini	Karnataka	Bangalore

Set the Order Date column to the Date data type

The screenshot shows the Power Query Editor interface. The 'Data Type: Date' dropdown menu is open, showing options like Decimal Number, Fixed decimal number, Whole Number, Percentage, Date/Time, Date, Time, Date/Time/Timezone, Duration, Text, True/False, and Binary. The 'Date' option is selected. The background table has columns: Order ID, Order Date, CustomerName, State, and City. The formula bar shows '= Table.FirstN(#\"Changed Type\",500)'.

Order ID	Order Date	CustomerName	State	City	
1	B-25601	01-04-2018	Bharat	Gujarat	Ahmedabad
2	B-25602	01-04-2018	Pearl	Maharashtra	Pune
3	B-25603	03-04-2018	Jahan	Madhya Pradesh	Bhopal
4	B-25604	03-04-2018	Divisha	Rajasthan	Jaipur
5	B-25605	05-04-2018	Kasheen	West Bengal	Kolkata
6	B-25606	06-04-2018	Hazel	Karnataka	Bangalore
7	B-25607	06-04-2018	Sonakshi	Jammu and Kashmir	Kashmir
8	B-25608	08-04-2018	Aarushi	Tamil Nadu	Chennai
9	B-25609	09-04-2018	Iltesh	Uttar Pradesh	Lucknow
10	B-25610	09-04-2018	Yogesh	Bihar	Patna
11	B-25611	11-04-2018	Anita	Kerala	Thiruvananthapuram
12	B-25612	12-04-2018	Shrichand	Punjab	Chandigarh
13	B-25613	12-04-2018	Mukesh	Haryana	Chandigarh
14	B-25614	13-04-2018	Vandana	Himachal Pradesh	Simla
15	B-25615	15-04-2018	Bhavna	Sikkim	Gangtok
16	B-25616	15-04-2018	Kanak	Goa	Goa
17	B-25617	17-04-2018	Sagar	Nagaland	Kohima
18	B-25618	18-04-2018	Manju	Andhra Pradesh	Hyderabad
19	B-25619	18-04-2018	Ramesh	Gujarat	Ahmedabad
20	B-25620	20-04-2018	Sarita	Maharashtra	Pune
21	B-25621	20-04-2018	Deepak	Madhya Pradesh	Bhopal
22	B-25622	22-04-2018	Monisha	Rajasthan	Jaipur
23	B-25623	22-04-2018	Atharv	West Bengal	Kolkata
24	B-25624	22-04-2018	Vini	Karnataka	Bangalore

Change the Amount and Target columns to fixed decimal numbers

The screenshot shows the Power Query Editor interface. The 'Data Type: Fixed decimal number' dropdown menu is open, showing options like Decimal Number, Fixed decimal number, Whole Number, Percentage, Date/Time, Date, Time, Date/Time/Timezone, Duration, Text, True/False, and Binary. The 'Fixed decimal number' option is selected. The background table has columns: Order ID, Amount, Profit, Quantity, and Category. The formula bar shows '= Table.TransformColumnTypes(#\"Changed Type\",{{\"Amount\", Currency.Type}})'.

Order ID	Amount	Profit	Quantity	Category
1	B-25601	1,275.00	-1148	7 Furniture
2	B-25601	66.00	-12	5 Clothing
3	B-25601	8.00	-2	3 Clothing
4	B-25601	80.00	-56	4 Electronics
5	B-25602	168.00	-111	2 Electronics
6	B-25602	424.00	-272	5 Electronics
7	B-25602	2,617.00	1151	4 Electronics
8	B-25602	561.00	212	3 Clothing
9	B-25602	119.00	-5	8 Clothing
10	B-25603	1,355.00	-60	5 Clothing
11	B-25603	24.00	-30	1 Furniture
12	B-25603	193.00	-166	3 Clothing
13	B-25603	180.00	5	3 Clothing
14	B-25603	116.00	16	4 Clothing
15	B-25603	107.00	36	6 Clothing
16	B-25603	12.00	1	2 Clothing
17	B-25603	38.00	18	1 Clothing
18	B-25604	65.00	17	2 Clothing
19	B-25604	157.00	5	9 Clothing
20	B-25605	75.00	0	7 Clothing
21	B-25606	87.00	4	2 Clothing
22	B-25607	50.00	15	4 Clothing
23	B-25608	1,364.00	-1864	5 Furniture

Power Query Editor interface showing a table with columns: Month of Order Date, Category, and Target. The 'Data Type: Whole Number' dropdown menu is open, showing options like Decimal Number, Fixed decimal number, Whole Number, Percentage, Date/Time, Date, Time, Date/Time/Zone, Duration, Text, True/False, and Binary. The 'Changed Type' dialog is also visible.

Month of Order Date	Category	Target
01-04-2018	Furniture	10400
01-05-2018	Furniture	10500
01-06-2018	Furniture	10600
01-07-2018	Furniture	10800
01-08-2018	Furniture	10900
01-09-2018	Furniture	11000
01-10-2018	Furniture	11100
01-11-2018	Furniture	11300
01-12-2018	Furniture	11400
01-01-2019	Furniture	11500
01-02-2019	Furniture	11600
01-03-2019	Furniture	11800
01-04-2018	Clothing	12000
01-05-2018	Clothing	12000
01-06-2018	Clothing	12000
01-07-2018	Clothing	14000
01-08-2018	Clothing	14000
01-09-2018	Clothing	14000
01-10-2018	Clothing	16000
01-11-2018	Clothing	16000
01-12-2018	Clothing	16000
01-01-2019	Clothing	16000
01-02-2019	Clothing	16000
01-03-2019	Clothing	16000

3. Text Formatting:

Format the Customer Name column to proper case

Power Query Editor interface showing a table with columns: Order ID, Order Date, Customer Name, and City. The 'Format' dropdown menu is open, showing options like lowercase, uppercase, Capitalize Each Word, Trim, Clean, Add Prefix, and Add Suffix. The 'Query Settings' panel on the right shows the 'APPLIED STEPS' list, including 'Cleaned Text'.

Order ID	Order Date	Customer Name	City
B-25601	01-04-2018	Bharat	Ahmedabad
B-25602	01-04-2018	Pearl	Pune
B-25603	03-04-2018	Jahan	Bhopal
B-25604	03-04-2018	Divsha	Jaipur
B-25605	05-04-2018	Kasheen	West Bengal
B-25606	06-04-2018	Hazel	Kolkata
B-25607	06-04-2018	Sonakshi	Bangalore
B-25608	08-04-2018	Aarushi	Kashmir
B-25609	09-04-2018	Ilitesh	Chennai
B-25610	09-04-2018	Yogesh	Lucknow
B-25611	11-04-2018	Anita	Patna
B-25612	12-04-2018	Shrichand	Thiruvananthapuram
B-25613	12-04-2018	Mukesh	Chandigarh
B-25614	13-04-2018	Vandana	Chandigarh
B-25615	15-04-2018	Bhavna	Simla
B-25616	15-04-2018	Kanak	Gangtok
B-25617	17-04-2018	Sagar	Goa
B-25618	18-04-2018	Manju	Goa
B-25619	18-04-2018	Ramesh	Kohima
B-25620	20-04-2018	Sarita	Hyderabad
B-25621	20-04-2018	Deepak	Gujarat
B-25622	22-04-2018	Monisha	Ahmedabad
B-25623	22-04-2018	Atharv	Pune
B-25624	22-04-2018	Vini	Maharashtra
			Bhopal
			Jaipur
			Kolkata
			Bangalore

4. Column Creation:

Merge the City and State columns to create a new column named Location




Table: TransformColumns(#"Cleaned Text",{{"CustomerName", Text.Proper, type text}})

Order ID	Order Date	CustomerName	State	City
1	01-04-2018	Bharat	Gujarat	Ahmedabad
2	B-25601			
3	B-25602			
4	B-25603			
5	B-25604			
6	B-25605			
7	B-25606			
8	B-25607			
9	B-25608			
10	B-25609			
11	B-25610			
12	B-25611			
13	B-25612			
14	B-25613			
15	B-25614			
16	B-25615	15-04-2018 Bhavina	Sikkim	Gangtok
17	B-25616	15-04-2018 Kanak	Goa	Goa
18	B-25617	17-04-2018 Sagar	Nagaland	Kohima
19	B-25618	18-04-2018 Manju	Andhra Pradesh	Hyderabad
20	B-25619	18-04-2018 Ramesh	Gujarat	Ahmedabad
21	B-25620	20-04-2018 Sarita	Maharashtra	Pune
22	B-25621	20-04-2018 Deepak	Madhya Pradesh	Bhopal
23	B-25622	22-04-2018 Monisha	Rajasthan	Jaipur
24	B-25623	22-04-2018 Atharv	West Bengal	Kolkata
25	B-25624	22-04-2018 Vini	Karnataka	Bangalore

Create a custom column named Profit Margin calculated as: Profit / Amount (expressed as a percentage)




Table: TransformColumns(#"Cleaned Text",{{"CustomerName", Text.Proper, type text}})

Order ID	Order Date	CustomerName	State	City	Profit	Amount
1	01-04-2018	Bharat	Gujarat	Ahmedabad		
2	B-25601					
3	B-25602					
4	B-25603					
5	B-25604					
6	B-25605					
7	B-25606					
8	B-25607					
9	B-25608					
10	B-25609					
11	B-25610					
12	B-25611					
13	B-25612					
14	B-25613					
15	B-25614					
16	B-25615	15-04-2018 Bhavina	Sikkim	Gangtok		
17	B-25616	15-04-2018 Kanak	Goa	Goa		
18	B-25617	17-04-2018 Sagar	Nagaland	Kohima		
19	B-25618	18-04-2018 Manju	Andhra Pradesh	Hyderabad		
20	B-25619	18-04-2018 Ramesh	Gujarat	Ahmedabad		
21	B-25620	20-04-2018 Sarita	Maharashtra	Pune		
22	B-25621	20-04-2018 Deepak	Madhya Pradesh	Bhopal		
23	B-25622	22-04-2018 Monisha	Rajasthan	Jaipur		
24	B-25623	22-04-2018 Atharv	West Bengal	Kolkata		
25	B-25624	22-04-2018 Vini	Karnataka	Bangalore		

5. Conditional Column:

Add a conditional column named Profit Status

■ Profit < 0 → Loss ■ Profit = 0 → Break-Even ■ Profit > 0 → Profit

Add Conditional Column

Add a conditional column that is computed from the other columns or values.

New column name: Profit Status

Column Name	Operator	Value	Output
Profit	is less than	0	Loss
Profit	equals	0	Break-Even
Profit			

OK Cancel

Amount	Profit	Quantity	Category	Sub-Category	Profit Margin	Profit Status
75.00	0	7	Clothing	Saree	0.00%	
87.00	4	2	Clothing	Shirt	4.60%	
50.00	15	4	Clothing	Leggings	30.00%	
1,364.00	-1864	5	Furniture	Tables	-136.66%	

6. Merging Data (Joins)

Merge the List of Orders and Order Details tables using Order ID.

Name the merged output table as Orders Data.

Merge

Select tables and matching columns to create a merged table.

List of Orders

Order ID	Order Date	CustomerName	Location
B-25601	01-04-2018	Bharat	Ahmedabad, Gujarat
B-25602	01-04-2018	Pearl	Pune, Maharashtra
B-25603	03-04-2018	Jahan	Bhopal, Madhya Pradesh
B-25604	03-04-2018	Divsha	Jaipur, Rajasthan
B-25605	05-04-2018	Kasheen	Kolkata, West Bengal

Order Details

Order ID	Amount	Profit	Quantity	Category	Sub-Category	Profit Margin	Profit Status
B-25601	1,275.00	-1148	7	Furniture	Bookcases	-90.04%	Loss
B-25601	66.00	-12	5	Clothing	Stole	-18.18%	Loss
B-25601	8.00	-2	3	Clothing	Hankierchief	-25.00%	Loss
B-25601	80.00	-56	4	Electronics	Electronic Games	-70.00%	Loss
B-25602	168.00	-111	2	Electronics	Phones	-66.07%	Loss

Join Kind: Inner (only matching rows)

Use fuzzy matching to perform the merge

Fuzzy matching options

The selection matches 500 of 500 rows from the first table, and 1500 of 1...

OK Cancel

7. Handling Missing Data & Duplicate Data

Replacing missing values “K” in customer name column to “Unknown”

The screenshot shows the Power BI Desktop interface. A table with 4 columns (Order ID, Order Date, CustomerName, Location) and 500 rows is displayed. A 'Replace Values' dialog box is open, allowing the user to replace the value 'K' with 'Unknown' in the CustomerName column. The 'Advanced options' section is checked, including 'Match entire cell contents'. The 'Query Settings' pane on the right shows the 'APPLIED STEPS' list, which includes 'Replaced K to Unknown'.

Order ID	Order Date	CustomerName	Location
B-25601	18-04-2018	Ramesh	Ahmedabad, Gujarat
B-25602	20-04-2018	Sarita	Pune, Maharashtra
B-25603	20-04-2018	Deepak	Bhopal, Madhya Pradesh
B-25604	22-04-2018	Monisha	Jaipur, Rajasthan
B-25605	22-04-2018	Atharv	Kolkata, West Bengal
B-25606	22-04-2018	Vini	Bangalore, Karnataka

Retaining nulls with Average of total profit “16%”

The screenshot shows the Power BI Desktop interface with the 'Number Tools' tab selected. The formula bar displays the formula: `= List.Average(#"Added Conditional Profit Status"[Profit])`. The result of the formula is 15.970000000000027. The 'Query Settings' pane on the right shows the 'APPLIED STEPS' list, which includes 'Calculated Average'.

Power Query Editor interface showing a table with columns: Quantity, Category, Sub-Category, % Profit Margin, and Profit Status. A "Replace Values" dialog box is open, showing "Value To Find" as "0.00%" and "Replace With" as "16%". The table data includes rows for Furniture, Clothing, and other categories. The right sidebar shows "Query Settings" and "APPLIED STEPS".

Quantity	Category	Sub-Category	% Profit Margin	Profit Status
-1148	7	Furniture	-90.04%	Loss
-12				
-2				
-56				
-111				
-272				
1151				
212				
-5				
-60				
-30				
-166				
5				
16				
36	6	Clothing	33.64%	Profit
1	2	Clothing	8.33%	Profit
18	1	Clothing	47.37%	Profit
17	2	Clothing	26.15%	Profit
5	9	Clothing	3.18%	Profit
0	7	Clothing	0.00%	Break-Even
4	2	Clothing	4.60%	Profit
15	4	Clothing	30.00%	Profit
-1864	5	Furniture	-136.66%	Loss

Identified duplicate rows to Remove Duplication

Power Query Editor interface showing a table with columns: Order ID, Order Date, CustomerName, and Location. The table contains 24 rows of data. The right sidebar shows "Query Settings" and "APPLIED STEPS".

Order ID	Order Date	CustomerName	Location
B-25601	01-04-2018	Bharat	Ahmedabad, Gujarat
B-25602	01-04-2018	Pearl	Pune, Maharashtra
B-25603	03-04-2018	Jahan	Bhopal, Madhya Pradesh
B-25604	03-04-2018	Divsha	Jaipur, Rajasthan
B-25605	05-04-2018	Kasheen	Kolkata, West Bengal
B-25606	06-04-2018	Hazel	Bangalore, Karnataka
B-25607	06-04-2018	Sonakshi	Kashmir, Jammu and Kashmir
B-25608	08-04-2018	Aarushi	Chennai, Tamil Nadu
B-25609	09-04-2018	Iltesh	Lucknow, Uttar Pradesh
B-25610	09-04-2018	Yogesh	Patna, Bihar
B-25611	11-04-2018	Anita	Thiruvananthapuram, Kerala
B-25612	12-04-2018	Shrichand	Chandigarh, Punjab
B-25613	12-04-2018	Mukesh	Chandigarh, Haryana
B-25614	13-04-2018	Vandana	Simla, Himachal Pradesh
B-25615	15-04-2018	Bhavna	Gangtok, Sikkim
B-25616	15-04-2018	Kanak	Goa, Goa
B-25617	17-04-2018	Sagar	Kohima, Nagaland
B-25618	18-04-2018	Manju	Hyderabad, Andhra Pradesh
B-25619	18-04-2018	Ramesh	Ahmedabad, Gujarat
B-25620	20-04-2018	Sarita	Pune, Maharashtra
B-25621	20-04-2018	Deepak	Bhopal, Madhya Pradesh
B-25622	22-04-2018	Monisha	Jaipur, Rajasthan
B-25623	22-04-2018	Atharv	Kolkata, West Bengal
B-25624	22-04-2018	Vini	Bangalore, Karnataka

pro

File Home Transform Add Column View Tools Help

Column From Custom Invoke Custom Examples Column Function General

Conditional Column Index Column Duplicate Column

Format ABC 123 Extract Parse From Text

Merge Columns

Statistics Standard Scientific 10² Trigonometry Rounding Information

Date Time Duration

From Number From Date & Time

Queries [4]

List of Orders

Order Details

Sales target

Orders Data

fx = Table.Distinct("#Changed again to Percentage", {"Order ID"})

Order ID	Amount	Profit	Quantity	Category	Sub-Category
1 B-25601	1,275.00	-1148		7 Furniture	Bookcases
2 B-25602	168.00	-111		2 Electronics	Phones
3 B-25603	1,355.00	-60		5 Clothing	Trousers
4 B-25604	65.00	17		2 Clothing	T-shirt
5 B-25605	75.00	0		7 Clothing	Saree
6 B-25606	87.00	4		2 Clothing	Shirt
7 B-25607	50.00	15		4 Clothing	Leggings
8 B-25608	1,364.00	-1864		5 Furniture	Tables
9 B-25609	485.00	29		4 Electronics	Electronic Gs
10 B-25610	1,076.00	-38		4 Electronics	Printers
11 B-25611	160.00	-59		2 Clothing	Saree
12 B-25612	259.00	-55		2 Furniture	Chairs
13 B-25613	1,603.00	0		9 Clothing	Saree
14 B-25614	494.00	54		4 Furniture	Bookcases
15 B-25615	68.00	20		5 Clothing	Hankerchief
16 B-25616	42.00	12		5 Clothing	Hankerchief
17 B-25617	305.00	-270		5 Electronics	Electronic Gs
18 B-25618	362.00	127		1 Furniture	Bookcases
19 B-25619	353.00	90		8 Clothing	Saree
20 B-25620	193.00	46		1 Electronics	Printers
21 B-25621	233.00	-10		5 Electronics	Electronic Gs
22 B-25622	534.00	0		3 Clothing	Saree
23 B-25623	53.00	1		4 Clothing	Stole

8 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 16:04

16:05 18-06-2026

Removed Duplicate Order ID in List of Orders Table

Untitled - Power Query Editor

File Home Transform Add Column View Tools Help

Query Settings

Layout

Formula Bar

Monospaced

Column distribution

Show whitespace

Column quality

Data Preview

Always allow

Go to Columns

Parameters

Advanced Editor

Query Dependencies

Dependencies

Queries [4]

List of Orders

Order Details

Sales target

Orders Data

fx = Table.Distinct("#Replaced comma with space", {"Order ID"})

Order ID	Order Date	CustomerName	Location
Valid 100%	Valid 100%	Valid 100%	Valid 100%
Error 0%	Error 0%	Error 0%	Error 0%
Empty 0%	Empty 0%	Empty 0%	Empty 0%
1 B-25601	01-04-2018	Bharat	Ahmedabad, Gujarat
2 B-25602	01-04-2018	Pearl	Pune, Maharashtra
3 B-25603	03-04-2018	Jehan	Bhopal, Madhya Pradesh
4 B-25604	03-04-2018	Divisha	Jaipur, Rajasthan
5 B-25605	05-04-2018	Kasheen	Kolkata, West Bengal
6 B-25606	06-04-2018	Hazel	Bangalore, Karnataka
7 B-25607	06-04-2018	Sonakshi	Kashmir, Jammu and Kashmir
8 B-25608	08-04-2018	Aarushi	Chennai, Tamil Nadu
9 B-25609	09-04-2018	Ilitesh	Lucknow, Uttar Pradesh
10 B-25610	09-04-2018	Yogesh	Patna, Bihar
11 B-25611	11-04-2018	Anita	Thiruvananthapuram, Kerala
12 B-25612	12-04-2018	Shrichand	Chandigarh, Punjab
13 B-25613	12-04-2018	Mukesh	Chandigarh, Haryana
14 B-25614	13-04-2018	Vandana	Simla, Himachal Pradesh
15 B-25615	15-04-2018	Bhavna	Gangtok, Sikkim
16 B-25616	15-04-2018	Kanek	Gos, Goa
17 B-25617	17-04-2018	Sagar	Kohima, Nagaland
18 B-25618	18-04-2018	Manju	Hyderabad, Andhra Pradesh
19 B-25619	18-04-2018	Ramesh	Ahmedabad, Gujarat
20 B-25620	20-04-2018	Sarita	Pune, Maharashtra
21 B-25621	20-04-2018	Deepak	Bhopal, Madhya Pradesh

4 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 12:24

12:28 18-06-2026

35°C Sunny

8. Sorting and Filtering Data

Sort records in the Orders Data table by Order Date in descending order

Power Query Editor interface showing the 'Orders Data' table. The formula bar displays the sorting operation: `= Table.Sort(#\"Expanded Order Details\",{{\"Order Date\", Order.Descending}})`. The table columns are: Order ID, Order Date, CustomerName, Location, Order Details.Amount, Order Details.Profit, and Order Details.Quantity. The data is sorted by Order Date in descending order.

Order ID	Order Date	CustomerName	Location	Order Details.Amount	Order Details.Profit	Order Details.Quantity
1	31-03-2019	Hitika	Indore, Madhya Pradesh	72.00	16	
2	31-03-2019	Hitika	Indore, Madhya Pradesh	828.00	230	
3	31-03-2019	Hitika	Indore, Madhya Pradesh	34.00	10	
4	30-03-2019	Bhishm	Mumbai, Maharashtra	207.00	37	
5	30-03-2019	Bhishm	Mumbai, Maharashtra	2,366.00	552	
6	30-03-2019	Bhishm	Mumbai, Maharashtra	9.00	3	
7	30-03-2019	Bhishm	Mumbai, Maharashtra	835.00	267	
8	29-03-2019	Pinky	Kashmir, Jammu and Kashmir	46.00	14	
9	29-03-2019	Pinky	Kashmir, Jammu and Kashmir	497.00	179	
10	29-03-2019	Pinky	Kashmir, Jammu and Kashmir	409.00	86	
11	29-03-2019	Pinky	Kashmir, Jammu and Kashmir	59.00	15	
12	29-03-2019	Pinky	Kashmir, Jammu and Kashmir	96.00	48	
13	29-03-2019	Pinky	Kashmir, Jammu and Kashmir	82.00	8	
14	28-03-2019	Atharv	Kolkata, West Bengal	103.00	46	
15	28-03-2019	Vini	Bangalore, Karnataka	97.00	12	
16	28-03-2019	Vini	Bangalore, Karnataka	19.00	8	
17	28-03-2019	Atharv	Kolkata, West Bengal	88.00	11	
18	28-03-2019	Vini	Bangalore, Karnataka	39.00	18	
19	28-03-2019	Atharv	Kolkata, West Bengal	264.00	-26	
20	28-03-2019	Atharv	Kolkata, West Bengal	451.00	25	
21	28-03-2019	Vini	Bangalore, Karnataka	185.00	-26	
22	28-03-2019	Vini	Bangalore, Karnataka	14.00	5	
23	28-03-2019	Vini	Bangalore, Karnataka	671.00	-309	

Apply filters to analyze orders from a specific state of "Tamil Nadu"

Power Query Editor interface showing the 'Orders Data' table. The formula bar displays the filtering operation: `= Table.SelectRows(#\"Sorted in descendingf order\", each ([Location] = \"Chennai, Tamil Nadu\"))`. The table columns are: Order ID, Order Date, CustomerName, Location, Order Details.Amount, and Order Details.Profit. The data is filtered to show only orders from Chennai, Tamil Nadu.

Order ID	Order Date	CustomerName	Location	Order Details.Amount	Order Details.Profit
1	22-03-2019	Aarushi	Chennai, Tamil Nadu	79.00	
2	22-03-2019	Aarushi	Chennai, Tamil Nadu	169.00	
3	22-03-2019	Aarushi	Chennai, Tamil Nadu	359.00	
4	22-03-2019	Aarushi	Chennai, Tamil Nadu	93.00	
5	22-03-2019	Aarushi	Chennai, Tamil Nadu	24.00	
6	22-03-2019	Aarushi	Chennai, Tamil Nadu	637.00	
7	14-02-2019	Aarushi	Chennai, Tamil Nadu	61.00	
8	14-02-2019	Aarushi	Chennai, Tamil Nadu	326.00	
9	09-02-2019	Kalyani	Chennai, Tamil Nadu	22.00	
10	09-02-2019	Kalyani	Chennai, Tamil Nadu	206.00	
11	09-02-2019	Kalyani	Chennai, Tamil Nadu	10.00	
12	09-02-2019	Kalyani	Chennai, Tamil Nadu	57.00	
13	15-11-2018	Akshay	Chennai, Tamil Nadu	112.00	
14	21-09-2018	Dinesh	Chennai, Tamil Nadu	12.00	
15	11-07-2018	Surabhi	Chennai, Tamil Nadu	58.00	
16	23-06-2018	Amisha	Chennai, Tamil Nadu	207.00	
17	23-06-2018	Amisha	Chennai, Tamil Nadu	27.00	
18	23-06-2018	Amisha	Chennai, Tamil Nadu	65.00	
19	23-06-2018	Amisha	Chennai, Tamil Nadu	87.00	
20	23-06-2018	Amisha	Chennai, Tamil Nadu	7.00	
21	23-06-2018	Amisha	Chennai, Tamil Nadu	516.00	
22	08-04-2018	Aarushi	Chennai, Tamil Nadu	257.00	
23	08-04-2018	Aarushi	Chennai, Tamil Nadu	856.00	

9. Grouping and Aggregating Data

Count of Order ID

Group By

Specify the column to group by and the desired output.

☒ Basic ☐ Advanced

Order ID

New column name: Total Order ID Counts

Operation: Count Distinct Rows

Column:

OK Cancel

Query Settings

PROPERTIES

Name: Order Details

APPLIED STEPS

- Source
- Promoted Headers
- Changed Type
- Changed Amount to Fixed de...
- Added Profit Margin Column
- Changed to Percentage date...
- Added Profit Status column
- Changed Type1

Table.Group(#"Changed again to Percentage", {"Order ID"}, {"Total Order ID Counts", each Table.RowCount

Query Settings

PROPERTIES

Name: Count of Order Details

APPLIED STEPS

- Source
- Promoted Headers
- Changed Type
- Changed Amount to Fixed De...
- Added Profit Margin Column
- Changed to Percentage
- Added Conditional Profit Status
- Replaced Average ProfitMargin
- Changed again to Percentage
- Grouped Rows

Average Profit by Category

The screenshot shows the Power Query Editor interface. The main area displays a table with 2 columns and 3 rows of data:

Category	Average Profit
1 Furniture	9.456790123
2 Clothing	11.76290832
3 Electronics	34.07142857

The query formula bar shows: `= Table.Group(#"Changed again to Percentage", {"Category"}, {"Average Profit", each List.Average([Profit]), type ...})`

The right-hand pane shows the 'Query Settings' for 'Avg_Profit by Category'. The 'APPLIED STEPS' list includes: Source, Promoted Headers, Changed Type, Changed Amount to Fixed De..., Added Profit Margin Column, Changed to Percentage, Added Conditional Profit Status, Replaced Average ProfitMargin, Changed again to Percentage, and Grouped Rows.

The bottom status bar indicates '2 COLUMNS, 3 ROWS' and 'Column profiling based on top 1000 rows'.

Total Amount by Sub-Category

The screenshot shows the Power Query Editor interface with a 'Group By' dialog box open. The dialog box is titled 'Group By' and contains the following fields:

- Specify the column to group by and the desired output.
- Basic (selected) / Advanced
- Sub-Category (selected in the dropdown)
- New column name: Total Amount
- Operation: Sum
- Column: Amount

The background table shows 8 columns and 999+ rows of data. The columns are: Order ID, Amount, Profit, Quantity, Category, and Sub-Category. The data is grouped by Sub-Category.

The right-hand pane shows the 'Query Settings' for 'Order Details'. The 'APPLIED STEPS' list includes: Source, Promoted Headers, Changed Type, Changed Amount to Fixed de..., Added Profit Margin Column, Changed to Percentage dat..., Added Profit Status column, and Changed Type1.

The bottom status bar indicates '8 COLUMNS, 999+ ROWS' and 'Column profiling based on top 1000 rows'.

Power Query Editor - Sales Data Transformation and Data Modeling

Queries [8]

- List of Orders
- Order Details
- Sales target
- Orders Data
- Count of Order Details
- Avg_Profit by Category
- Total amount by SubCat...
- Total Target by Month_D...

Table

Sub-Category	Total Amount
1 Bookcases	56861
2 Stole	18546
3 Hankerchief	14608
4 Electronic Games	39168
5 Phones	46119
6 Saree	53511
7 Trousers	30039
8 Chairs	34222
9 Kurti	3361
10 T-shirt	7382
11 Shirt	7555
12 Leggings	2106
13 Tables	22614
14 Printers	58252
15 Accessories	21728
16 Furnishings	13484
17 Skirt	1946

2 COLUMNS, 17 ROWS Column profiling based on top 1000 rows

Query Settings

PROPERTIES

Name

Total amount by SubCategory

APPLIED STEPS

- Source
- Promoted Headers
- Changed Type
- Changed Amount to Fixed De...
- Added Profit Margin Column
- Changed to Percentage
- Added Conditional Profit Status
- Replaced Average ProfitMargin
- Changed again to Percentage
- Grouped Rows

PREVIEW DOWNLOADED AT 12:43

36°C Sunny 12:45 19-06-2026

Total Target by Month of order date

Power Query Editor - Untitled - Power Query Editor

Queries [4]

- List of Orders
- Order Details
- Sales target
- Orders Data

Table

Month of Order Date	Category	Target
01-04-2018	Furniture	10,400.00
01-08-2018	Clothing	14,000.00
01-09-2018	Clothing	14,000.00
01-10-2018	Clothing	16,000.00
01-11-2018	Clothing	16,000.00
01-12-2018	Clothing	16,000.00
01-01-2019	Clothing	16,000.00
01-02-2019	Clothing	16,000.00
01-03-2019	Clothing	16,000.00

3 COLUMNS, 36 ROWS Column profiling based on top 1000 rows

Group By

Specify the column to group by and the desired output.

Basic Advanced

Month of Order Date

New column name

Total Target

Operation

Sum

Column

Target

OK Cancel

Query Settings

PROPERTIES

Name

Sales target

APPLIED STEPS

- Source
- Promoted Headers
- Changed Type
- Changed Target to Fixed deci...

PREVIEW DOWNLOADED AT 11:07

DEWA +1.09% 12:56 18-06-2026


The screenshot shows the Power BI Desktop interface with a data table. The table has 12 rows and 2 columns: 'Month of Order Date' and 'Total Target'. The data is as follows:

Month of Order Date	Total Target
01-04-2018	31400
01-05-2018	31500
01-06-2018	31600
01-07-2018	33800
01-08-2018	33900
01-09-2018	34000
01-10-2018	36100
01-11-2018	36300
01-12-2018	36400
01-01-2019	43500
01-02-2019	43600
01-03-2019	43800

10. Data Modelling

Establish a relationship between List of Orders and Order Details using Order ID

Establish a relationship between Order Details and Sales Target using Category



Use Manage Relationships to ensure relationships are active and correctly defined

Manage relationships

+ New relationship Autodetect Edit Delete Filter

From: table (column) ↑	Relationship	To: table (column)	Status
☐ Order Details (Category)	*—>*	Sales target (Category)	Active ...
☐ Order Details (Order ID)	*—>1	List of Orders (Order ID)	Active ...
☐ Orders Data (Order ID)	*—>1	List of Orders (Order ID)	Active ...

Close

Order Details

- Σ Amount
- Category
- Order ID
- Σ Profit
- Σ Profit Mar
- Profit Stat

All tables +

28°C Mostly cloudy 22:39 18-06-2026