1. **Write a program where a method accepts an integer parameter and tries to change its value. Print the value before and after the method call.**

   Code:

```
package Day6;

public class PassByValueDemo {
   public static void changeValue(int x) {
      x = x + 10;
      System.out.println("Inside method: " + x);
   }

   public static void main(String[] args) {
      int num = 5;
      System.out.println("Before method call: " + num);
      changeValue(num);
      System.out.println("After method call: " + num);
   }
}
```

2. **Create a class Box with a variable length. Write a method that modifies the value of length by passing the Box object. Show that the original object is modified.**

   Code:

```
package Day6;

public class Box {
   int length;
}

class BoxTest {
   public static void modifyBox(Box b) {
      b.length = b.length + 10;
   }

   public static void main(String[] args) {
      Box box = new Box();
      box.length = 20;
      System.out.println("Before: " + box.length);
      modifyBox(box);
      System.out.println("After: " + box.length);
   }
}
```

3. **Check if character is a Digit**

   Code:

```
package Day6;

public class DigitCheck {
   public static void main(String[] args) {
      char ch = '7';
      if (Character.isDigit(ch)) {
         System.out.println(ch + " is a digit.");
      } else {
         System.out.println(ch + " is not a digit.");
      }
   }
```

```
}
```

4. **Compare two Strings**

Code:

```
package Day6;

public class StringCompare {
   public static void main(String[] args) {
      String s1 = "Hello";
      String s2 = "Hello";
      String s3 = new String("Hello");

      System.out.println("s1 == s2: " + (s1 == s2));
      System.out.println("s1 == s3: " + (s1 == s3));
      System.out.println("s1.equals(s3): " + s1.equals(s3));
   }
}
```

5. **Convert using valueof method**

Code:

```
package Day6;

public class ValueOfDemo {
   public static void main(String[] args) {
      int num = 100;
      String str = String.valueOf(num);
      System.out.println("Converted String: " + str);
   }
}
```

6. **Create Boolean Wrapper usage**

Code:

```
package Day6;

public class BooleanWrapperDemo {
   public static void main(String[] args) {
      Boolean flag = Boolean.TRUE;
      System.out.println("Boolean object: " + flag);
      System.out.println("Primitive value: " + flag.booleanValue());
   }
}
```

7. **Convert null to wrapper classes**

Code:

```
package Day6;

public class NullWrapperDemo {
   public static void main(String[] args) {
      Integer obj = null;
      System.out.println("Wrapper assigned null: " + obj);

      try {
         System.out.println(obj.intValue());
      } catch (NullPointerException e) {
         System.out.println("Exception: " + e.getMessage());
      }
   }
```

}