1. **Create a program to store user input data into database using Scanner and JDBC.**
   Code:

```
package jdbc;

import java.sql.*;
import java.util.Scanner;

public class InsertStudent_Ex {

    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        try {

            Connection con = DriverManager.getConnection(
                    "jdbc:mysql://localhost:3306/Employees_DB",
                    "root",
                    "Own_Password");

            String query = "INSERT INTO student VALUES(?,?,?)";

            PreparedStatement ps = con.prepareStatement(query);

            System.out.println("Enter Student ID:");
            int id = sc.nextInt();

            sc.nextLine();

            System.out.println("Enter Student Name:");
            String name = sc.nextLine();

            System.out.println("Enter Student Marks:");
            int marks = sc.nextInt();

            ps.setInt(1, id);
            ps.setString(2, name);
            ps.setInt(3, marks);

            int rows = ps.executeUpdate();

            System.out.println(rows + " row inserted successfully");

            con.close();
            sc.close();

        } catch (Exception e) {

            System.out.println(e);
        }
    }
```

```
}
```

2. **Create a program to validate login using username & password from database.**
   Code:

```
package jdbc;

import java.sql.*;
import java.util.Scanner;

public class LoginValidation_Ex {

    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        try {

            Connection con = DriverManager.getConnection(
                    "jdbc:mysql://localhost:3306/Employees_DB",
                    "root",
                    "Own_Password");

            String query =
                    "SELECT * FROM users WHERE username=? AND password=?";

            PreparedStatement ps = con.prepareStatement(query);

            System.out.println("Enter Username:");
            String username = sc.nextLine();

            System.out.println("Enter Password:");
            String password = sc.nextLine();

            ps.setString(1, username);
            ps.setString(2, password);

            ResultSet rs = ps.executeQuery();

            if (rs.next()) {

                System.out.println("Login Successful");

            } else {

                System.out.println("Invalid Username or Password");
            }

            con.close();
            sc.close();

        } catch (Exception e) {
```

```
            System.out.println(e);
        }
    }
}
```

3. **Write a program to insert multiple records using JDBC.**
   Code:

```
package jdbc;

import java.sql.*;
import java.util.Scanner;

public class MultipleInsert_Ex {

    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        try {

            Connection con = DriverManager.getConnection(
                    "jdbc:mysql://localhost:3306/Employees_DB",
                    "root",
                    "Own_Password");

            String query = "INSERT INTO student VALUES(?,?,?)";

            PreparedStatement ps = con.prepareStatement(query);

            System.out.println("How many records you want to insert?");
            int n = sc.nextInt();

            for (int i = 1; i <= n; i++) {

                System.out.println("Enter Student ID:");
                int id = sc.nextInt();

                sc.nextLine();

                System.out.println("Enter Student Name:");
                String name = sc.nextLine();

                System.out.println("Enter Student Marks:");
                int marks = sc.nextInt();

                ps.setInt(1, id);
                ps.setString(2, name);
                ps.setInt(3, marks);

                ps.executeUpdate();
```

```
            System.out.println("Record Inserted Successfully");
        }

        con.close();
        sc.close();

    } catch (Exception e) {

        System.out.println(e);
    }
  }
}
```

4. **Create a program to display all records from students table.**
   Code:

```
package jdbc;

import java.sql.*;

public class DisplayStudent_Ex {

  public static void main(String[] args) {

    try {

        Connection con = DriverManager.getConnection(
              "jdbc:mysql://localhost:3306/Employees_DB",
              "root",
              "Own_Password");

        Statement st = con.createStatement();

        String query = "SELECT * FROM student";

        ResultSet rs = st.executeQuery(query);

        System.out.println("ID\tNAME\tMARKS");

        while (rs.next()) {

            int id = rs.getInt("id");
            String name = rs.getString("name");
            int marks = rs.getInt("marks");

            System.out.println(id + "\t" + name + "\t" + marks);
        }

        con.close();

    } catch (Exception e) {
```

```
            System.out.println(e);
        }
    }
}
```