

EPI TRIMBAKESHWAR - CPWD TECHNICAL SPECIFICATIONS AND QUALITY PR

Compliance: CPWD Specifications 2019/2021 & DSR 2021 Schedule Guidelines

Structural Standard: RCC Framed Structure designed for Seismic Zone III and Wind Speed 39 m/s

Concrete Grade: M-25 / M-30 design mix with RMC / automated batching plant

Steel Grade: High yield strength deformed TMT bars Fe-500D (Primary producers: SAIL/TATA/JSW)

-
1. FOUNDATION: Isolated/strip footings on hard basalt rock bed; SBC validation via trial pits & plate load tests.
 2. MASONRY: First-class fly ash / autoclaved aerated concrete (AAC) blocks / burnt clay bricks (IS 1077).
 3. WATERPROOFING: Integral crystalline treatment for basements, water tanks, sunken toilets, and terrace slab.
 4. FLOORING: Vitrified tiles (600x600 mm) in classrooms/offices; heavy-duty ceramic non-skid tiles in wet areas.
 5. JOINERY: Powder-coated aluminum window sections (minimum 1.5mm thickness); flush doors with teak veneer.
 6. LAB SPECIFICATIONS: Acid-proof polished granite tops with stainless steel sinks and chemical-resistant plumbing.
 7. QUALITY TESTING: On-site laboratory setup for cube compression, sieve analysis, slump, and tensile tests.