

<u>Contents</u>

Basic documentation	2
Instructions	3
Problems/challenges	4
What would we have done differently if we could do it again	5
Code	6
Output interface	17
The learning outcomes that we used from the help of course module INTE 11223	20
Group Members	21



Basic documentation

Using C++ coding knowledge, we designed a simple game. It is a quiz type game. Most of the games are made only for fun purpose but here we tried to give some value to the meaning of the "game." In this game we checked IQ knowledge and general knowledge of the player.

For our demonstrating convenience, we used 4 levels, and each level has 5 questions. Those 5 questions are blended with IQ questions and general knowledge questions. If a player wants to continue the game, he or she should have a good general knowledge and IQ knowledge.

We could have created a quiz framed to a particular subject, but we used general knowledge and IQ questions to expand the players' mind in a comprehensive context.

However, if someone wants to add subject oriented questions in this game it could have easily been done.




Instructions

Before the game starts, the player should enter his/her name. After typing the name, he/she should press enter to find the instructions to play the game. That will be displayed as follows,

Instructions

- *There are four levels in this game with five questions per each level.
- *Type the English letter of the answer you choose and hit enter to proceed in the game.
- *Answering at least four questions correctly is required to move to the next level.
- *If you failed, the same level will be repeated.
- *You will win the game once you are done with the fourth level successfully.



Problems/challenges

The main challenge was limited knowledge about the C++ programming language in gaming context and no experience in developing games. However, we referred Google and YouTube to get an idea and we tested some online codes as well.

The second challenge was gathering all the team members to a one place. Almost all the members were busy with their academics and extra-curricular activities it was a challenge to gather all of them and focus to the purpose.

The third challenge was whether we add GUI to the game or not. We researched about GUI and understood that it is an entirely different coding method with different key words. After that, considering time constraint as well, we decided to do it in a simple way.

The fourth problem was, there were few possible ways for the player to go to the next question without hitting the enter button. When the player is playing, he/she must answer the question and hit the enter button for the next question. We felt that it is a burden for the player, but we could not figure out any method to fix this issue.



What would we have done differently if we could do it again

If we could do it again, we would add

- 1. More difficulty levels and more practical questions.
- 2. GUI to beautify the game.
- 3. Attractive emojis and sounds.
- 4. A Timer to answer questions within an appropriate time frame.
- 5. A code to generate a certificate automatically after the game is over.



Code

Libraries that we used to create the game.

- <iostream>
- <conio .h.>
- <windows. h>

Functions that we used to create the game.

- header();
- footer();
- sleep();
- system("CLS");
- getch();
- SetConsoleTextAttribute(h,11);

Here is the complete c++ code that we used to create the game.

```
C++ 6.3 D:\MIT\CPP\Quiz Game by Conceptualizers.cpp - Embarcadero Dev-C++
File Edit Search View Project Execute Tools AStyle Window Help
□ 🗀 🖫 🐁 幻 函 🖳 🗒 📞 📋 🗐 🖟 🕳 🗎 🕳 🕳 🗎 🖂 💮 📗 TDM-GCC 9.2.0 64-bit Release
                                                             ~ | # □ □ □ 88
Quiz Game by Conceptualizers.cpp X
    #include<iostream>
    #include<conio.h>
    #include<windows.h>
 4
    using namespace std;
 6
   int level=0;
 8
    //----introducing header and footer for maintain an unique labels in every page-----
 10 E
   void header(){
      if (level != 0){
 11 E
 12
         cout<<"------"<<endl;
 13
         cout<<"\t\tQUIZ GAME by Conceptualizers "<<"(Level-"<<level<<")"<<endl;</pre>
 14
         cout<<"------"<<endl;
 15
 16
      else{
 17
         cout<<"------"<-endl;
 18
         cout<<"\t\t\QUIZ GAME by Conceptualizers"<<endl;</pre>
 19
         20
 21
 23
    void footer(){
      24
 25
 26
```

```
int main(){
28 E
29
30
        HANDLE h=GetStdHandle(STD_OUTPUT_HANDLE); // color changing code
        char name[20];
31
32
        int totScore;
33
        string rslt[5][6]; // delcaring a 2D array for keeping whether the answer is correct or wrong
34
35
36
        file = fopen("Result_sheet.txt","w"); // creating result sheet file
37
38
        header();
        rslt[0][0] = "
39
        rslt[0][1] = "Q1";
40
41
        rslt[0][2] = "Q2";
42
        rslt[0][3] = "Q3";
43
        rslt[0][4] = "Q4";
44
        rslt[0][5] = "Q5";
45
        rslt[1][0] = "Level-1";
46
        rslt[2][0] = "Level-2";
47
        rslt[3][0] = "Level-3";
48
        rslt[4][0] = "Level-4";
         cout << "\nEnter Your Name : ";</pre>
51
         cin >> name;
52
         cout << endl;</pre>
53
         cout << endl;
54
         SetConsoleTextAttribute(h,10);
55
         cout << "
                                                                                              __\n";
         cout << "
56
                                                                                                 _)\n";
                                                     Instructions
                                                                                               \n";
         cout << "
57
         cout << "
58
                            * There are four levels in this game with five questions
                                                                                               \n";
         cout << "
59
                              per each level.
                                                                                               \n";
         cout << "
                                                                                               \n";
                            * Type the English letter of the answer you choose and
         cout << "
61
                              hit enter to proceed in the game.
                                                                                               \n";
         cout << "
62
                            * Answering at least four questions correctly is required
                                                                                               \n";
         cout << "
63
                              to move to the next level.
                                                                                               \n";
         cout << "
64
                            * If you are failed the same level will be repeated.
                                                                                               \n";
         cout << "
65
                            * You will win the game, Once you are done with the fourth
                                                                                               \n";
         cout << "
                              level successfully.
66
                                                                                               \n";
         cout << "
67
                                                                                                _\n";
         cout << "
68
                                                                                                 )\n";
         cout << "
69
                                                                                            | \n";
70
         cout << endl;
71
         SetConsoleTextAttribute(h,15);
72
         cout << "\nHi " << name << ", Press any key to play the game.." << endl;</pre>
73
```

getch(); //wait for press any key from user

74

75

```
//=====
         //-----Level-1 starting-----
         //====
80
81
         bool L1 = true; //this value is true until repeating the level
         while (L1){
82
             //-----Level-1---Question-1-----
83
84
             sleep(0.5); //pause the programme for 0.5 secs
             system ("CLS"); //clear the console for continue to the next step
85
             level = 1;
86
87
             SetConsoleTextAttribute(h,11);
             header();
88
             int | 1tot=0:
             char q1a,q2a,q3a,q4a,q5a;
91
             cout<<"\nQ1. How many overs are there in a one day cricket match? \n\n\t a. 10 \n\t b. 20 \n\t c. 50 \n\t d. 60 \n\nYour Answer: ";
             cin>>q1a;
94
             if(q1a=='c'){
                 L1tot=L1tot+1;
                 cout<<"\nGreat! Your answer is Correct!";</pre>
97
                 rslt[1][1] = "C";
98
             else{
                 cout<<"\nSorry your answer is wrong!";
rslt[1][1] = "W";</pre>
100
101
102
103
             footer();
105
             //-----Level-1---Question-2-----
106
             sleep(1);
             system ("CLS");
108
             header();
           cout<<"\nQ2. How many districts are there in Sri Lanka? \n\n\t a. 22 \n\t b. 25 \n\t c. 26 \n\t d. 28 \n\nYour Answer : ";
           cin>>q2a;
           if(q2a=='b'){
              L1tot=L1tot+1;
114
              cout<<"\nGreat! Your answer is Correct!";</pre>
              rslt[1][2] = "C";
           else{
              cout<<"\nSorry your answer is wrong!";</pre>
119
              rslt[1][2] = "W";
120
           footer():
           //----Level-1---Question-3-----
124
           sleep(1);
           system ("CLS");
126
           header();
           cout<<"\nQ3. What is the highest waterfall in Srilanka? \n\nt a. Bambarakanda \n\t b. Dunhinda \n\t c. Bakers fall \n\t d. Stclairs \n\nYour Answer: ";
128
           cin>>q3a;
           if(q3a=='a'){
              L1tot=L1tot+1;
              cout<<"\nGreat! Your answer is Correct!";</pre>
              rslt[1][3] = "C";
           else{
              cout<<"\nSorry your answer is wrong!";
rslt[1][3] = "W";</pre>
           footer();
```

```
//----Level-1---Question-4-----
sleep(1);
system ("CLS");
header();
cout<<"\nQ4. Who was the first person to discover 'Gravity'? \n\n\t a. Albert Ainstain \n\t b. Newton \n\t c. Stephn Howkings \n\t d. Maari curi \n\nYour Answ
if(q4a=='b'){
   L1tot=L1tot+1:
    cout<<"\nGreat! Your answer is Correct!";</pre>
   rslt[1][4] = "C";
   cout<<"\nSorry your answer is wrong!";
rslt[1][4] = "W";</pre>
footer();
//-----Level-1---Question-5-----
sleep(1);
system ("CLS");
header();
cout<<"\nQ5. How many centimeters are there in a meter? \n\n\t a. 5 \n\t b. 10 \n\t c. 100 \n\t d. 1000 \n\nYour Answer : ";
if(q5a=='c'){
   L1tot=L1tot+1;
    cout<<"\nGreat! Your answer is Correct!";</pre>
   rslt[1][5] = "C";
   cout<<"\nSorry your answer is wrong!";
rslt[1][5] = "W";</pre>
footer();
```

```
//-----Level-1---Results-----
                                 system ("CLS");
                                 header();
                                 if (L1tot>3){
                                          cout << endl;
                                                                             ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ... ...
                                          cout << "
                                                                                                                                                                                                                                                                             ****
                                                                                                                                                                                                                                                                                                  ******* ****** ******
                                                                                                                                                                                                                                                                          *** ***
                                                                                                                                                                                                                                                                                                                                                 ****
                                          cout << "
                                                                                                                                                                                                                                                                                                                                                                           *****
                                          cout << "
                                                                                                                                                                                                                                                                                                                                                                                                \n";
                                                                                                                                     cout << "
                                                                             ***
                                                                                                             ***
                                                                                                                                                                                                                                                                     *****
                                                                                                                                                                                                                                                                                                                 ***
                                                                                                                                                                                                                                                                                                                                               ****
                                                                                                                                                                                                                                                                                                                                                                             ****
                                                                                                                                                                                                                                                                                                                                                                                                \n";
                                          cout << "
                                                                                                                                                                                                                                                                    ******
                                                                                                                                                                                                                                                                                                                                           ****
                                                                             ***
                                                                                                             ***
                                          cout << "
                                          cout << "
                                                                             ****** ****** ***
                                                                                                                                                                       ***** ******* ***
                                                                                                                                                                                                                                                                                                                                       *******
                                          cout << name << ", you have successfully completed Level 1";
cout << "\nYou scored " << Lltot << " out of 5";
cout << "\n\nPress any key to continue to Level 2";</pre>
                                          footer():
                                          getch();
                                           totScore += L1tot;
                                          L1 = false:
                                          cout << endl;
cout << "</pre>
                                                                              ******* ****** ****** ****** ***
                                          cout << "
                                                                            *********** ********** ********** **** *** *** *** *** *** *** *** ***
                                                                                                                                                                                                                                                    *** *****
                                          cout << "
                                                                                                                                                                                                                                                                    *****
                                          cout << "
                                                                                                                                      *** ******** ********
                                                                                                                                                                                                                                                                                         \n";
                                                                             ******* ***
*** ***
                                                                                                                                      cout << "
                                                                                                                                                                                                                                         ***
                                                                                                                                                                                                                                                                      ****
                                                                                                                                                                                                                                                                                         \n";
                                          cout << "
                                          cout << "
                                          cout << "
                                                                              ******
                                                                                                                ******* ***
                                          cout << endl;</pre>
                                                     cout << name << ", you have to play again" << endl;
cout << "You scored " << L1tot << " out of 5" << endl;</pre>
214
                                                     cout << "you should attain at least 4 marks to enter the level 2";</pre>
                                                     cout<<"\n\nPress any key to play again..";</pre>
216
                                                     getch();
218
```

The rest of the levels here are coded in same way and the questions become more difficult from level to level

```
//----
       //----Level-2 starting-----
224
       bool L2 = true;
226
       while (L2){
          //-----Level-2---Question-1-----
228
         sleep(0.5);
229
          system ("CLS");
          level = 2;
231
          SetConsoleTextAttribute(h,14);
          header();
          int L2tot=0;
234
          char q1a,q2a,q3a,q4a,q5a;
          cout<<"\nQ1. How many states are there in India? \n\n\t a. 13 \n\t b. 35 \n\t c. 50 \n\t d. 60 \n\nYour Answer: ";</pre>
236
          cin>>q1a;
238
          if(q1a=='d'){
239
             L2tot=L2tot+1;
240
             cout<<"\nGreat! Your answer is Correct!";</pre>
241
             rslt[2][1] = "C";
243
          else{
             cout<<"\nSorry your answer is wrong!";
rslt[2][1] = "W";</pre>
245
          footer();
          cin>>q2a;
if(q2a=='a'){
             L2tot=12tot+1;
cout<<"\nGreat! Your answer is Correct!";
rslt[2][2] = "C";</pre>
             cout<<"\nSorry your answer is wrong!";
rslt[2][2] = "W";
          footer();
          //-----Level-2---Question-3-----
          sleep(1);
system ("CLS");
          cin>>q3a;
if(q3a=='c'){
             L2tot=L2tot+1;
             cout<<"\nGreat! Your answer is Correct!";
rslt[2][3] = "C";</pre>
             cout<<"\nSorry your answer is wrong!";
rslt[2][3] = "W";
          footer();
```

```
//-----Level-2---Ouestion-4-----
                             sleep(1);
                             system ("CLS");
                             header();
                             cout<<"\nQ4. What is the largest island in Sri Lanka? \n\n\t a. Delft \n\t b. Parawi \n\t c. Kayts \n\t d. Mannar \n\nYour Answer: ";
                             cin>>q4a;
                             if(q4a=='d'){
                                     L2tot=L2tot+1;
                                     cout<<"\nGreat! Your answer is Correct!";</pre>
                                      rslt[2][4] = "C";
                             else{
                                     cout<<"\nSorry your answer is wrong!";</pre>
                                     rslt[2][4] = "W";
301
                             footer();
                                     //-----Level-2---Question-5-----
                                    sleep(1);
system ("CLS");
                                     header();
                                    cout << "\t\t
cout << "\t\t|\t|\t|\t|" << endl;</pre>
                                                                                                                                " << endl;
                                     cout << "\t\t
                                                                                                                                     |" << endl;</pre>
                                                                            7 | 4 |
   310
                                                                                                                                     " << endl;
                                     cout << "\t\t
                                     cout << "\t\t|\t|\t|\t|" << endl;</pre>
                                     cout << "\t\t
                                                                                                                                     |" << endl;
                                                                            6 | 5 | 8
                                     cout << "\t\t
                                                                                                                                        " << endl;
                                     cout << "\t\t|\t|\t|\t|" << endl;</pre>
   316
                                     cout << "\t\t
                                                                              2 | 9
                                                                                                                                     |" << endl;
                                     cout << "\t\t
                                                                                                                                     " << endl;
                                     cout<<"\nQ5. Which number should fill the blank? \n\nt a. 2 \n\t b. 4 \n\t c. 6 \n\t d. 7 \n\nyour Answer : ";
                                    cin>>q5a;
320 E
                                    if(q5a=='a'){
                                              L2tot=L2tot+1;
                                               cout<<"\nGreat! Your answer is Correct!";</pre>
322
323
                                              rslt[2][5] = "C";
324
325
                                    else{
                                               cout<<"\nSorry your answer is wrong!";</pre>
327
                                              rslt[2][5] = "W";
328
329
                                    footer();
                                            ----Level-2---Results-----
                          sleep(1);
system ("CLS");
header();
                                  (L2tot>3){
    cout << endl;
    cout << "
    cout << "

                                                           1;
                                   cout << name << ", you have successfully completed Level 2";
cout << "\nYou scored " << L2tot << " out of 5";
cout << "\n\nPress any key to continue to Level 3";
footen();
getch();</pre>
                                    totScore += L2tot:
                                   L2 = false:
                                  cout << "
```

```
cout << name << ", you have to play again" << endl;
cout << "You scored " << L2tot << " out of 5" << endl;
cout << "you should attain at least 4 marks to enter the level 3";
cout<< "\n\nPress any key to play again..";</pre>
369
370
                             getch();
         //-----Level-3 starting-----
         //----
         bool L3 = true;
         while (L3){
                      ----Level-3---Question-1-----
             sleep(0.5);
              system ("CLS");
             level = 3:
             SetConsoleTextAttribute(h,11);
             header():
             char q1a,q2a,q3a,q4a,q5a;
             cout<<"\nQ1. What is the currency of Malaysia? \n\n\t a. Ruffiya \n\t b. Riggit \n\t c. Rupiah \n\t d. Ruffee \n\nYour Answer: ";
             cin>>q1a;
if(q1a=='b'){
                 cout<<"\nGreat! Your answer is Correct!";
rslt[3][1] = "C";</pre>
                 cout<<"\nSorry your answer is wrong!";
rslt[3][1] = "W";</pre>
               sleep(1);
system ("CLS");
header();
cout << "\n\t_
"\+|\t|</pre>
                 //-----Level-3---Question-2-----
                406
407
                                                                                 |" << endl;
|" << endl;
                cout<<"\n\nQ2. What will be the next number? \n\n\t a. 126 \n\t b. 143 \n\t c. 150 \n\t d. 225 \n\nYour Answer : ";
                cin>>q2a;
if(q2a=='a'){
                     L3tot=L3tot+1;
                     cout<<"\nGreat Your answer is Correct!";
rslt[3][2] = "C";</pre>
                     cout<<"\nSorry your answer is wrong!";
rslt[3][2] = "W";</pre>
             //-----Level-3---Ouestion-3-----
             sleep(1);
             system ("CLS");
             header();
             cout<<"\nQ3. Who is the most famous fictional character in the world? \n\n\t a. Harry Potter \n\t b. Peter Pan \n\t c. Sherlock Holmes \n\t d. Joker \n\nYour
             cin>>q3a;
             if(q3a=='c'){
                 L3tot=L3tot+1;
                 cout<<"\nGreat! Your answer is Correct!";</pre>
                 rslt[3][3] = "C";
             else{
                 cout<<"\nSorry your answer is wrong!";</pre>
                 rslt[3][3] = "W";
```

```
//-----Level-3---Question-4-----
sleep(1);
system ("CLS");
header():
cout<<"\nQ4. How many mobile apps are downloaded everyday? \n\n\t a. 5 million \n\t b. 25 million \n\t c. Over 100 million \n\t d. Over 1 billion \n\nYour Ans
cin>>a4a:
if(q4a=='c'){
   L3tot=L3tot+1;
   cout<<"\nGreat! Your answer is Correct!";</pre>
   rslt[3][4] = "C";
else{
   cout<<"\nSorry your answer is wrong!";</pre>
   rslt[3][4] = "W";
footer();
 //----Level-3---Question-5-----
sleep(1);
system ("CLS");
header();
cout<<"\n\t16, 39, 63, 90, 120";
cout<<"\n\t18, 36, 60, 88, 120";
cout<<"\n\nQ5. In the two numerical sequences above,\</pre>
      none number that appears in the top sequence should appear\
      in the bottom sequence and vice versa.\
      Which two numbers should be changed round? \n\n\t a. 16 and 18 \n\t b. 39 and 36 \n\t c. 63 and 60 \n\t d. 90 and 88 \n\nYour Answer: ";
 cin>>q5a;
if(q5a=='a'){
    L3tot=L3tot+1;
cout<<"\nGreat! Your answer is Correct!";
     rslt[3][5] = "C";
    cout<<"\nSorry your answer is wrong!";
rslt[3][5] = "W";</pre>
 footer();
  /-----Level-3---Results-----
 sleep(1);
system ("CLS");
header();
 if (L3tot>3){
                  cout << endl;
cout << "
                                                                                           cout << "
     cout << "
     cout << "
                                                                                           *******
                                                                                                                        ****
     cout << "
                                                                                                                     ********
     cout << endl;</pre>
    cout << name << ", you have successfully completed Level 3";
cout << "\nYou scored " << L3tot << " out of 5";
cout << "\n\nPress any key to continue to Level 4";</pre>
     footer();
     totScore += L3tot;
     L3 = false:
   else{
       cout << endl:
       cout << "
                         ******
                        *********** *** *** *** *** *** ***
        cout << "
                                                                                                                      \n";
\n";
                        *** ***
                                                  cout << "
       cout << "
                                                                                                             *****
                                                                                                                       \n";
                                                 *** ********
                        ******** ***
        cout << "
                                                                                                              ****
       cout << "
       cout << "
                       ******* ****** ***
                        ******
       cout << endl:
       cout << name << ", you have to play again" << endl;
cout << "You scored " << L3tot << " out of 5" << endl;
cout << "you should attain at least 4 marks to enter the level 4";</pre>
        cout<<"\n\nPress any key to play again..";</pre>
       getch();
```

```
//-----Level-4 starting------
           bool L4 = true;
          while (L4){
//-----
                          --Level-4---Question-1-----
529
530
              sleep(0.5);
system ("CLS");
level = 4;
              SetConsoleTextAttribute(h,14);
              header();
              int L4tot=0;
              char q1a,q2a,q3a,q4a,q5a;
              \n the left of the letter three to the left of the letter two to the\
\n right of the letter F ? \n\n\ a. B \n\t b. C \n\t c. F \n\t d. G \n\nYour Answer : ";
              \n
              cin>>q1a;
if(q1a=='d'){
541
542
543
544
545
                   L4tot=L4tot+1;
                   cout<<"\nGreat Your answer is Correct!";
rslt[4][1] = "C";</pre>
              else{
547
548
549
                  cout<<"\nSorry your answer is wrong!";
rslt[4][1] = "W";</pre>
               footer();
                //-----Level-4---Question-2-----
                sleep(1);
system ("CLS");
554
555
                header();
556
                cout<<"\nQ2. What is the colour that babies recognize first when their\</pre>
                      colour vision begins to develop?\
558
                 \n\nt a. Yellow \n\t b. Green \n\t c. Blue \n\t d. Red \n\nYour Answer : ";
559
                cin>>q2a;
                if(q2a=='d'){
560
561
                     L4tot=L4tot+1;
                     cout<<"\nGreat! Your answer is Correct!";</pre>
562
                     rslt[4][2] = "C";
564
565
                     cout<<"\nSorry your answer is wrong!";
rslt[4][2] = "W";</pre>
566
568
                footer();
           //-----Level-4---Question-3-----
          sleep(1);
          system ("CLS");
          header();
          cout<<"\nQ3. Five years ago, the total of the ages of a father and his son was 40 years.\</pre>
           \n The ratio of their present ages is 4 : 1\
               What is the present age of the father? \n\n\t a. 20 years \n\t b. 30 years \n\t c. 40 years \n\t d. 50 years \n\nYour Answer: ";
578
          cin>>a3a:
          if(q3a=='c'){
             L4tot=L4tot+1;
              cout<<"\nGreat! Your answer is Correct!";</pre>
             rslt[4][3] = "C";
          else{
              cout<<"\nSorry your answer is wrong!";</pre>
              rslt[4][3] = "W";
```

```
//-----Level-4---Question-4-----
  sleep(1);
  system ("CLS");
 header();
 cout<<"\nQ4. What is the book written by Mohan Munasinghe,\</pre>
       the Sri Lankan Nobel prize winner in 2021? \
   \n\n\t a. Sustainability in the Twenty-First Century (2019) \n\t b. Capital in the Twenty-First Century(2014)\
    \n\t c. Nomadland: Surviving America in the twenty-first century (2017) \n\t d. The Stranger of Twenty-First Century(2015) \n\nYour Answer : ";
  cin>>q4a;
  if(q4a=='a'){
      L4tot=L4tot+1;
      cout<<"\nGreat! Your answer is Correct!";</pre>
      rslt[4][4] = "C";
     cout<<"\nSorry your answer is wrong!";</pre>
     rslt[4][4] = "W";
  footer();
   //-----Level-4---Question-5-----
   sleep(1);
system ("CLS");
  system (
header();

<< "\n\</pre>
  48
                                                                                   << endl:
                                                                                 " << endl;
   cout << endl;
  " << endl;
  cout << "\t| 4 |
cout << "\t| \t| \t| \t| \t| \t|
cout << "\t| 16 |
cout << "\t| 16 |
cout << "\t| |
                                                                               |" << endl;
|" << endl;
                            << "\t|\t|\t
625
                                           \t|" << endl;
                                          |" << "\t|
|" << "\t|
                                                                                " << endl;
" << endl;
   cout<<"\nQS. What is the answer that fits the above blanks a,b,c,d,e respectively?\
\n\n\t a. 20, 25, 8, 6, 2550 \n\t b. 40, 6, 5, 25, 7776 \n\t c. 1250, 25, 60, 8 \n\t d. 25, 8, 16, 8555 \n\nYour Answer : ";</pre>
  cin>>q5a;
if(q5a=='b'){
       L4tot=L4tot+1;
cout<<"\nGreat! Your answer is Correct!";
       rslt[4][5] = "C";
       cout<<"\nSorry your answer is wrong!";
rslt[4][5] = "W";</pre>
   footer();
//-----Level-4---Results-----
sleep(1);
system ("CLS");
header();
   cout << endl;
cout << "
                *****
                                                                                              ********* ******** *****
                                                                                   *** ***
   cout << "
                                                                                                                        ******
   ***
                                                                                                              ****
                                                                                                                         ****
                                                                                ***********
                                                                                                           ****
                                                                                                           *********
   cout << name << ", you have successfully completed Level 4";
cout << "\nYou scored " << L4tot << " out of 5";
footer():</pre>
        sleep(2);
        totScore += L4tot:
       cout << endl;
cout << "</pre>
       cout << "
                        *******
       cout <<
        cout << "
                                                                                                                    \n";
       cout << "
                                                  cout << "
       cout << "
                        ******
       cout << endl:
       cout << name << ", you have to play again" << endl;
cout << "You scored " << L4tot << " out of 5" << endl;
cout << "you should attain at least 4 marks to finish the game";
cout << "\n\nPress any key to play again..";</pre>
        getch():
```

When the player completes 4 levels successfully we let the player see something like "you won!".

Here you will see that at the end of each question the correct answer or wrong answer is given as 'C' and 'W' in a 2D Array. Finally, a result sheet will be prepared in the same folder where game is located.

```
cout<<"You scored " << totScore <<" marks out of 20 marks!"<<endl;
cout<<"\nThank you very much for your participation!" <<endl;

cout<<"\nThank you very much for your participation!" <<endl;
getch();

cout<<"\nThank you very much for your participation!" <<endl;
getch();

system ("CLS");
header();

fprintf(file,"%s, this is your result sheet\n\n",name);

//Putting the data in the 2D array into the file
fprintf(file,"\s %s \s %s\n",rslt[0][0].c_str(),rslt[0][1].c_str(),rslt[0][2].c_str(),rslt[0][3].c_str(),rslt[0][4].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),rslt[0][6].c_str(),r
```

Here finally we display game credits.

Output interface

In each level player is being asked to answer for the questions like this. After the player answered the question and should hit the enter button and automatically prompt to the next question.

```
D:\MIT\CPP\Quiz game final.exe


QUIZ GAME by Conceptualizers (Level-1)

Q1. How many overs are there in a one day cricket match?

a. 10
b. 20
c. 50
d. 60

Your Answer : _
```





In every level, user interface looks like this and after completed each level successfully user can see some words like this, and it provides some motivation to proceed for the next level.

If the player failed to achieve the goal in each level the user interface looks like this.

If the player successfully completes the fourth level the user interface looks like this.

After pressing an any button, the system will create the player's result sheet and shows credits in the game. With that the game ends.

```
QUIZ GAME by Conceptualizers

QUIZ GAME by Conceptualizers

Your results sheet has been generated successfully!


Credits goes to,

Sachintha Dinuka - IM/2020/009
Shanuka Dilshan - IM/2020/017
Anuji Vithana - IM/2020/033
Vidul Pramitha - IM/2020/088
Ushari Egodawele - IM/2020/199

Process exited after 2864 seconds with return value 0

Press any key to continue . . . •
```

The Result sheet will be created like this as we mentioned earlier.





The learning outcomes that we used from the help of course module INTE 11223

- Arrays
- Pointers
- File handling methods
- Functions

Group Members

Team Conceptualizers

- Sachintha Dinuka IM/2020/009
- Shanuka Dilshan IM/2020/017
- Anuji Vithana IM/2020/033
- Vidul Pramitha IM/2020/088
- Ushari Egodawela IM/2020/109

