

# Ralli Wolf

## POWER TOOLS

[www.ralliwolf.com](http://www.ralliwolf.com)



**LIGHT DUTY DRILL**  
**EG2C 6mm**



235V / 115V	
Capacity	6mm
Watts Input (Full Load)	235 Watts
No Load Speed	2800 r.p.m.
Approx Net Weight	1.9 kg.

**PISTOL GRIP DRILL**  
**12063D 10mm**



235V / 115V	
Capacity	10mm
Watts Input (Full Load)	350 Watts
No Load Speed	0-3000 r.p.m.
Approx Net Weight	1.3 kg.

**COMPACT DRILL**  
**12100D 10mm**



235V / 115V	
Capacity	10mm
Watts Input (Full Load)	450 Watts
No Load Speed	0-2900 r.p.m.
Approx Net Weight	1.3 kg.

**LIGHT DUTY DRILL**  
**EJ3C 10mm**



235V / 115V	
Capacity	10mm
Watts Input (Full Load)	235 Watts
No Load Speed	700 r.p.m.
Approx Net Weight	2.4 kg.

**IMPACT DRILL**  
**16130 13mm**



235V / 115V	
Capacity	13mm
Watts Input (Full Load)	550 Watts
No Load Speed	0-2650 r.p.m.
Approx Net Weight	1.8 kg.

**IMPACT DRILL**  
**15100 10mm / 15130 13mm**



235V / 115V	
Capacity	10mm 13mm
Watts Input (Full Load)	530 Watts 550 Watts
No Load Speed	0-2650 r.p.m. 0-2650 r.p.m.
Approx Net Weight	1.5 kg. 2 kg.

**IMPACT DRILL**  
**17130 13mm**



235V / 115V	
Capacity	13mm
Watts Input (Full Load)	710 Watts
No Load Speed	0-2800 r.p.m.
Approx Net Weight	1.8 kg.



**LIGHT DUTY DRILL**  
**SD4C 13mm**



235V / 115V	
Capacity	13mm
Watts Input (Full Load)	435 Watts
No Load Speed	700 r.p.m.
Approx Net Weight	4.5 kg.

**HEAVY DUTY DRILL**  
**WD2C 6mm**



235V / 115V	
Capacity	6mm
Watts Input (Full Load)	475 Watts
No Load Speed	2400 r.p.m.
Approx Net Weight	3.2 kg.

**HEAVY DUTY DRILL**  
**WD3C 10mm**



235V / 115V	
Capacity	10mm
Watts Input (Full Load)	550 Watts
No Load Speed	1000 r.p.m.
Approx Net Weight	4 kg.

**HEAVY DUTY DRILL**  
**WD34C 13mm**



235V / 115V	
Capacity	13mm
Watts Input (Full Load)	500 Watts
No Load Speed	550 r.p.m.
Approx Net Weight	4.1 kg.

**HEAVY DUTY DRILL**  
**14130 13mm**



235V / 115V	
Capacity	13mm
Watts Input (Full Load)	750 Watts
No Load Speed	750 r.p.m.
Approx Net Weight	4.6 kg.

**MORSE TAPER HEAVY DUTY DRILL**  
**WDH 13mm to 23mm**



235V / 115V	
Capacity	13-23mm
Watts Input (Full Load)	595 Watts
No Load Speed	560 r.p.m.
Approx Net Weight	7.6 kg.

**TWO SPEED DRILL**  
**TS35C 10mm/16mm**



235V / 115V	
Capacity	10mm / 16mm
Watts Input (Full Load)	600 Watts
No Load Speed	1380 r.p.m. & 560 r.p.m.
Approx Net Weight	5.4 kg.

**HEAVY DUTY DRILL (Chuck Model)**  
**WDHC 20mm**



235V / 115V	
Capacity	20mm
Watts Input (Full Load)	595 Watts
No Load Speed	560 r.p.m.
Approx Net Weight	8.4 kg.

**HEAVY DUTY DRILL**  
**WDH-12 23mm**



235V / 115V	
Capacity	23mm
Watts Input (Full Load)	1200 Watts
No Load Speed	450 r.p.m.
Approx Net Weight	7.6 kg.

**HEAVY DUTY DRILL**  
**NW8 25mm**



235V / 115V	
Capacity	25mm
Watts Input (Full Load)	660 Watts
No Load Speed	380 r.p.m.
Approx Net Weight	10.4 kg.

**HEAVY DUTY DRILL**  
**NW10 31mm**



235V / 115V	
Capacity	31mm
Watts Input (Full Load)	850 Watts
No Load Speed	280 r.p.m.
Approx Net Weight	10.4 kg.



**ROTARY HAMMER**  
**85220 PLUS 22mm SDS PLUS**



235V / 115V	
Capacity	22mm
Watts Input (Full Load)	650 Watts
No Load Speed	0-1000 r.p.m.
Approx Net Weight	2.8 kg.

**3 MODE COMBINATION HAMMER**  
**93400 5mm - 40mm SDS MAX**



220-240V / 50Hz	
Capacity	1400 to 2800 Blows/min
Watts Input (Full Load)	1200 Watts
No Load Speed	250 - 500 r.p.m.
Approx Net Weight	7.5 kg.

**DEMOLITION HAMMER**  
**93550 10kg SDS MAX**



220-240V / 50Hz	
Capacity	1000 to 1900 Blows/min
Watts Input (Full Load)	1500 Watts
No Load Speed	6-25 J
Approx Net Weight	10 kg.



### DIE GRINDER RDG 25 6mm



235V / 115V  

Capacity	6mm (collet)
Watts Input (Full Load)	420 Watts
No Load Speed	25000 r.p.m.
Approx Net Weight	1.5 kg.

### DIE GRINDER RDG 600 6mm



235V / 115V  

Capacity	6mm (collet)
Watts Input	550 Watts
No Load Speed	27000 r.p.m.
Approx Net Weight	1.5 kg.

### HIGH SPEED GRINDER HSG 6mm / HSGBR



235V / 115V

6mm (collet)	6mm (collet)
300 Watts	500 Watts
16000 r.p.m.	20000 r.p.m.
1.9 kg.	1.9 kg.

### FLEXIBLE SHAFT GRINDER FF2 Two Speed / FSG2 Single Speed



235V / 115V

6mm (collet)	6mm (collet)
370 Watts	370 Watts
1200/11500 r.p.m.	11500 r.p.m.
5.5 kg.	5 kg.

### STRAIGHT GRINDER 36100 100mm



235V / 115V 

Capacity	100x20x12.7mm
Watts Input (Full Load)	1000 Watts
No Load Speed	5800 r.p.m.
Approx Net Weight	4.7 kg.

### STRAIGHT GRINDER GQ4 100mm / GQ4 BR11



235V / 115V

(GQ4BR)	(GQ4BR11)
100x20x12.7mm	100x20x12.7mm
775 Watts	1100 Watts
5000 r.p.m.	5600 r.p.m.
5.8 kg.	6.1 kg.

### STRAIGHT GRINDER GQ6 150mm



235V / 115V

150x25x15.9mm
1200 Watts
5600 r.p.m.
10.8 kg.

### LIGHT DUTY ANGLE GRINDER 35100 100mm



235V / 115V   

100x16x5mm
700 Watts
10500 r.p.m.
2 kg.

### LIGHT DUTY ANGLE GRINDER 25100 100mm



235 / 115V   

Capacity	100x16x5mm
Watts Input (Full Load)	650 Watts
No Load Speed	11000 / min
Approx Net Weight	1.9 kg.

### INDUSTRIAL ANGLE GRINDER 45100 100mm



235 / 115V   

Capacity	100x16x5mm
Watts Input	850 Watts
No Load Speed	11000 / min
Approx Net Weight	1.6 kg.

### ANGLE GRINDER AG100 100mm/AG115 115mm



235 / 115V   

100x16x5mm	115x22x5mm
1020 Watts	1050 Watts
10500 / min	10000 / min
1.8 kg.	1.9 kg.

### ANGLE GRINDER 45125H 125mm



235 / 115V   

125x22.23x6mm
850 Watts
11000 r.p.m.
1.6 kg.

### ANGLE GRINDER 35125 125mm



235 / 115V   

Capacity	125x22x6mm
Watts Input	1200 Watts
No Load Speed	9500 r.p.m.
Approx Net Weight	3.5 kg.

### INDUSTRIAL ANGLE GRINDER 55125 125mm



235 / 115V   

Capacity	125x22x6mm
Watts Input (Full Load)	1200 Watts
No Load Speed	10000 r.p.m.
Approx Net Weight	3 kg.

### HEAVY DUTY ANGLE GRINDER AG180 180mm / AG230 230mm



235V / 115V 

180x22x5.5mm	230x22x5.5mm
2400 Watts	2400 Watts
8500 r.p.m.	6800 r.p.m.
4.85 kg.	5.1 kg.

### MEDIUM DUTY ANGLE GRINDER AG180 180mm / AG230 230mm METAL (PANTHER)



235V / 115V

180x22x5.5 mm	230x22x5.5 mm
2400 Watts	2400 Watts
8500 r.p.m.	6800 r.p.m.
5.4 kg.	5.6 kg.

### INDUSTRIAL ANGLE GRINDER 55180 180mm



235 / 115V   

Capacity	180x22x5.5 mm
Watts Input (Full Load)	2200 Watts
No Load Speed	8400 r.p.m.
Approx Net Weight	4.3 kg.

### HEAVY DUTY ANGLE GRINDER AG7 180mm / AG9 230mm



235V / 115V

180 mm	230 mm
2200 Watts	2200 Watts
7000 r.p.m.	5600 r.p.m.
11 kg.	11.6 kg.

### BENCH GRINDER TG 6 1ph & 3ph



Output power : 1/4 hp

TG6 235V (1ph)	TG6 440V (3ph)
150x16x12.7 mm	150x16x12.7 mm
265 Watts	285 Watts
2950 r.p.m.	2950 r.p.m.
12.4 kg.	12.2 kg.

### LATHE GRINDER GL3 75mm



235V / 115V

75 x 13 x 19 mm
400 Watts
EX8000/Internal 19000 r.p.m.
8.5 kg.

### ANGLE SANDER 25180 180mm



235V / 115V  

Capacity	180mm
Watts Input (Full Load)	1000 Watts
No Load Speed	5200 r.p.m.
Approx Net Weight	5 kg.

### VERTICAL SANDER VSM 180mm



235 / 115V

180mm
500 Watts
2200 r.p.m.
4.6 kg.

### HORIZONTAL SANDER HS7 180mm / HS7 BR



235 / 115V (AP) (BR)

180mm	180mm
600 Watts	1000 Watts
4200 r.p.m.	5200 r.p.m.
6.1 kg.	6.1 kg.



GRINDER

SANDER

**ELECTRIC BLOWER  
RB 500**235V / 115V  

Capacity	3.8m³/min
Watts Input (Full Load)	600 Watts
No Load Speed	6000-16000 r.p.m.
Approx Net Weight	1.8 kg.

**SINGLE SPEED AIR BLOWER  
NWB**

235 / 115V

Capacity	1.5m³/min
Watts Input (Full Load)	350 Watts
No Load Speed	308 kmph
Approx Net Weight	4.6 kg.

**TWO SPEED AIR BLOWER  
77750 2 Speed**235V / 115V  (High Speed) (Low Speed)

Capacity	2.0m³/min	1.6m³/min
Watts Input (Full Load)	750 Watts	450 Watts
No Load Speed	400 kmph	315 kmph
Approx Net Weight	3.6 kg.	3.6 kg.

**CHOP SAW  
RW14 / RW355 355mm**235V / 115V  

Capacity	355 mm
Watts Input (Full Load)	2300 Watts
No Load Speed	3900 r.p.m.
Approx Net Weight	16.3 kg.

**ELECTRIC ROUTER  
RW8-12 6mm, 8mm, 12 mm**235V / 115V 

Capacity	6mm, 8mm, 12mm
Watts Input (Full Load)	1600 Watts
No Load Speed	23000 r.p.m.
Approx Net Weight	6.1 kg.

**CIRCULAR SAW  
RS180 180mm**235V / 115V 

Capacity	180mm
Watts Input (Full Load)	1300 Watts
No Load Speed	5000 r.p.m.
Approx Net Weight	4.3 kg.

**WOOD PLANER  
RW2-82 2-82mm**235V / 115V 

Capacity	82X2mm
Watts Input (Full Load)	710 Watts
No Load Speed	15000 r.p.m.
Approx Net Weight	4 kg.

**MARBLE CUTTER  
34110 110mm**235V / 115V 

Capacity	110mm
Watts Input (Full Load)	1260 Watts
No Load Speed	12600 r.p.m.
Approx Net Weight	3.15 kg.

**MARBLE CUTTER  
RW110 110mm/125mm**235V / 115V 

Capacity	110mm (upto 125mm)
Watts Input (Full Load)	1050 Watts
No Load Speed	14000 r.p.m.
Approx Net Weight	3 kg.

**PORTABLE TAPPING MACHINE  
TP8 3mm-10mm**

235V / 115V

Capacity	3mm to 10mm
Watts Input (Full Load)	450 Watts
No Load Speed	550 r.p.m.
Approx Net Weight	3.9 kg.

**HEAT GUN WITH DIGITAL LED  
RG2000 2000W**235V / 115V 

Switch	Variable
Rated Input Power	2000 Watts
Temperature	50/650/600°C
Air Volume Speed	150/300/500 L/min
Approx. Weight	0.9 kg

**MAGNETIC CORE DRILL  
COMMANDO 35 35mmx35mm**235V / 115V 

Max. Capacity	35mm dia x 35mm Depth
Watts Input (Full Load)	850 Watts
No Load Speed	600 r.p.m.
Spindle Bore	19.05mm (3/4")
Approx Net Weight	11.5 kg.

**MAGNETIC CORE DRILL  
COMMANDO 40 40mmx50mm**

235V / 115V

Max. Capacity	40mm dia x 50mm Depth
Watts Input (Full Load)	1100 Watts
No Load Speed	350 to 600 r.p.m.
Spindle Bore	19.05mm (3/4")
Approx Net Weight	14.6 kg.

**MAGNETIC CORE DRILL  
COMMANDO 50 50mmx50mm**

235V / 115V

Max. Capacity (Core Drilling)	50mm Dia x 50mm Depth
Max. Capacity (T.S Twist Drilling)	23mm
Watts Input (Full Load)	1500 Watts
No Load Speed	Low Gear : 100-265 r.p.m. / High Gear : 200-500 r.p.m.
Spindle Bore	19.05mm (3/4")
Approx Net Weight	18.8 kg.

**MAGNETIC CORE DRILL  
COMMANDO 75 75mmx75mm**

235V / 115V

Max. Capacity (Core Drilling)	75mm Dia x 75mm Depth
Max. Capacity (T.S Twist Drilling)	28mm
Watts Input (Full Load)	1800 Watts
No Load Speed	Low Gear : 70-180 r.p.m. / High Gear : 200-500 r.p.m.
Spindle Bore	19.05mm (3/4") & 31.75mm (1 1/4")
Approx Net Weight	23.5 kg.

**MAGNETIC CORE DRILL  
COMMANDO 100 100mmx100mm**

235V / 115V

Max. Capacity (Core Drilling)	100mm Dia x 100mm Depth
Max. Capacity (T.S Twist Drilling)	32mm
Watts Input (Full Load)	2000 Watts
No Load Speed	Gear 1: 150-434 r.p.m. / Gear 2: 20-208 r.p.m. / Gear 3: 200-500 r.p.m. / Gear 4: 240-700 r.p.m.
Spindle Bore	19.05mm (3/4") & 31.75mm (1 1/4")
Approx Net Weight	24.8 kg.

**MAGNETIC CORE DRILL  
NW 50S 50mmx50mm**

235V / 115V

Capacity	50mm dia x 50mm Depth
Watts Input (Full Load)	1600 Watts
No Load Speed	450 r.p.m.
Spindle Bore	19.05mm (3/4")
Approx Net Weight	36 kg.

**POWERTOOLS MARKETING LTD.**

An ISO 9001:2008 Certified Organisation

**Regd. Office :** Victory House, 1, Ganesh Chandra Avenue, 7th Floor, Kolkata - 700 013  
 Phone : +91 81000 80353, Fax : +91 33 2243 6966, E-mail : info@ralliwolf.com,  
 CIN : U27109WB1999PLC089421



**Sales Network :** Ahmedabad, Bangalore, Baroda, Bhopal, Chennai, Cuttack, Coimbatore, Delhi, Guwahati, Jaipur, Jamshedpur, Jharsuguda, Kolkata, Ludhiana, Mumbai, Nagpur, Pune, Rajkot, Secunderabad, Trichy, Vishakhapatnam