Lab 7

05 November 2026 11:53

Step 2: Run the buggy application

```
(venv) C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7>python restaurant_bill_parser.py
==== Running clean_dish_name ====
Enter a dish name from the menu (e.g. *paneer tikka*): *paneer tikka*
Dish name: Paneer Tikka

==== Running parse_item_prices ====
Enter item prices separated by commas (e.g. 250,180,320): 250,180,320
Item prices: [250, 180, 320]

==== Running split_amount ====
Enter the bill and number of people as TOTAL/PEOPLE (e.g. 1200/4): 1200/4
Each person pays: 300

(venv) C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7>
```

Step 4: Run the test_processor.py

```
(venv) C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7>pytest test_restaurant_bill_parser.py
============================= test session starts =============================
platform win32 -- Python 3.14.3, pytest-9.2.0, pluggy-1.7.0
rootdir: C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7
plugins: hypothesis-6.170.14
collected 3 items

test_restaurant_bill_parser.py FFF                                       [100%]

================================== FAILURES ===================================
_____________________ test_clean_dish_name_no_crash ______________________

value = None

    @settings(max_examples=200, deadline=None)
    @given(fuzz_inputs)
    def test_clean_dish_name_no_crash(value):
        try:
>           result = clean_dish_name(value)
                     ^^^^^^^^^^^^^^^^^^^^^^

test_restaurant_bill_parser.py:24:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

name = None

    def clean_dish_name(name):
        """
        Removes the chef's-special markers (*, #, ~) and title-cases the name.
        Assumes name is a non-empty string.
        """
>       name = name.strip()
               ^^^^^^^^^^^^

E       AttributeError: 'NoneType' object has no attribute 'strip'

restaurant_bill_parser.py:6: AttributeError

During handling of the above exception, another exception occurred:

    @settings(max_examples=200, deadline=None)
>   @given(fuzz_inputs)
                ^^^

test_restaurant_bill_parser.py:21:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

value = None

    @settings(max_examples=200, deadline=None)
    @given(fuzz_inputs)
    def test_clean_dish_name_no_crash(value):
        try:
            result = clean_dish_name(value)
        except Exception as exc:
>           assert False, f"clean_dish_name crashed with {value!r}: {exc}"
E           AssertionError: clean_dish_name crashed with None: 'NoneType' object has no attribute 'strip'
E           assert False
E           Failing test case: test_clean_dish_name_no_crash(
E               value=None,
E           )

test_restaurant_bill_parser.py:26: AssertionError
_____________________ test_parse_item_prices_no_crash ____________________
```

```
  + Exception Group Traceback (most recent call last):
  |   File "C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7\test_restaurant_bill_parser.py", line 32, in test_parse_item_prices_no_crash
  |     @given(fuzz_inputs)
  |                ^^^
  | ExceptionGroup: Hypothesis found 2 distinct failures. (2 sub-exceptions)
  +-+---------------- 1 ----------------
    | Traceback (most recent call last):
    |   File "C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7\test_restaurant_bill_parser.py", line 35, in test_parse_item_prices_no_crash
    |     result = parse_item_prices(value)
    |   File "C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7\restaurant_bill_parser.py", line 16, in parse_item_prices
    |     return [int(price) for price in text.split(',')]
    |                 ^^^^^^^
    | ValueError: invalid literal for int() with base 10: ''
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7\test_restaurant_bill_parser.py", line 37, in test_parse_item_prices_no_crash
    |     assert False, f"parse_item_prices crashed with {value!r}: {exc}"
    | AssertionError: parse_item_prices crashed with '': invalid literal for int() with base 10: ''
    | assert False
    | Failing test case: test_parse_item_prices_no_crash(
    |     value='',
    | )
    +---------------- 2 ----------------
    | Traceback (most recent call last):
    |   File "C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7\test_restaurant_bill_parser.py", line 35, in test_parse_item_prices_no_crash
    |     result = parse_item_prices(value)
    |   File "C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7\restaurant_bill_parser.py", line 16, in parse_item_prices
    |     return [int(price) for price in text.split(',')]
    |                                     ^^^^^^^^^^
    | AttributeError: 'NoneType' object has no attribute 'split'
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7\test_restaurant_bill_parser.py", line 37, in test_parse_item_prices_no_crash
    |     assert False, f"parse_item_prices crashed with {value!r}: {exc}"
    | AssertionError: parse_item_prices crashed with None: 'NoneType' object has no attribute 'split'
    | assert False
    | Failing test case: test_parse_item_prices_no_crash(
    |     value=None,
    | )
    +------------------------------------
_____ test_split_amount_no_crash _____
  + Exception Group Traceback (most recent call last):
  |   File "C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7\test_restaurant_bill_parser.py", line 44, in test_split_amount_no_crash
  |     @given(fuzz_inputs)
  |                ^^^
  | ExceptionGroup: Hypothesis found 2 distinct failures. (2 sub-exceptions)
  +-+---------------- 1 ----------------
    | Traceback (most recent call last):
    |   File "C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7\test_restaurant_bill_parser.py", line 47, in test_split_amount_no_crash
    |     result = split_amount(value)
    |   File "C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7\restaurant_bill_parser.py", line 23, in split_amount
    |     total, people = text.split('/')
    |     ^^^^^^^^^^^^^
    | ValueError: not enough values to unpack (expected 2, got 1)
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7\test_restaurant_bill_parser.py", line 49, in test_split_amount_no_crash
    |     assert False, f"split_amount crashed with {value!r}: {exc}"
    | AssertionError: split_amount crashed with '': not enough values to unpack (expected 2, got 1)
    | assert False
    | Failing test case: test_split_amount_no_crash(
    |     value='',
    | )
    +---------------- 2 ----------------
    | Traceback (most recent call last):
    |   File "C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7\test_restaurant_bill_parser.py", line 47, in test_split_amount_no_crash
    |     result = split_amount(value)
    |   File "C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7\restaurant_bill_parser.py", line 23, in split_amount
    |     total, people = text.split('/')
    |                     ^^^^^^^^^^
    | AttributeError: 'NoneType' object has no attribute 'split'
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7\test_restaurant_bill_parser.py", line 49, in test_split_amount_no_crash
    |     assert False, f"split_amount crashed with {value!r}: {exc}"
    | AssertionError: split_amount crashed with None: 'NoneType' object has no attribute 'split'
    | assert False
    | Failing test case: test_split_amount_no_crash(
    |     value=None,
    | )
    +------------------------------------
=========================== short test summary info ============================
FAILED test_restaurant_bill_parser.py::test_clean_dish_name_no_crash - AssertionError: clean_dish_name crashed with None: 'NoneType' object has no attribute 'strip'
FAILED test_restaurant_bill_parser.py::test_parse_item_prices_no_crash - ExceptionGroup: Hypothesis found 2 distinct failures. (2 sub-exceptions)
FAILED test_restaurant_bill_parser.py::test_split_amount_no_crash - ExceptionGroup: Hypothesis found 2 distinct failures. (2 sub-exceptions)
```

```
    +------------------------------------
=========================== short test summary info ============================
FAILED test_restaurant_bill_parser.py::test_clean_dish_name_no_crash - AssertionError: clean_dish_name crashed with None: 'NoneType' object has no attribute 'strip'
FAILED test_restaurant_bill_parser.py::test_parse_item_prices_no_crash - ExceptionGroup: Hypothesis found 2 distinct failures. (2 sub-exceptions)
FAILED test_restaurant_bill_parser.py::test_split_amount_no_crash - ExceptionGroup: Hypothesis found 2 distinct failures. (2 sub-exceptions)
============================== 3 failed in 0.41s ===============================
```

Step 5: Fix the buggy application python script

```
(venv) C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7>
(venv) C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7>python restaurant_bill_parser.py
==== Running clean_dish_name ====
Enter a dish name from the menu (e.g. *paneer tikka*): *paneer tikka*
Dish name: Paneer Tikka

==== Running parse_item_prices ====
Enter item prices separated by commas (e.g. 250,180,320): 250,180,320
Item prices: [250, 180, 320]

==== Running split_amount ====
Enter the bill and number of people as TOTAL/PEOPLE (e.g. 1200/4): 1200/4
Each person pays: 300
```

Step 6: Re-Run the test_processor.py

```
(venv) C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7>pytest test_restaurant_bill_parser.py
============================= test session starts =============================
platform win32 -- Python 3.14.3, pytest-9.2.0, pluggy-1.7.0
rootdir: C:\Users\Bhavana\Downloads\L6_L7_58_restaurant_bill-main (1)\L6_L7_58_restaurant_bill-main\LAB7
plugins: hypothesis-6.170.14
collected 3 items

test_restaurant_bill_parser.py ...                                       [100%]

============================== 3 passed in 0.58s ==============================
```