

1. **What is a microprocessor?**

A programmable IC that fetches, decodes, and executes instructions.

2. **Which was the first microprocessor?**

Intel 4004, a 4-bit processor released in 1971.

3. **Why is a microprocessor called the CPU of a computer?**

It controls and processes all system operations.

4. **How does the ALU work?**

It performs arithmetic and logic operations.

5. **What is the role of the control unit?**

It generates control signals to coordinate operations.

6. **Which buses connect CPU to memory?**

Address, data, and control buses.

7. **Why is program counter needed?**

It holds the next instruction address.

8. **How does a stack help?**

It stores temporary data like return addresses.

9. **What are the flags in 8085?**

Sign, Zero, Auxiliary carry, Parity, and Carry.

10. **What is instruction set?**

A collection of machine-level instructions.

11. **Which addressing modes exist in 8085?**

Immediate, direct, register, indirect, and implied.

12. **Why is assembly language useful?**

It gives low-level hardware control with mnemonics.

13. **How does assembler work?**

It translates mnemonics into machine code.

14. **What is opcode?**

It specifies the operation to be performed.

15. **Which registers are in 8086?**

General, segment, pointer, index, and flag registers.

**16. Why does 8086 use segmentation?**

To access 1MB memory using 20-bit addressing.

**17. How many bits are in 8085's data bus?**

It has an 8-bit data bus.

**18. What is pipelining?**

Overlapping instruction execution phases.

**19. Why is instruction queue in 8086?**

It prefetches instructions to speed execution.

**20. What is difference between RISC and CISC?**

RISC has simple, fast instructions; CISC has complex ones.

**21. Which is faster: register or memory access?**

Registers are much faster.

**22. What does instruction decoder do?**

It interprets opcodes and signals operations.

**23. Why are interrupts used?**

They handle urgent events without polling.

**24. How does maskable differ from non-maskable interrupt?**

Maskable can be disabled; non-maskable cannot.

**25. Which is the highest priority interrupt in 8085?**

TRAP, a non-maskable interrupt.

**26. Why are flags needed in ALU?**

They show result conditions like zero or carry.

**27. How many address lines in 8085?**

16 lines for 64KB memory.

**28. What is stack pointer?**

A 16-bit register pointing to top of stack.

**29. Which memory is cache?**

SRAM between CPU and RAM.

**30. Why is clock signal needed?**

It synchronizes CPU operations.

**31. What is machine cycle?**

Time for one fetch/read/write operation.

**32. Which is faster: SRAM or DRAM?**

SRAM is faster but expensive.

**33. Why is ALE signal in 8085?**

It separates multiplexed address/data lines.

**34. How many instructions in 8085?**

74 instructions, 246 opcodes.

**35. What is difference between CALL and JUMP?**

CALL saves return address; JUMP does not.

**36. Which instruction clears accumulator?**

XRA A sets accumulator to 0.

**37. Why are macros used?**

They replace repetitive code with one definition.

**38. How are subroutines defined?**

Small reusable code blocks called by CALL.

**39. Which instruction checks zero flag?**

JZ checks if result is zero.

**40. Why use SIM instruction?**

To mask interrupts and set serial output.

**41. What do IN/OUT instructions do?**

They transfer data between CPU and I/O ports.

**42. Why are multiplexed buses used?**

To reduce chip pin count.

**43. What is DMA?**

Direct device-to-memory data transfer.

**44. Which signal indicates read?**

$\overline{RD}$  indicates memory or I/O read.

**45. What is T-state?**

One clock period of operation.

**46. Which are segment registers in 8086?**

CS, DS, SS, and ES.

**47. Which register pair points memory in 8085?**

HL register pair.

**48. Why are logical instructions needed?**

For AND, OR, XOR, shifts, complements.

**49. What is difference between immediate and direct addressing?**

Immediate has value; direct has memory address.

**50. Which instruction halts CPU?**

HLT stops execution.

**51. Why is segmentation beneficial?**

Supports modular programming and large memory.

**52. How does microprocessor differ from microcontroller?**

Processor needs peripherals; controller has them built-in.

**53. What is signed vs unsigned numbers?**

Signed include negatives; unsigned only positives.

**54. Which instruction rotates accumulator?**

RLC and RRC.

**55. Why are assembler directives used?**

They guide assembler, not CPU.

**56. How are loops implemented?**

With LOOP instruction and CX.

**57. What is near vs far jump?**

Near changes IP only; far changes CS:IP.

**58. Why is CALL powerful?**

It supports modular coding.

**59. Which instruction swaps data?**

XCHG exchanges register contents.

**60. Why use pseudo-instructions?**

For labels and variables.

**61. How does PUSH work?**

SP decrements and data is stored.

**62. Which restores data from stack?**

POP retrieves register content.

**63. Why segment overrides in 8086?**

To access non-default segments.

**64. What are software vs hardware interrupts?**

Software from instructions; hardware from signals.

**65. Which instruction generates software interrupt?**

INT n.

**66. Why priority encoder in interrupts?**

To resolve multiple requests.

**67. What is instruction queue size in 8086?**

6 bytes.

**68. Which signal distinguishes memory vs I/O?**

IO/ $\overline{M}$ .

**69. Why parity flag?**

It checks even/odd bits.

**70. Which instruction complements accumulator?**

CMA flips all bits.

**71. Why use shift instructions?**

For fast multiply/divide by 2.

**72. What is SHR vs SAR?**

SHR logical; SAR arithmetic.

**73. Why interrupts faster than polling?**

They avoid constant checking.

**74. Which register is base pointer in 8086?**

BP register.

**75. Why overlap segments in 8086?**

For memory efficiency.

**76. What is trap flag?**

It enables single-step debugging.

**77. Why conditional jumps?**

They branch based on flags.

**78. Which instruction multiplies signed numbers?**

IMUL.

**79. Why minimum and maximum mode in 8086?**

For single or multiprocessor use.

**80. Which instruction divides unsigned numbers?**

DIV.

**81. What is assembler pass-1?**

It builds symbol table and checks syntax.

**82. What is pass-2?**

It generates machine code.

**83. Why are labels used in assembly?**

They mark instruction addresses.

**84. Which register holds instruction pointer?**

IP register.

**85. What is difference between MOV and MVI?**

MOV copies register/memory; MVI loads immediate data.

**86. Why segment:offset addressing?**

To form 20-bit address.

**87. What are predefined interrupts in 8086?**

INT 0–4 for divide, debug, NMI, etc.

**88. Which flag shows overflow?**

Overflow flag (OF).

**89. Why conditional call instructions?**

They call subroutines only if flag set.

**90. What is difference between assembler and linker?**

Assembler makes object code; linker combines modules.

**91. Which instruction clears carry flag?**

CLC.

**92. Why stack grows downward?**

To avoid overlap with code/data segments.

**93. What is difference between ORG and EQU?**

ORG sets location; EQU assigns constant.

**94. Which instruction is no-operation?**

NOP.

**95. Why LOOP instruction useful?**

It reduces jump overhead.

**96. What is role of CS in 8086?**

Holds code segment base address.

**97. Which instruction loads effective address?**

LEA.

**98. Why test instruction used?**

It performs AND without changing operands.

**99. What is use of XLAT?**

It translates byte from lookup table.

**100. Which instruction copies string?**

MOVS copies bytes/words.

**101. Why direction flag important?**

It decides string movement left/right.

**102. Which instruction scans string?**

SCAS searches for byte/word.

**103. Why repeat prefixes used?**

To repeat string instructions.

**104. What is difference between REP and REPE?**

REP repeats always; REPE while equal.

**105. Which instruction compares strings?**

CMPS compares two strings.

106. **Why use conditional assembly?**

To assemble code selectively.

107. **What are macros vs procedures?**

Macros expanded inline; procedures invoked.

108. **Why modular programming important?**

It improves readability and reuse.

109. **Which instruction returns from interrupt?**

IRET.

110. **What is difference between CLI and STI?**

CLI clears interrupts; STI enables them.

111. **Why are WAIT states used?**

To match slow memory speed.

112. **What is READY signal in 8086?**

It indicates peripheral readiness.

113. **Which pin indicates power supply in 8085?**

$V_{cc} = +5V$ ,  $V_{ss} = GND$ .

114. **Why multiplex address/data lines?**

To save pins on IC.

115. **What is function of SID/SOD in 8085?**

Serial input/output lines.

116. **Which register holds memory pointer in 8086?**

SI and DI.

117. **Why is SS register needed?**

It points to stack segment.

118. **What is difference between JMP and LCALL?**

JMP changes control; LCALL saves return.

119. **Why PUSHF and POPF used?**

To save and restore flags.

120. **Which instruction shifts with carry?**

RCL/RCR.



121. **What is role of NOP?**

It wastes one cycle for timing.

122. **Why assembler generates listing file?**

For debugging and reference.

123. **What is use of END directive?**

It marks end of source program.

124. **What is microcode in processors?**

It is low-level control instructions stored in control memory.

125. **Which pipeline hazards occur in microprocessors?**

Structural, data, and control hazards.

126. **Why cache coherence is important?**

To keep multiple cache copies consistent.

127. **How does virtual memory help CPUs?**

It extends memory using disk storage.

128. **What is paging in memory systems?**

Dividing memory into fixed-size pages.

129. **Why segmentation faults occur?**

Due to invalid memory access.

130. **How does MMU work?**

It translates virtual to physical addresses.

131. **Which technique improves instruction throughput?**

Pipelining.

132. **Why branch prediction important?**

To reduce pipeline stalls.

133. **What is microprogrammed control?**

Control signals generated by microcode.

134. **Which addressing mode is fastest?**

Register addressing.

135. **Why is Harvard architecture used?**

It separates instruction and data buses.

136. **How does superscalar architecture improve performance?**

By executing multiple instructions per cycle.

137. **What is difference between macro and micro instruction?**

Macro is high-level assembly; micro is hardware-level control.

138. **Why stack overflow occurs?**

Due to exceeding allocated stack memory.

139. **How does interrupt vector table work?**

It holds addresses of ISRs.

140. **Which scheduling is used in pipelines?**

Dynamic instruction scheduling.

141. **Why out-of-order execution is useful?**

It avoids stalls by reordering instructions.

142. **What is register renaming?**

Technique to eliminate false dependencies.

143. **Why is CISC still used today?**

For code density and legacy support.

144. **How does instruction latency differ from throughput?**

Latency = time per instruction; throughput = instructions per unit time.

145. **What is speculative execution?**

Executing instructions before branch resolution.

146. **Which register stores flags in 8086?**

FLAGS register.

147. **Why is instruction pipelining limited?**

Due to hazards and dependencies.

148. **What is difference between control and status signals?**

Control directs operations; status shows current state.

149. **Why is DMA faster than CPU transfer?**

It bypasses CPU for memory access.

150. **How does vectored interrupt differ from non-vectored?**

Vectored has fixed ISR address; non-vectored needs external.

151. **What is shadow register?**

Backup registers for fast context switching.

152. **Why prefetch buffer used?**

To reduce memory access delay.

153. **What is pipeline flushing?**

Clearing pipeline on wrong branch.

154. **Which flag detects arithmetic overflow?**

OF flag.

155. **Why instruction length varies in CISC?**

For flexibility and complex operations.

156. **What is stack frame?**

Memory layout for procedure calls.

157. **Why call stack important?**

It tracks active subroutine calls.

158. **How does priority interrupt work?**

By assigning fixed priorities to requests.

159. **Which unit performs floating-point operations?**

FPU (Floating-Point Unit).

160. **Why is microprocessor clock doubled internally?**

To speed up instruction phases.

161. **How does pipeline stall resolved?**

Using forwarding or bubbles.

162. **What is hyper-threading?**

Simultaneous multi-threading for parallelism.

163. **Why instruction alignment important?**

Misalignment causes extra cycles.

164. **What is watchdog timer?**

A timer to detect system hangs.

165. **Why memory-mapped I/O used?**

To unify I/O and memory address space.

166. **Which unit fetches instructions in pipeline?**

Instruction Fetch Unit.

167. **Why cache associativity used?**

To reduce conflict misses.

168. **What is difference between write-through and write-back cache?**

Write-through updates memory immediately; write-back delays.

169. **Why hazard detection unit needed?**

To avoid pipeline errors.

170. **How does clock skew affect CPU?**

It causes synchronization issues.

171. **What is speculative branch execution?**

Executing predicted branch path.

172. **Why loop unrolling used in assembly?**

It reduces branch overhead.

173. **What is instruction window?**

A buffer holding decoded instructions.

174. **Why instruction set must be orthogonal?**

For simplicity and consistency.

175. **What is micro-operation?**

Small step implementing instruction execution.

176. **Why paging with TLB important?**

It speeds up address translation.

177. **What is bus arbitration?**

Process of deciding bus master.

178. **Why priority inversion problem occurs?**

When low-priority task blocks high-priority.

179. **How does cache miss penalty reduced?**

Using multi-level caches.

180. **What is difference between maskable and vectored interrupts?**

Maskable can be disabled; vectored has predefined addresses.

181. **Why is instruction pre-decoding done?**

To speed up later pipeline stages.

182. **What is barrel shifter?**

A circuit for fast shifting/rotation.

183. **Why instruction cycle differs from machine cycle?**

Instruction cycle is multiple machine cycles.

184. **How does Harvard differ from Von Neumann?**

Harvard separates memory; Von Neumann uses single.

185. **Why stack-based machines simpler?**

They avoid explicit register addressing.

186. **What is pipeline depth?**

Number of stages in pipeline.

187. **Why hazard forwarding used?**

To solve data hazards quickly.

188. **What is branch delay slot?**

Instruction executed after branch regardless.

189. **Why dynamic branch prediction better?**

It adapts to program behavior.

190. **What is bus cycle?**

One transfer operation over bus.

191. **Why instruction-level parallelism important?**

It improves CPU throughput.

192. **What is superscalar execution?**

Multiple pipelines execute instructions simultaneously.

193. **Why control word used in 8255?**

To configure modes of operation.

194. **What is tri-state buffer?**

It has high, low, and high-impedance states.

195. **Why instruction profiling done?**

To optimize performance hotspots.

196. **How does hardwired control differ from microprogrammed?**

Hardwired is fast but inflexible; microprogrammed is flexible.

197. **Why segmentation in memory beneficial?**

It supports modular programs.

198. **What is paging overhead?**

Extra time for address translation.

199. **Why wait states added?**

For slow peripherals to sync.

200. **What is bus contention?**

Conflict when devices drive same bus.

201. **Why stack pointer auto-decrements during PUSH?**

To store data at lower memory addresses as stack grows downward.

202. **How does microprocessor handle recursive calls?**

By using stack to save return addresses for each call.

203. **What is front-end and back-end of CPU pipeline?**

Front-end fetches and decodes; back-end executes and writes results.

204. **Why instruction reordering is done by CPU?**

To reduce stalls and improve execution efficiency.

205. **Which instructions are privileged in 8086?**

Those that control system resources, like CLI and STI.

206. **Why instruction cache is smaller than main memory?**

To provide faster access and reduce latency.

207. **What is context switch in microprocessor?**

Saving and loading registers to switch between tasks.

208. **Why memory interleaving improves speed?**

It allows parallel access to multiple memory banks.

209. **Which instruction sets include SIMD operations?**

MMX, SSE, AVX in modern Intel processors.

210. **Why does pipeline have hazards?**

Due to instruction dependencies and branching.

**211. How is branch prediction implemented?**

Using static (fixed) or dynamic (history-based) algorithms.

**212. What is reorder buffer in CPU?**

It stores instructions executed out-of-order for correct commit.

**213. Why speculative load used in microprocessors?**

To fetch data before confirmation, reducing stall cycles.

**214. Which instruction handles signed division in 8086?**

IDIV instruction divides signed numbers.

**215. Why multiple clock domains in CPU?**

To allow components to run at optimal frequencies.

**216. What is memory-mapped I/O advantage?**

Same instructions can access both memory and I/O.

**217. How does branch target buffer work?**

It caches addresses of recently taken branches.

**218. Why instruction decode stage critical?**

Errors here affect entire execution pipeline.

**219. What is dual-ported memory?**

Memory with two independent access ports for parallel read/write.

**220. Why instruction prefetch improves performance?**

It reduces fetch delays by loading instructions in advance.

**221. What is write buffer in CPU?**

Temporary storage for writes before updating main memory.

**222. Why is instruction scheduling important?**

To minimize pipeline stalls and maximize throughput.

**223. Which instruction sets support bit manipulation?**

8085/8086 includes ROL, ROR, SHL, SHR, BT, BTS, BTR.

**224. How does hardware loop counter work?**

Automatically decrements register and checks zero to control loops.

**225. Why CPU uses speculative execution?**

To utilize idle pipeline stages and improve throughput.

**226. What is memory alignment?**

Data stored at addresses divisible by its size for efficiency.

**227. Why cache line size matters?**

It determines how much contiguous memory is fetched per access.

**228. Which instruction saves flags on stack?**

PUSHF in 8086 saves all flag registers.

**229. Why instruction register important?**

It holds current instruction being executed.

**230. What is dynamic voltage and frequency scaling (DVFS)?**

Adjusts CPU speed and voltage for power efficiency.

**231. How does TLB improve virtual memory access?**

It caches recent virtual-to-physical address translations.

**232. Why branch misprediction costly?**

Pipeline must flush and refill, wasting cycles.

**233. Which instruction repeats string operation?**

REP, REPE, or REPNE.

**234. What is priority encoder?**

Selects highest-priority active input among multiple requests.

**235. Why stack grows downward in most processors?**

To avoid overlapping with code and data segments.

**236. How does CPU handle nested interrupts?**

By stacking return addresses and enabling priority-based servicing.

**237. Which instruction swaps bytes in a word?**

XCHG can swap register contents; BSF/BTC used in bit-level.

**238. Why control unit can be hardwired or microprogrammed?**

Hardwired is faster; microprogrammed is flexible.

**239. What is difference between synchronous and asynchronous interrupts?**

Synchronous occur with instruction execution; asynchronous by external events.

**240. How does instruction fusion improve performance?**

Combines multiple instructions into a single micro-op.



241. **Why CPU uses multi-level caches?**

To reduce latency and increase hit rate for memory accesses.

242. **What is branch folding?**

Skipping execution of branch when outcome is already known.

243. **Which instructions support atomic operations?**

XCHG, CMPXCHG, and LOCK-prefixed instructions.

244. **Why stack frame pointer used in debugging?**

It helps trace local variables and procedure call history.

245. **How do superscalar pipelines handle multiple instructions?**

By executing independent instructions simultaneously in parallel pipelines.