```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout
xmlns:android="http://schemas.android.com/apk/res/android
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout width="match parent"
    android:layout height="match parent"
    android:orientation="vertical"
    tools:context=".MainActivity">
    <LinearLayout
        android:layout width="wrap content"
        android:layout height="wrap content">
    <Button
        android:id="@+id/but.ton1"
        android:layout width="wrap content"
        android:layout height="wrap content"
        android:layout weight="1"
        android:text="Button 1"
        android:onClick="b1Clicked"/>
    <Button
        android:id="@+id/button2"
        android:layout width="wrap content"
        android: layout height="wrap content"
        android:layout weight="1"
        android:text="Button 2"
        android:onClick="b2Clicked"/>
    <Button
        android:id="@+id/button3"
        android:layout width="wrap content"
        android:layout height="wrap content"
        android:layout weight="1"
        android:text="Button 3"
        android:onClick="b3Clicked"/>
</LinearLayout>
    <LinearLayout
        android:layout width="wrap content"
        android:layout_height="wrap content">
        <Button
```

```
android:id="@+id/button4"
        android:layout width="wrap content"
        android:layout height="wrap content"
        android:layout weight="1"
        android:text="Button 4"
        android:onClick="b4Clicked"/>
    <Button
        android:id="@+id/button5"
        android:layout width="wrap content"
        android:layout height="wrap content"
        android:layout weight="1"
        android:text="Button 5"
        android:onClick="b5Clicked"/>
    <Button
        android:id="@+id/button6"
        android:layout width="wrap content"
        android:layout height="wrap content"
        android:layout weight="1"
        android:text="Button 6"
        android:onClick="b6Clicked"/>
</LinearLayout>
<LinearLayout
    android:layout width="wrap content"
    android:layout height="wrap content"
    android:orientation="vertical"
    android:layout gravity="center">
    <EditText
        android:layout width="wrap content"
        android:layout height="wrap content"
        android:hint="Enter User Name...."
        android:id="@+id/edtUname"
        android:layout marginTop="50dp"
        />
    <EditText
        android:layout width="wrap content"
        android: layout height="wrap content"
        android:hint="Enter Password....."
        android:inputType="textPassword"
        android:id="@+id/edtpassword"/>
    <Button
```

```
android:id="@+id/btnLogin"
            android:layout width="wrap content"
            android:layout height="wrap content"
            android:layout marginTop="20dp"
            android:layout gravity="center"
            android:text="Login"
            </LinearLayout>
</LinearLayout>
package com.example.buttonvisibility;
//https://www.youtube.com/watch?v=ptJaZgjuSpA
import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;
import android.text.TextWatcher;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
public class MainActivity extends AppCompatActivity {
    Button b1,b2,b3,b4,b5,b6,btnLogin;
    EditText edtUname, edtPassword;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity main);
        b1=findViewById(R.id.button1);
        b2=findViewById(R.id.button2);
        b3=findViewById(R.id.button3);
        b4=findViewById(R.id.button4);
        b5=findViewById(R.id.button5);
        b6=findViewById(R.id.button6);
        btnLogin=findViewById(R.id.btnLogin);
        edtUname=findViewById(R.id.edtUname);
        edtPassword=findViewById(R.id.edtpassword);
    }
```

## ButtonVisibility

}

```
public void b1Clicked(View view) {
      b1.setVisibility(view.INVISIBLE);
      b2.setVisibility(view.VISIBLE);
      b3.setVisibility(view.VISIBLE);
  }
  public void b2Clicked(View view) {
      b1.setVisibility(view.VISIBLE);
      b2.setVisibility(view.INVISIBLE);
      b3.setVisibility(view.VISIBLE);
  public void b3Clicked(View view) {
      b1.setVisibility(view.VISIBLE);
      b2.setVisibility(view.VISIBLE);
      b3.setVisibility(view.INVISIBLE);
  public void b4Clicked(View view) {
      b4.setVisibility(view.GONE);
      b5.setVisibility(view.VISIBLE);
      b6.setVisibility(view.VISIBLE);
  }
  public void b5Clicked(View view) {
      b4.setVisibility(view.VISIBLE);
     b5.setVisibility(view.GONE);
      b6.setVisibility(view.VISIBLE);
  public void b6Clicked(View view) {
      b4.setVisibility(view.VISIBLE);
      b5.setVisibility(view.VISIBLE);
      b6.setVisibility(view.GONE);
  }
```