MCQs (HTML, CSS and jQuery)

1	Which element is used to define a discrete unit of content such as a blogpost,
	comment, and so on?
	section
	class
	article
	media
2	HTML5 documents may contains a element, which is used to set
	the header section of a document.
	header
	footer
	section
	drive
3	Which element may be used within content to represent material that is
	tangential?
	aside
	cite
	article
	class
4	contains the navigation menu, or other navigation functionality
-	for the page.
	section
	header
	nav
	aside
5	Which of the following attribute is used to display date/time content?
3	time
	datetime
	date
	vear
6	Which of the following element is used for highlighting content similarly to how
U	a highlighter pen might be used on important text in a book?
	em
	strong mark
	bold
7	Which tag is used to encapsulate navigation and then style the elements
/	
	appropriately as menu items?
	ui li
	nav
0	both ul and li
8	What is the default type of 'type' attribute of <input/> element?
	text
	password
	numerals
	special characters

9	How does the color attribute work?
	Changes color of the text
	Changes background color
	The color picker is defined by it
	Changes color of the text as well as background
10	Which element is used to create multi-line text input?
	text
	textarea
	submit
	radio button
11	The elements <header>, <footer>, <article>, <section> are the new elements in</section></article></footer></header>
	HTML5. These elements are called,
	Control attributes
	Semantic elements
	Graphic elements
	Multimedia elements
12	What is the replacement for cookies in HTML5?
	Web beacons
	Java scripts
	Local Storage
	All the above
13	The default character encoding in HTML5 is.
	UTF-16
	UTF-32
	UTF-8
	ISO-8859-1
14	A semantic element clearly describes its meaning to
	Browser
	Developer
	Both A & B
	None of the above
15	In HTML, element is only a container for graphics
	canvas
	svg
	draw
4.5	image
16	HTML5 element <canvas> can be used to.</canvas>
	Draw graphics
	Photo compositions Animations
17	All the mentioned above
17	The HTML canvas is a
	Three-dimensional grid
	One-dimensional grid
	Two-dimensional grid None of the above
	None of the above

the start after reaching at the end. autoplay autobuffer loop controls 19 If this attribute is present, it will allow the user to control audio playincluding volume, seeking, and pause/resume playback. src controls preload	yback,
autobuffer loop controls 19 If this attribute is present, it will allow the user to control audio play including volume, seeking, and pause/resume playback. src controls preload	yback,
loop controls 19 If this attribute is present, it will allow the user to control audio playincluding volume, seeking, and pause/resume playback. src controls preload	yback,
controls 19 If this attribute is present, it will allow the user to control audio play including volume, seeking, and pause/resume playback. src controls preload	yback,
19 If this attribute is present, it will allow the user to control audio play including volume, seeking, and pause/resume playback. src controls preload	yback,
including volume, seeking, and pause/resume playback. src controls preload	ураск,
controls preload	
preload	
autoplay	
20 jQuery method to set one or more style properties for selected elements?	
style()	
css()	
html()	
none	
Which of the following is not the feature of jQuery?	
Efficient query method for finding the set of document elements	
Expressive syntax for referring to elements in the document	
Useful set of methods for manipulating selected elements	
Powerful functional programming techniques is not used for operating on	sets
of elements as a group	
23 Which of the following is a factory function?	
\$()	
jQuery()	
Queryanalysis()	
onclick()	
24 What does the min mean in the following JavaScript code?	
<pre><script jquery-1.4.2.min.js''="" src=""></script></pre>	
Minimised version	
Miniature	
Minimised parameters	
Minimum value	
25 Which of the following is an equivalent replacement of \$(document).ready(f)?
jQuery(f)	
\$(f)	
#(f)	
read(f)	
26 Which of the following is correct?	
jQuery is JavaSript library	
jQuery is a JSON library	
jQuery is XML library	
None of these	
27 Which sign does jQuery use as a shortcut for jQuery?	
\$	
%	
None of these	

28	What does the selector \$("div") do?
	It selects all div elements from HTML page
	It selects firt div elements from HTML page
	It selects last div elements from HTML page
	It selects first div within section element from HTML page
29	The scripting language jQuery is written using
	C
	C++
	JavaScript
	VBScript
30	What is the correct jQuery code to set the background color of all p elements to
	red?
	\$("p").css("background-color","red");
	\$("p").style("background-color","red");
	\$("p").manipulate("background-color","red");
	\$("p").layout("background-color","red");
31	With jQuery, look at the following selector: \$("div.intro"). What does it select?
	The first div element with class="intro"
	All div elements with id="intro"
	All div elements with class="intro"
	The first div element with id="intro"
32	Which jQuery method is used to hide selected elements?
	hide()
	display(none)
	visible(false)
	hidden()
33	Which jQuery function is used to prevent code from running, before the
	document is finished loading?
	\$(document).load()
	\$(document).ready()
	\$(body).onload()
	None of these
34	Which of the following is a single global function defined in the jQuery library?
	\$()
	jQuery()
	JavaQuery()
	None of these
35	Consider the following jQuery selector:
	\$("div#intro .head"). What does it select?
	The first element with id="head" inside any div element with class="intro"
	All elements with class="head" inside the first div element with id="intro"
	All div elements with id="intro" or class="head"
	None
36	Which of the following css property specifies an image to use as the background
	of an element?
	background
	background background-img
	background

37	Which of the following CSS functions, is used to include a file?
	file()
	url()
	urlfile()
	None of these
38	Which of the following CSS functions, is used to define colors using the Red-
	green-blue-alpha model?
	rgb()
	color()
	rgba()
	None of these
39	Which of the following css property repeats an image both horizontally and
	vertically?
	background
	background-image
	background-repeat
	background-position
40	Which of the following selector is used to select and style when you place mouse
	over it?
	focus
	hover
	mouse
	all of these
41	Which of the following method moves an element from its current position using
41	transform?
41	transform? rotate()
41	transform? rotate() scale
41	transform? rotate() scale translate()
	transform? rotate() scale translate() matrix
41	transform? rotate() scale translate() matrix Which of the following CSS3 property is used to tell the browser what the sizing
	transform? rotate() scale translate() matrix Which of the following CSS3 property is used to tell the browser what the sizing properties should be include?
	transform? rotate() scale translate() matrix Which of the following CSS3 property is used to tell the browser what the sizing properties should be include? box-sizing
	rotate() scale translate() matrix Which of the following CSS3 property is used to tell the browser what the sizing properties should be include? box-sizing box-model
	rotate() scale translate() matrix Which of the following CSS3 property is used to tell the browser what the sizing properties should be include? box-sizing box-model box-design
42	rotate() scale translate() matrix Which of the following CSS3 property is used to tell the browser what the sizing properties should be include? box-sizing box-model box-design box-redesign
	rotate() scale translate() matrix Which of the following CSS3 property is used to tell the browser what the sizing properties should be include? box-sizing box-model box-design box-redesign What module introduces the ability to modify CSS property values over time,
42	rotate() scale translate() matrix Which of the following CSS3 property is used to tell the browser what the sizing properties should be include? box-sizing box-model box-design box-redesign What module introduces the ability to modify CSS property values over time, such as position or color, to create animated layouts?
42	rotate() scale translate() matrix Which of the following CSS3 property is used to tell the browser what the sizing properties should be include? box-sizing box-model box-design box-redesign What module introduces the ability to modify CSS property values over time, such as position or color, to create animated layouts? 3D Transforms
42	rotate() scale translate() matrix Which of the following CSS3 property is used to tell the browser what the sizing properties should be include? box-sizing box-model box-design box-redesign What module introduces the ability to modify CSS property values over time, such as position or color, to create animated layouts? 3D Transforms Animations
42	rotate() scale translate() matrix Which of the following CSS3 property is used to tell the browser what the sizing properties should be include? box-sizing box-model box-design box-redesign What module introduces the ability to modify CSS property values over time, such as position or color, to create animated layouts? 3D Transforms Animations 2D Transfrosm
42	rotate() scale translate() matrix Which of the following CSS3 property is used to tell the browser what the sizing properties should be include? box-sizing box-model box-design box-redesign What module introduces the ability to modify CSS property values over time, such as position or color, to create animated layouts? 3D Transforms Animations 2D Transfrosm Box Model
42	rotate() scale translate() matrix Which of the following CSS3 property is used to tell the browser what the sizing properties should be include? box-sizing box-model box-design box-redesign What module introduces the ability to modify CSS property values over time, such as position or color, to create animated layouts? 3D Transforms Animations 2D Transfrosm Box Model Which of the following is not a value of "type" attribute of HTML input element?
42	transform? rotate() scale translate() matrix Which of the following CSS3 property is used to tell the browser what the sizing properties should be include? box-sizing box-model box-design box-redesign What module introduces the ability to modify CSS property values over time, such as position or color, to create animated layouts? 3D Transforms Animations 2D Transfrosm Box Model Which of the following is not a value of "type" attribute of HTML input element? color
42	transform? rotate() scale translate() matrix Which of the following CSS3 property is used to tell the browser what the sizing properties should be include? box-sizing box-model box-design box-redesign What module introduces the ability to modify CSS property values over time, such as position or color, to create animated layouts? 3D Transforms Animations 2D Transfrosm Box Model Which of the following is not a value of "type" attribute of HTML input element? color date
42	transform? rotate() scale translate() matrix Which of the following CSS3 property is used to tell the browser what the sizing properties should be include? box-sizing box-model box-design box-redesign What module introduces the ability to modify CSS property values over time, such as position or color, to create animated layouts? 3D Transforms Animations 2D Transfrosm Box Model Which of the following is not a value of "type" attribute of HTML input element? color

45	Which of the followings is not HTML elements?
	dialog
	audio
	mark
	popmenu
46	In HTML, the new element describes a special space for navigation links
	on your website.
	navigation
	navibar
	nav
	None of these
47	In HTML, element defines the dialog box in your website.
	dialog
	window
	alert
	None of these
48	Find odd one out from the followings:
	video
	controls
	source
	embedded
49	HTML5 document beggin with
	<html></html>
	<header></header>
	None of these
50	The file extension of Java Script file is -
	.html
	.css
	.js
	.java