

Database Management Systems - IT1223

Mr.M.N.M Shakoor, DPS,FAS, University of Vavuniya

Introduce to Pattern matching concepts (LIKE, REGEXP)

Pattern Matching and Regular Expression

- SQL patterns are case-insensitive by default.

LIKE Operator	Description
<code>WHERE owner LIKE 'a%'</code>	Finds any values that starts with "a"
<code>WHERE owner LIKE '%a'</code>	Finds any values that ends with "a"
<code>WHERE owner LIKE '%or%'</code>	Finds any values that have "or" in any position
<code>WHERE owner LIKE '_r%'</code>	Finds any values that have "r" in the second position
<code>WHERE owner LIKE 'a__%'</code>	Finds any values that starts with "a" and are at least 3 characters in length
<code>WHERE owner LIKE 'a%o'</code>	Finds any values that starts with "a" and ends with "o"

Pattern Matching using Wild card Characters

- Write a query to find names beginning with 'b':
 - `SELECT * FROM pet WHERE name LIKE 'b%';`
 - To find names ending with 'fy':
 - `SELECT * FROM pet WHERE name LIKE '%fy';`
 - To find names containing a 'w':
 - `SELECT * FROM pet WHERE name LIKE '%w%';`
 - To find names containing exactly five characters:
 - `SELECT * FROM pet WHERE name LIKE '_____';`
-

Regular expression

- To find names beginning with 'b':
 - `SELECT * FROM pet WHERE name REGEXP '^b';`
 - To find names ending with 'fy':
 - `SELECT * FROM pet WHERE name REGEXP 'fy$';`
 - To find names containing a 'w':
 - `SELECT * FROM pet WHERE name REGEXP 'w';`
 - To find names containing exactly five characters:
 - `SELECT * FROM pet WHERE name REGEXP '^.....$';`
 - You could also write the previous query using the {n} (“repeat-n-times”) operator:
 - `SELECT * FROM pet WHERE name REGEXP '^.{5}$';`
-

To be Continued..!
