

Ex. No: 15
8/11/24

WEBALIZER

AIM:

To analyse the different types of webp, using webalizer tool

PROCEDURE:

Step 1: Run webalizer windows version

Step 2: Input web file (download from web)

Step 3: Press run webalizer

Step 4: Input directory is given at the target directory

OCP:

Statistics

hosts

| Some Summary | Pages | details | Switch |
|------------------|-------|---------|--------|
| 192.127.41.62426 | 10 | 6.9% | 83% |
| 5559.36.161.2463 | 100 | 8.94% | 28% |
| | 72 | 94.2% | 41% |
| | 39 | | |

User Agents

Antifrag

Browser

Version

11546

100.00%

224.00%

to make the different types of
localization more effective

2.1.1.1

When we use the localization tool, we can
localize the text in the application
from the source code.
The localization tool can be used to
localize the text in the application
from the source code.

2.1.1.2

Localizer

| File | Path | Content |
|------|------|---------|
| 1 | src | 1.1.1.1 |
| 2 | src | 1.1.1.2 |
| 3 | src | 1.1.1.3 |
| 4 | src | 1.1.1.4 |
| 5 | src | 1.1.1.5 |

RESULTS:

Then the different blog using the
localizer has been successfully
completed.

1.1.1.1