```sql
CREATE WAREHOUSE IF NOT EXISTS SHARAN_FOOD_WH
WAREHOUSE_SIZE = 'XSMALL'
AUTO_SUSPEND = 60
AUTO_RESUME = TRUE
INITIALLY_SUSPENDED = TRUE;


SHOW WAREHOUSES LIKE 'SHARAN_FOOD_WH';

```

Results (just now)

Table | Chart | Pivot — 1 row — 49ms

	name	state	type	size	min_cluster_count
1	SHARAN_FOOD_WH	SUSPENDED	STANDARD	X-Small	1

```sql
CREATE DATABASE IF NOT EXISTS SHARAN_FOOD_DELIVERY_DB;
SHOW DATABASES LIKE 'SHARAN_FOOD_DELIVERY_DB';
USE DATABASE SHARAN_FOOD_DELIVERY_DB;
SELECT CURRENT_DATABASE();
```

Results (just now)

Table | Chart | Pivot — 1 row — 24m

	CURRENT_DATABASE()
1	SHARAN_FOOD_DELIVERY_DB

```sql
CREATE SCHEMA IF NOT EXISTS SHARAN_FOOD_DELIVERY_DB.INGESTION;
USE SCHEMA SHARAN_FOOD_DELIVERY_DB.INGESTION;
SELECT CURRENT_SCHEMA();

```

Results (just now)

Table | Chart | Pivot — 1 row — 23ms

	CURRENT_SCHEMA()
1	INGESTION

```sql
CREATE TABLE IF NOT EXISTS
SHARAN_FOOD_DELIVERY_DB.INGESTION.FOOD_ORDERS
(
    ORDER_ID NUMBER(10,0),
    CUSTOMER_NAME VARCHAR(100),
    RESTAURANT VARCHAR(100),
    FOOD_ITEM VARCHAR(100),
    QUANTITY NUMBER(10,0),
    ORDER_AMOUNT NUMBER(12,2),
    CITY VARCHAR(100)
);

SHOW TABLES LIKE 'FOOD_ORDERS'
IN SCHEMA SHARAN_FOOD_DELIVERY_DB.INGESTION;
```

Results (just now)

Table | Chart | Pivot — 7 rows — 44ms

	name	type	kind	null?	default	prim	unique key	check
1	ORDER_ID	NUMBER(10,0)	COLUMN	Y	null	N	N	null
2	CUSTOMER_NAM	VARCHAR(100)	COLUMN	Y	null	N	N	null

```sql
CREATE FILE FORMAT IF NOT EXISTS
SHARAN_FOOD_DELIVERY_DB.INGESTION.FOOD_CSV_FORMAT
TYPE = CSV
SKIP_HEADER = 1
FIELD_OPTIONALLY_ENCLOSED_BY = '"'
EMPTY_FIELD_AS_NULL = TRUE;

DESCRIBE FILE FORMAT
SHARAN_FOOD_DELIVERY_DB.INGESTION.FOOD_CSV_FORMAT;
```

Results (just now)

Table | Chart | Pivot — 24 rows — 27ms


	property	property_type	property_value	property_default
	BINARY_FORMAT 4.2% COMPRESSION 4.2% +22 more	String 54.2% Boolean 37.5% +2 more	true 20.8% AUTO 16.7% +12 more	true 20.8% AUTO 16.7% +11 more
1	TYPE	String	CSV	CSV
2	RECORD_DELIMITER	String	\n	\n
3	FIELD_DELIMITER	String	,	,

```
56
57    CREATE STAGE IF NOT EXISTS
58    SHARAN_FOOD_DELIVERY_DB.INGESTION.FOOD_ORDERS_STAGE
59    FILE_FORMAT =
60    SHARAN_FOOD_DELIVERY_DB.INGESTION.FOOD_CSV_FORMAT;
```

Results (just now)

Table | Chart | Pivot

	status
1	Stage area FOOD_ORDERS_STAGE successfully created.




```
62
63    LIST @SHARAN_FOOD_DELIVERY_DB.INGESTION.FOOD_ORDERS_STAGE;
```

Results (just now)

Table | Chart | Pivot | 1 row | 47ms

	name	size	md5	last_modifi
1	food_orders_stage/food_orders.csv	560	4b33dd2f7ca47044a976d4117270f	Mon, 2 Nov 2

```
69  COPY INTO SHARAN_FOOD_DELIVERY_DB.INGESTION.FOOD_ORDERS
70  FROM @SHARAN_dFOOD_DELIVERY_DB.INGESTION.FOOD_ORDERS_STAGE
71  FILE_FORMAT = (
72      FORMAT_NAME =
73      'SHARAN_FOOD_DELIVERY_DB.INGESTION.FOOD_CSV_FORMAT'
74  )
75  PATTERN = '.*food_orders[.]csv'
76  ON_ERROR = 'ABORT_STATEMENT';
```

Results (just now)

Table | Chart | Pivot — 1 row — 795ms

	file	status	rows_parsed	rows_loaded	error_limit	errors_seen	firs
1	food_orders_stage/foo	LOADED	10	10	1	0	null

```
78
79  SELECT COUNT(*) AS TOTAL_ORDERS
80  FROM SHARAN_FOOD_DELIVERY_DB.INGESTION.FOOD_ORDERS;
```

Results (just now)

Table | Chart | Pivot

	TOTAL_ORDERS
1	10

```
81
82  SELECT *
83  FROM SHARAN_FOOD_DELIVERY_DB.INGESTION.FOOD_ORDERS
84  ORDER BY ORDER_ID;
```

Results (just now)

Table | Chart | Pivot — 10 rows — 255ms

	ORDER_ID	CUSTOMER_NAME	RESTAU	FOOD_ITEM	QUANTITY	ORDER_AMOUNT	CITY
	2001 – 2010	Aanya 10.0% Arjun 10.0% +8 more	BurgerTo... 10.0% CafeMoc... 10.0% +8 more	Alfredo ... 10.0% Cold Cof... 10.0% +8 more	1 – 4	160 – 720	Be... 20.0% Ch... 20.0% +4 more
8	2008	Varun	SouthSpice	Idli	4	160.00	Mumbai
9	2009	Isha	PastaPlace	Alfredo Pasta	1	380.00	Delhi
10	2010	Rohan	WokExpress	Veg Fried Rice	2	560.00	Pune

```
86
87  SELECT
88      ORDER_ID,
89      COUNT(*) AS RECORD_COUNT
90  FROM SHARAN_FOOD_DELIVERY_DB.INGESTION.FOOD_ORDERS
91  GROUP BY ORDER_ID
92  HAVING COUNT(*) > 1;
```

Results (just now)

Table | Chart | Pivot | 0 rows

	ORDER_ID

Query produced no results

MEANS NO DUPLICATE RECORDS

```
92  HAVING COUNT(*) > 1;
93
94  SELECT
95      CITY,
96      COUNT(*) AS TOTAL_ORDERS
97  FROM SHARAN_FOOD_DELIVERY_DB.INGESTION.FOOD_ORDERS
98  GROUP BY CITY
```

Results (just now)

Table | Chart | Pivot

	CITY	TOTAL_ORDERS
1	Chennai	
2	Hyderabad	
3	Bengaluru	
4	Mumbai	
5	Delhi	
6	Pune	

```sql
SELECT
    SUM(ORDER_AMOUNT) AS TOTAL_ORDER_VALUE
FROM SHARAN_FOOD_DELIVERY_DB.INGESTION.FOOD_ORDERS;
ORDER BY TOTAL_ORDERS DESC;
```

Results (just now)

Table | Chart | Pivot

	TOTAL_ORDER_VALUE
1	4150.00

```sql
SELECT
    FOOD_ITEM,
    SUM(QUANTITY) AS TOTAL_QUANTITY
FROM SHARAN_FOOD_DELIVERY_DB.INGESTION.FOOD_ORDERS
GROUP BY FOOD_ITEM
ORDER BY TOTAL_QUANTITY DESC;
```

Results (just now)

Table | Chart | Pivot | 10 rows | 58ms

	FOOD_ITEM	TOTAL_QUANTITY
	Alfredo Pasta 10.0%	
	Cold Coffee 10.0%	
	+8 more	
7	Veg Burger	
8	Veg Fried Rice	
9	Veg Wrap	
10	Alfredo Pasta	