Linux 10 Commands

```
sharanteja2211@SharanTeja:~/Day17$ nano hello.sh
sharanteja2211@SharanTeja:~/Day17$ bash hello.sj
bash: hello.sj: No such file or directory
sharanteja2211@SharanTeja:~/Day17$ bash hello.sh
Hello!
Welcome to Linux Shell Scripting
Today we are learning Bash
sharanteja2211@SharanTeja:~/Day17$ bash /home/sharanteja2211/Day17/hello.sh
Hello!
Welcome to Linux Shell Scripting
Today we are learning Bash
sharanteja2211@SharanTeja:~/Day17$ nano input.sh
sharanteja2211@SharanTeja:~/Day17$ bash input.sh
Enter your name:
Charagondla Sharan Teja
Welcome, Charagondla Sharan Teja
sharanteja2211@SharanTeja:~/Day17$ read -p "Enter your age: " age
Enter your age: 21
sharanteja2211@SharanTeja:~/Day17$ $age
21: command not found
sharanteja2211@SharanTeja:~/Day17$ nano check.sh
sharanteja2211@SharanTeja:~/Day17$ bash check.sh
File exists
sharanteja2211@SharanTeja:~/Day17$
```

```
  GNU nano 8.7.1                                        check.sh
#!/bin/bash

if test -f "hello.sh"
then
    echo "File exists"
else
    echo "File does not exist"
fi
```

```
#!/bin/bash

if [ -f "hello.sh" ]; then
    echo "File exists"
else
    echo "File not found"
fi
```

```
sharanteja2211@SharanTeja:~/Day17$ bash check.sh
File exists
sharanteja2211@SharanTeja:~/Day17$
```

```
a=20
b=10

if [ "$a" -gt "$b" ]; then
    echo "a is greater than b"
fi
```

```
sharanteja2211@SharanTeja:~/Day17$ bash compare.sh
a is greater than b
sharanteja2211@SharanTeja:~/Day17$
```

```
 GNU nano 8.7.1                                  compare.sh *
a=20
b=10

sum=$(expr $a + $b)
echo "Sum = $sum"
```

```
sharanteja2211@SharanTeja:~/Day17$ bash compare.sh
Sum = 30
sharanteja2211@SharanTeja:~/Day17$
```

```
 GNU nano 8.7.1                                  compare.sh
expr 20 - 10
expr 20 \* 10
expr 20 / 10
expr 20 % 3
```

```
sharanteja2211@SharanTeja:~/Day17$ bash compare.sh
10
200
2
2
sharanteja2211@SharanTeja:~/Day17$
```