Linux 10 commands

```
sharanteja2211@SharanTeja:~/Day16$ sudo ufw status
Status: inactive
sharanteja2211@SharanTeja:~/Day16$ sudo ufw status verbose
Status: inactive
sharanteja2211@SharanTeja:~/Day16$ sudo ufw allow 22
Rules updated
Rules updated (v6)
sharanteja2211@SharanTeja:~/Day16$ sudo ufw allow 8080/tcp
Rules updated
Rules updated (v6)
sharanteja2211@SharanTeja:~/Day16$ sudo ufw deny 3306
Rules updated
Rules updated (v6)
sharanteja2211@SharanTeja:~/Day16$ sudo ufw delete allow 8080/tcp
Rules updated
Rules updated (v6)
sharanteja2211@SharanTeja:~/Day16$ sudo iptables -L
Chain INPUT (policy ACCEPT)
target     prot opt source               destination

Chain FORWARD (policy ACCEPT)
target     prot opt source               destination

Chain OUTPUT (policy ACCEPT)
target     prot opt source               destination
sharanteja2211@SharanTeja:~/Day16$ sudo iptables -L -n
Chain INPUT (policy ACCEPT)
target     prot opt source               destination

Chain FORWARD (policy ACCEPT)
target     prot opt source               destination


Chain OUTPUT (policy ACCEPT)
target     prot opt source               destination
```

```
sharanteja2211@SharanTeja:~/Day16$ sudo firewall-cmd --state
running
sharanteja2211@SharanTeja:~/Day16$ sudo firewall-cmd --list-services\
>
dhcpv6-client ssh
sharanteja2211@SharanTeja:~/Day16$
sharanteja2211@SharanTeja:~/Day16$ sudo firewall-cmd --list-services
dhcpv6-client ssh
sharanteja2211@SharanTeja:~/Day16$ sudo firewall-cmd --list-ports

sharanteja2211@SharanTeja:~/Day16$ sudo firewall-cmd --permanent --add-port=8080/tcp
success
sharanteja2211@SharanTeja:~/Day16$ sudo firewall-cmd --permanent --remove-port=8080/tcp
success
sharanteja2211@SharanTeja:~/Day16$ sudo firewall-cmd --reload
success
sharanteja2211@SharanTeja:~/Day16$ nc -h
OpenBSD netcat (Debian patchlevel 1.234-1)
usage: nc [-46CDdFhklNnrStUuvZz] [-I length] [-i interval] [-M ttl]
          [-m minttl] [-O length] [-P proxy_username] [-p source_port]
          [-q seconds] [-s sourceaddr] [-T keyword] [-V rtable] [-W recvlimit]
          [-w timeout] [-X proxy_protocol] [-x proxy_address[:port]]
          [destination] [port]
        Command Summary:
                -4              Use IPv4
                -6              Use IPv6
                -b              Allow broadcast
                -C              Send CRLF as line-ending
                -D              Enable the debug socket option
                -d              Detach from stdin
                -F              Pass socket fd
                -h              This help text
                -I length       TCP receive buffer length
                -i interval     Delay interval for lines sent, ports scanned
                -k              Keep inbound sockets open for multiple connects
                -l              Listen mode, for inbound connects
                -M ttl          Outgoing TTL / Hop Limit
```

```
sharanteja2211@SharanTeja:~/Day16$ nc -zv google.com 443
Connection to google.com (142.251.221.174) 443 port [tcp/https] succeeded!
sharanteja2211@SharanTeja:~/Day16$ nc -zv 127.0.0.1 8080
nc: connect to 127.0.0.1 port 8080 (tcp) failed: Connection refused
sharanteja2211@SharanTeja:~/Day16$ nc -lv 8080
Listening on 0.0.0.0 8080
Connection received on localhost 51330
Hello from Terminal 2
sharanteja2211@SharanTeja:~/Day16$ sudo apt install lsof -y
lsof is already the newest version (4.99.4+dfsg-2build2).
lsof set to manually installed.
Summary:
  Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 137
sharanteja2211@SharanTeja:~/Day16$ sudo lsof -i -P -n
COMMAND   PID            USER FD   TYPE DEVICE SIZE/OFF NODE NAME
systemd-r  82 systemd-resolve 16u  IPv4   8334      0t0  UDP 127.0.0.53:53
systemd-r  82 systemd-resolve 17u  IPv4   8335      0t0  TCP 127.0.0.53:53 (LISTEN)
systemd-r  82 systemd-resolve 18u  IPv4   8336      0t0  UDP 127.0.0.54:53
systemd-r  82 systemd-resolve 19u  IPv4   8337      0t0  TCP 127.0.0.54:53 (LISTEN)
chronyd   244         _chrony  4u  IPv4   4923      0t0  UDP 127.0.0.1:323
chronyd   244         _chrony  5u  IPv6   4924      0t0  UDP [::1]:323
sharanteja2211@SharanTeja:~/Day16$ sudo lsof -i :8080
sharanteja2211@SharanTeja:~/Day16$ sudo lsof -i :8080
sharanteja2211@SharanTeja:~/Day16$ sudo apt install psmisc -y
psmisc is already the newest version (23.7-2ubuntu2).
psmisc set to manually installed.
Summary:
  Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 137
sharanteja2211@SharanTeja:~/Day16$ sudo fuser -v 8080/tcp
sharanteja2211@SharanTeja:~/Day16$ sudo apt install nmap -y
Installing:
  nmap

Installing dependencies:
  ibverbs-providers  libibverbs1  liblua5.4-0  libnl-route-3-200  nmap-common
  libblas3           liblinear4   libnl-3-200  libpcap0.8t64
```




```
sharanteja2211@SharanTeja:~/Day16$ nmap -p 8080 127.0.0.1
Starting Nmap 7.98 ( https://nmap.org ) at 2026-11-04 16:00 +0530
Nmap scan report for localhost (127.0.0.1)
Host is up (0.00017s latency).

PORT     STATE  SERVICE
8080/tcp closed http-proxy

Nmap done: 1 IP address (1 host up) scanned in 0.03 seconds
sharanteja2211@SharanTeja:~/Day16$ nmap -p 8000-8100 127.0.0.1
Starting Nmap 7.98 ( https://nmap.org ) at 2026-11-04 16:00 +0530
Nmap scan report for localhost (127.0.0.1)
Host is up (0.00051s latency).
All 101 scanned ports on localhost (127.0.0.1) are in ignored states.
Not shown: 101 closed tcp ports (conn-refused)

Nmap done: 1 IP address (1 host up) scanned in 0.06 seconds
sharanteja2211@SharanTeja:~/Day16$ openssl s_client -connect google.com:443 -servername google.com
Connecting to 142.251.221.206
CONNECTED(00000003)
depth=2 C=US, O=Google Trust Services LLC, CN=GTS Root R4
verify return:1
depth=1 C=US, O=Google Trust Services, CN=WE2
verify return:1
depth=0 CN=*.google.com
verify return:1
---
Certificate chain
 0 s:CN=*.google.com
   i:C=US, O=Google Trust Services, CN=WE2
   a:PKEY: EC, (prime256v1); sigalg: ecdsa-with-SHA256
   v:NotBefore: Oct  7 19:07:42 2026 GMT; NotAfter: Dec 30 19:07:41 2026 GMT
 1 s:C=US, O=Google Trust Services, CN=WE2
   i:C=US, O=Google Trust Services LLC, CN=GTS Root R4
   a:PKEY: EC, (prime256v1); sigalg: ecdsa-with-SHA384
   v:NotBefore: Dec 13 09:00:00 2023 GMT; NotAfter: Feb 20 14:00:00 2029 GMT
 2 s:C=US, O=Google Trust Services LLC, CN=GTS Root R4
```

```
sharanteja2211@SharanTeja:~/Day16$ resolvectl status
Global
         Protocols: -LLMNR -mDNS -DNSOverTLS DNSSEC=no/unsupported
  resolv.conf mode: foreign
Current DNS Server: 10.255.255.254
       DNS Servers: 10.255.255.254

Link 2 (eth0)
    Current Scopes: none
         Protocols: -DefaultRoute -LLMNR -mDNS -DNSOverTLS DNSSEC=no/unsupported
     Default Route: no
sharanteja2211@SharanTeja:~/Day16$ resolvectl status
Global
         Protocols: -LLMNR -mDNS -DNSOverTLS DNSSEC=no/unsupported
  resolv.conf mode: foreign
Current DNS Server: 10.255.255.254
       DNS Servers: 10.255.255.254

Link 2 (eth0)
    Current Scopes: none
         Protocols: -DefaultRoute -LLMNR -mDNS -DNSOverTLS DNSSEC=no/unsupported
     Default Route: no
sharanteja2211@SharanTeja:~/Day16$ resolvectl dns
Global: 10.255.255.254
Link 2 (eth0):
```