

Overview

	Passed	Failed	Known	Undefined	%Passed
Features	4	1	0	0	80.00
Scenarios	9	1	0	0	90.00
Steps	18	1	0	1	90.00

Overall Duration: 0h 00m 00s

Table of Contents

1.	4
1.	1
2.	1
2.	4
1.	1
2.	3
3.	4
1.	3
2.	3
4.	4
1.	4
2.	4
5.	4
1.	4
2.	4

Detailed Results Report

Feature:			
Passed: 2	Failed: 0	Undefined: 0	Duration: 0.23s
Scenario Outline:			
Passed: 2	Failed: 0	Undefined: 0	Duration: 0.23s
Given user adds "12" and "3"			0.24s
Then message displayed Values Added			0.00s
Back to Table of Contents			
Scenario Outline:			
Passed: 2	Failed: 0	Undefined: 0	Duration: 0.00s
Given user adds "5" and "7"			0.00s
Then message displayed Values Added			0.00s
Back to Table of Contents			
Feature:			
Passed: 1	Failed: 1	Undefined: 0	Duration: 0.00s
Scenario Outline:			

Passed: 0	Failed: 1	Undefined: 1	Duration: 0.00s
Given user adds "3" and "a"			0.00s
<pre> cucumber.deps.com.thoughtworks.xstream.converters.ConversionException: Couldn't convert "a" to an instance of: [class java.lang.Integer, int] ---- Debugging information ---- ----- at cucumber.runtime.xstream.ConverterWithFormat.transform(ConverterWithFormat.java: 31) at cucumber.runtime.xstream.ConverterWithNumberFormat.transform (ConverterWithNumberFormat.java:18) at cucumber.runtime.xstream.ConverterWithNumberFormat.transform (ConverterWithNumberFormat.java:8) at cucumber.api.Transformer.fromString(Transformer.java:91) at cucumber.deps.com.thoughtworks.xstream.converters.SingleValueConverterWrapper. fromString(SingleValueConverterWrapper.java:41) at cucumber.runtime.ParameterInfo.convert(ParameterInfo.java:164) at cucumber.runtime.StepDefinitionMatch.transformedArgs(StepDefinitionMatch.java:68) at cucumber.runtime.StepDefinitionMatch.runStep(StepDefinitionMatch.java:37) at cucumber.runtime.Runtime.runStep(Runtime.java:300) at cucumber.runtime.model.StepContainer.runStep(StepContainer.java:44) at cucumber.runtime.model.StepContainer.runSteps(StepContainer.java:39) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:44) at com.github.mkolisnyk.cucumber.runner.ExtendedExecutionUnitRunner.run (ExtendedExecutionUnitRunner.java:32) at com.github.mkolisnyk.cucumber.runner.ExtendedExamplesRunner.runChild (ExtendedExamplesRunner.java:102) at com.github.mkolisnyk.cucumber.runner.ExtendedExamplesRunner.runChild (ExtendedExamplesRunner.java:19) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at com.github.mkolisnyk.cucumber.runner.ExtendedExamplesRunner.run (ExtendedExamplesRunner.java:87) at org.junit.runners.Suite.runChild(Suite.java:128) at com.github.mkolisnyk.cucumber.runner.ExtendedScenarioOutlineRunner.runChild (ExtendedScenarioOutlineRunner.java:69) at com.github.mkolisnyk.cucumber.runner.ExtendedScenarioOutlineRunner.runChild (ExtendedScenarioOutlineRunner.java:17) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at com.github.mkolisnyk.cucumber.runner.ExtendedScenarioOutlineRunner.run (ExtendedScenarioOutlineRunner.java:64) at com.github.mkolisnyk.cucumber.runner.ExtendedFeatureRunner.runChild (ExtendedFeatureRunner.java:99) </pre>			

```

at com.github.mkolisnyk.cucumber.runner.ExtendedFeatureRunner.runChild
(ExtendedFeatureRunner.java:24)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
at cucumber.runtime.junit.FeatureRunner.run(FeatureRunner.java:70)
at com.github.mkolisnyk.cucumber.runner.ExtendedCucumber.runChild(ExtendedCucumber.
java:107)
at com.github.mkolisnyk.cucumber.runner.ExtendedCucumber.runChild(ExtendedCucumber.
java:31)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.apache.maven.surefire.junitcore.pc.Scheduler$1.run(Scheduler.java:410)
at org.apache.maven.surefire.junitcore.pc.InvokerStrategy.schedule(InvokerStrategy.java:54)
at org.apache.maven.surefire.junitcore.pc.Scheduler.schedule(Scheduler.java:367)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
at com.github.mkolisnyk.cucumber.runner.ExtendedCucumber.run(ExtendedCucumber.java:
147)
at org.junit.runners.Suite.runChild(Suite.java:128)
at org.junit.runners.Suite.runChild(Suite.java:27)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.apache.maven.surefire.junitcore.pc.Scheduler$1.run(Scheduler.java:410)
at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
at java.util.concurrent.FutureTask.run(FutureTask.java:266)
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
at java.lang.Thread.run(Thread.java:748)
at .Given user adds "3" and "a"(src/main/java/FeatureFiles/TestReport.Feature:15)

```

Then message displayed Values Added

0.00s

[Back to Table of Contents](#)

Scenario Outline:

Passed: 2	Failed: 0	Undefined: 0	Duration: 0.00s
Given user adds "1" and "2"			0.00s
Then message displayed Values Added			0.00s

[Back to Table of Contents](#)

Feature:

Passed: 2	Failed: 0	Undefined: 0	Duration: 0.20s
Scenario Outline:			
Passed: 2	Failed: 0	Undefined: 0	Duration: 0.20s
Given user adds "1" and "4"			0.20s
Then message displayed Values Added			0.00s

[Back to Table of Contents](#)

Scenario Outline:

--	--	--	--

Passed: 2		Failed: 0		Undefined: 0		Duration: 0.00s			
		Given user adds "3" and "1"					0.00s		
		Then message displayed Values Added					0.00s		
Back to Table of Contents									
Feature:									
Passed: 2		Failed: 0		Undefined: 0		Duration: 0.48s			
		Scenario Outline:							
		Passed: 2		Failed: 0		Undefined: 0		Duration: 0.48s	
		Given user adds "7" and "3"					0.48s		
		Then message displayed Values Added					0.00s		
Back to Table of Contents									
Scenario Outline:									
		Passed: 2		Failed: 0		Undefined: 0		Duration: 0.00s	
		Given user adds "5" and "10"					0.00s		
		Then message displayed Values Added					0.00s		
Back to Table of Contents									
Feature:									
Passed: 2		Failed: 0		Undefined: 0		Duration: 0.08s			
		Scenario Outline:							
		Passed: 2		Failed: 0		Undefined: 0		Duration: 0.08s	
		Given user adds "12" and "3"					0.08s		
		Then message displayed Values Added					0.00s		
Back to Table of Contents									
Scenario Outline:									
		Passed: 2		Failed: 0		Undefined: 0		Duration: 0.00s	
		Given user adds "15" and "10"					0.00s		
		Then message displayed Values Added					0.00s		
Back to Table of Contents									