
Question -5:

Create a simple LAN setup with two Linux machines connected via a switch.



Pinging PC1 and PC2:

```
PC1> ping 192.168.1.2

84 bytes from 192.168.1.2 icmp_seq=1 ttl=64 time=0.950 ms

84 bytes from 192.168.1.2 icmp_seq=2 ttl=64 time=1.078 ms

84 bytes from 192.168.1.2 icmp_seq=3 ttl=64 time=1.124 ms

84 bytes from 192.168.1.2 icmp_seq=4 ttl=64 time=1.379 ms

84 bytes from 192.168.1.2 icmp_seq=5 ttl=64 time=1.107 ms

PC1>
```

Pinging Pc2 and Pc1:

```
PC2> ping 192.168.1.1

84 bytes from 192.168.1.1 icmp_seq=1 ttl=64 time=1.296 ms

84 bytes from 192.168.1.1 icmp_seq=2 ttl=64 time=1.520 ms

84 bytes from 192.168.1.1 icmp_seq=3 ttl=64 time=1.200 ms

84 bytes from 192.168.1.1 icmp_seq=4 ttl=64 time=1.247 ms

84 bytes from 192.168.1.1 icmp_seq=5 ttl=64 time=1.524 ms

PC2> ■

Solarwinds Solar-PuTTY free tool

© 2019-2024 SolarWinds Worldwide, LLC. All rights reserved.
```