Χ



sivanithis000@gmail.com >

NPTEL (https://swayam.gov.in/explorer?ncCode=NPTEL) » Problem Solving Through Programming In C (course)



Click to register for Certification exam (https://examform.nptel.

If already registered, click to check your payment status

Course outline

How does an NPTEL online course work? ()

Week 0: ()

Week 1 ()

Week 2 ()

Lecture 6:
Types of
Software and
Compilers
(unit?
unit=27&lesso
n=28)

Week 2: Assignment 2

The due date for submitting this assignment has passed.

Due on 2023-08-09, 23:59 IST.

Assignment submitted on 2023-08-05, 21:10 IST

1) Which of the following is not a C variable?

1 point

- a) Count123
- b) Count 123
- c) Count@123
- d) X 123 Count

Yes, the answer is correct.

Score: 1

Accepted Answers:

c) Count@123

2) A function 1 point

- a) is a block of statements to perform some specific task
- b) is a fundamental modular unit to perform some task
- c) has a name and can be used multiple times
- d) All the above options are true

Yes, the answer is correct.

Score: 1

Accepted Answers:

- d) All the above options are true
- 3) The execution of any C program is



Lecture 7: Introduction to C Programming Language (unit? unit=27&lesso n=29)	 a) Sequential b) Parallel c) Multi-threading d) None of these Yes, the answer is correct. Score: 1 Accepted Answers: 	
Variables and Variable Types in C (unit? unit=27&lesso n=30) Lecture 9: Introducing	 a) Sequential 4) Syntax error occurs when a) The rules of grammar of the programming language is violated b) The statements in the program have no meaning c) The program gives wrong or undesired output d) Some illegal operation (e.g. divide by zero) is performed 	'nt
Functions (unit? unit=27&lesso n=31)	Yes, the answer is correct. Score: 1 Accepted Answers: a) The rules of grammar of the programming language is violated	
Address and Content of Variables and Types (unit? unit=27&lesso n=32)	5) If integer needs two bytes of storage, then the minimum value of a signed integer in 1 poi . C would be a) -65535 b) 0 c) -32,767	'nt
Quiz: Week 2: Assignment2(assessment?name=220)	d) -32,768 Yes, the answer is correct. Score: 1 Accepted Answers: d) -32,768	
Feedback Form of Week 2 (unit? unit=27&lesso n=222) Assignment 2 Solution (unit? unit=27&lesso	What will be the output of the program given below? #include <stdio.h> int main() { a=9;</stdio.h>	1 point
n=35) Week 3 ()	printf("%d", a); return 0;	
Week 4 ()) (a) 9	
Week 5 ()	(a) 0	
Week 6 ()	© c) 1001 © d) Compilation Error Yes, the answer is correct.	

DOWNLOAD VIDEOS ()

Books ()

Text
Transcripts ()

Problem Solving Session -July 2023 ()

```
Score: 1
Accepted Answers:
d) Compilation Error
7)
                                                                              1 point
    What is the output?
      #include<stdio.h>
      #define fun(x)(x*x)
      int main()
       {
           float i:
           i = 64.0/\text{fun}(2);
          printf("%.2f", i);
          return 0;
      }
  a) 8.00
  b) 4.00
  o) 0.00
  d) 16.00
Yes, the answer is correct.
Score: 1
Accepted Answers:
d) 16.00
8)
                                                                              1 point
The following C program swaps the value of two numbers without using any third
variable. What will be the correct option to fill up the blank?
#include <stdio.h>
int main()
{
  int a=2, b=3;
  printf("The values before swapping a = %d, b=%d", a, b);
  printf("The values after swapping a = %d, b=%d", a, b);
  return 0;
}
  a) a=a-b; b=a-b; a=a+b;
  b) a=a%b; b=a+b; a=a/b;
  c) a=a+b; b=a-b; a=a-b;
  d) None of the above
Yes, the answer is correct.
```

```
Score: 1
 Accepted Answers:
 c) a=a+b; b=a-b; a=a-b;
9)
                                                                           1 point
     What will be the output?
     #include <stdio.h>
     int main() {
     int x = 1, y = 3;
     int t = x;
     x = y;
     y = t;
     printf("%d %d", x, y);
     return 0;
     }
  a) 13
  b) 3 1
  0 c) 1 1
  (d) 3 3
 Yes, the answer is correct.
 Score: 1
 Accepted Answers:
 b) 3 1
10)
     When executed the following code will print .
     #include <stdio.h>
     int main() {
     int sum = 3 + 6 / 2 + 6 * 2;
     printf("%d", sum);
     return 0;
 18
Hint
 Yes, the answer is correct.
 Score: 1
 Accepted Answers:
 (Type: Numeric) 18
                                                                           1 point
```

