

# Security Assessment Report

Automated Vulnerability Discovery

---

**Target Infrastructure:** <http://testfire.net/>  
**Date of Assessment:** 2026-05-18 07:55:43 PM IST  
**Reference ID:** 19d76288-e442-4d81-82af-a09994a0e889

## 1. Executive Summary

This document presents the findings of an automated security assessment conducted against **http://testfire.net/** on 2026-05-18 07:55:43 PM IST. The assessment utilized the SmartFuzz testing engine to evaluate the target against a predefined set of vulnerability classes. The overall risk posture of the application is currently evaluated as **Critical**.

| Assessment Metric        | Value |
|--------------------------|-------|
| Total Payloads Generated | 132   |
| Total Findings Confirmed | 10    |
| Critical Risk Findings   | 2     |
| High Risk Findings       | 6     |
| Medium Risk Findings     | 2     |

## 2. Findings Summary

| ID | Vulnerability | Parameter | Severity |
|----|---------------|-----------|----------|
| 1  | SSRF          | content   | Critical |
| 2  | SSRF          | content   | Critical |
| 3  | IDOR          | content   | High     |
| 4  | IDOR          | content   | High     |
| 5  | IDOR          | content   | High     |
| 6  | IDOR          | content   | High     |
| 7  | IDOR          | content   | High     |
| 8  | IDOR          | content   | High     |
| 9  | XSS           | content   | Medium   |
| 10 | XSS           | content   | Medium   |

### 3. Detailed Findings Analysis

#### Finding 1: SSRF in parameter 'content'

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Severity:         | Critical                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Target URL:       | <a href="http://testfire.net/index.jsp?content=http%3A%2F%2F169.254.169.254%2Flatest%2Fmeta-data%2F">http://testfire.net/index.jsp?content=http%3A%2F%2F169.254.169.254%2Flatest%2Fmeta-data%2F</a>                                                                                                                                                                                                                       |
| Method:           | GET                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Status Code:      | 200                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Response Time:    | 0.25 seconds                                                                                                                                                                                                                                                                                                                                                                                                              |
| Injected Payload: | <a href="http://169.254.169.254/latest/meta-data/">http://169.254.169.254/latest/meta-data/</a>                                                                                                                                                                                                                                                                                                                           |
| Evidence:         | <pre>&lt;!-- BEGIN HEADER --&gt; &lt;!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"&gt; &lt;html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" &gt; &lt;head&gt; &lt;title&gt;Altoro Mutual&lt;/title&gt; &lt;meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" /&gt; &lt;link href="/style.css" rel="stylesheet</pre> |

---

#### Finding 2: SSRF in parameter 'content'

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Severity:         | Critical                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Target URL:       | <a href="http://testfire.net/index.jsp?content=http%3A%2F%2F169.254.169.254%2Flatest%2Fuser-data%2F">http://testfire.net/index.jsp?content=http%3A%2F%2F169.254.169.254%2Flatest%2Fuser-data%2F</a>                                                                                                                                                                                                                       |
| Method:           | GET                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Status Code:      | 200                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Response Time:    | 0.25 seconds                                                                                                                                                                                                                                                                                                                                                                                                              |
| Injected Payload: | <a href="http://169.254.169.254/latest/user-data/">http://169.254.169.254/latest/user-data/</a>                                                                                                                                                                                                                                                                                                                           |
| Evidence:         | <pre>&lt;!-- BEGIN HEADER --&gt; &lt;!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"&gt; &lt;html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" &gt; &lt;head&gt; &lt;title&gt;Altoro Mutual&lt;/title&gt; &lt;meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" /&gt; &lt;link href="/style.css" rel="stylesheet</pre> |

---

### Finding 3: IDOR in parameter 'content'

**Severity:** High

**Target URL:** http://testfire.net/index.jsp?content=0

**Method:** GET

**Status Code:** 200

**Response Time:** 0.25 seconds

**Injected Payload:** 0

**Evidence:**

```
<!-- BEGIN HEADER --> <!DOCTYPE html PUBLIC "-//W3C//DTD
XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xht
```

---

### Finding 4: IDOR in parameter 'content'

**Severity:** High

**Target URL:** http://testfire.net/index.jsp?content=-1

**Method:** GET

**Status Code:** 200

**Response Time:** 0.265 seconds

**Injected Payload:** -1

**Evidence:**

```
</title> <meta http-equiv="Content-Type"
content="text/html; charset=iso-8859-1" /> <link
href="/style.css" rel="stylesheet" type="text/css" />
</head> <body style="margin-top:5px;"> <div id=
```

---

### Finding 5: IDOR in parameter 'content'

**Severity:** High

**Target URL:** http://testfire.net/index.jsp?content=1

**Method:** GET

**Status Code:** 200

**Response Time:** 0.265 seconds

**Injected Payload:** 1

**Evidence:** <!-- BEGIN HEADER --> <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> <html xmlns="http://www.w3.org/1999/x

---

### Finding 6: IDOR in parameter 'content'

**Severity:** High

**Target URL:** http://testfire.net/index.jsp?content=9999

**Method:** GET

**Status Code:** 200

**Response Time:** 0.235 seconds

**Injected Payload:** 9999

**Evidence:** <!-- BEGIN HEADER --> <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> <html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" > <head> <title>Altoro Mutual</title> <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" /> <link href="/style.css" rel="stylesheet

---

### Finding 7: IDOR in parameter 'content'

**Severity:** High

**Target URL:** http://testfire.net/index.jsp?content=admin

**Method:** GET

**Status Code:** 200

**Response Time:** 0.25 seconds

**Injected Payload:** admin

**Evidence:**

```
<!-- BEGIN HEADER --> <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" >
<head> <title>Altoro Mutual</title> <meta
http-equiv="Content-Type" content="text/html;
charset=iso-8859-1" /> <link href="/style.css"
rel="stylesheet
```

---

### Finding 8: IDOR in parameter 'content'

**Severity:** High

**Target URL:** http://testfire.net/index.jsp?content=test

**Method:** GET

**Status Code:** 200

**Response Time:** 0.266 seconds

**Injected Payload:** test

**Evidence:**

```
<!-- BEGIN HEADER --> <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" >
<head> <title>Altoro Mutual</title> <meta
http-equiv="Content-Type" content="text/html;
charset=iso-8859-1" /> <link href="/style.css"
rel="stylesheet
```

---

### Finding 9: XSS in parameter 'content'

**Severity:** Medium

**Target URL:** http://testfire.net/index.jsp?content=%27%3Balert%28%27XSS%27%29%2F%2F

**Method:** GET

**Status Code:** 200

**Response Time:** 0.25 seconds

**Injected Payload:** `' ;alert('XSS')//`

**Evidence:**

```
<!-- BEGIN HEADER --> <!DOCTYPE html PUBLIC "-//W3C//DTD
XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" >
<head> <title>Altoro Mutual</title> <meta
http-equiv="Content-Type" content="text/html;
charset=iso-8859-1" /> <link href="/style.css"
rel="stylesheet
```

---

## Finding 10: XSS in parameter 'content'

**Severity:** **Medium**

**Target URL:** <http://testfire.net/index.jsp?content=%3Cdetails+open+ontoggle%3Dalert%28%27XSS%27%29%3E>

**Method:** GET

**Status Code:** 200

**Response Time:** 0.25 seconds

**Injected Payload:** `<details open ontoggle=alert('XSS')>`

**Evidence:**

```
<!-- BEGIN HEADER --> <!DOCTYPE html PUBLIC "-//W3C//DTD
XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" >
<head> <title>Altoro Mutual</title> <meta
http-equiv="Content-Type" content="text/html;
charset=iso-8859-1" /> <link href="/style.css"
rel="stylesheet
```

---



## 4. Remediation Guidance

### SSRF

1. Implement a strict allowlist of permitted destination domains, IP addresses, and protocols for any outbound server requests.
2. Actively block and reject network requests targeting internal, loopback, or reserved IP ranges (e.g., 10.0.0.0/8, 169.254.169.254, 127.0.0.1).
3. Disable HTTP redirection for server-side requests, or strictly re-validate the target URL against the allowlist after following any redirect.
4. Route all outbound application traffic through a dedicated egress proxy that explicitly drops internal network access.
5. Reference: OWASP Top 10 A10:2021 — Server-Side Request Forgery

### IDOR

1. Implement strict Authorization and Access Control checks on *every* request attempting to access, modify, or delete a resource.
2. Verify that the currently authenticated user session actually owns or has explicit permission to access the requested Object ID.
3. Replace predictable, sequential integer IDs with unpredictable, mathematically secure identifiers (e.g., UUIDv4 or GUIDs).
4. Ensure the API does not blindly trust client-provided IDs for operations affecting the current user's profile or financial state.
5. Reference: OWASP Top 10 A01:2021 — Broken Access Control

### XSS

1. Contextually output-encode all user-supplied data before rendering it in the browser (HTML, JavaScript, CSS, or URL contexts).
2. Implement a strict, restrictive Content-Security-Policy (CSP) HTTP response header to prevent the execution of inline scripts and untrusted sources.
3. Set the 'HttpOnly' and 'Secure' flags on all sensitive cookies (e.g., session tokens) to prevent theft via client-side scripts.
4. Sanitize any rich-text (HTML) input on the server side using a robust, actively maintained library (e.g., DOMPurify or Bleach).
5. Utilize modern frontend frameworks (React, Angular, Vue) that safely bind data to the DOM by default.
6. Reference: OWASP Top 10 A03:2021 — Injection

**Disclaimer**

This report was generated automatically. Results should be reviewed and validated by a qualified security professional. False positives may be present.