

WR 12 - Technical Spec

Document Control

Document Date	17 April 2026
Document Title	WILFR-62 Wilmar- Ability to temporarily share a folder in HR Records
Document Type	
Project Number	Technical Spec

Document Revisions

Date	Version	Author	Comments
17 April 2026	1.0	Nayana Kadudunkorala	created

Introduction

This is a Solution Design document for WR0012.

Document Purpose

This document is not a contract. This document is an identification of use cases and high level design intended to implement for addressing the scope agreed on WR0012.

We are planning the following changes:



WILFR-62 Wilmar-
Ability to temporarily

These are the additional documents



WR00012_Version
1.2.docx

Glossary of Terms

The following is a glossary of terms used within this Statement of Works documents.

Terms	Definition	Examples
ELO Version	Elo Versions	20.11.000.331414
Client	Java client	
KWF	ELO Keywording form	Share Folder
OOB	Out Of the Box	

Dev env. And other Details

Env	Definition
ELO Version	PWM file name - ELOAU-WILFR
Dev env. Ix URL	http://localhost:9090/ix-ELO/ix
Elo Versions	20.11.000.331414
ELO Keywording form	Share Folder , Basic Entry
Client	Only for elo java client

Use Case 1: Create KWF , elo folders , users

New/Existing	New
Script/File Name	Create in admin console and java client
Purpose	Create kwf , main folders , users and groups

Process	1. Kwf name - Share Folder This will be provided by ELO AU Fields - • End Date” - ISO Date field - Batter to set as Read only • “Share Status” - Yes / No (Default value should be ‘No’) - Batter to set as Read only 2. User group HR With edit permission (During the dev testing check this) 3. Create a new parent folder “Shared Content” as a root for sharing. <i>Cristian created ‘EXTERNAL FOLDER SHARE’ folder for this during the meeting.</i>
Assumption	1 st one will be provided by ELO AU
Validations	
Feed	
Reference	1. Setup a new metadata form “Share Folder” with the required fields “End Date” and “Share Status”. HR staff will use this form to create new folders in the repository for documents they want to share. This will be provided by ELO AU. 2. Set up a parent folder named “Shared Content” as the primary root for sharing. HR staff will create new folders within this parent folder using the “Share Folder” form and manually add references to the documents intended for external sharing.

Use Case 2: Button Process

New/Existing	1 new java client script 1 new rf ix script 1 new ix property file Create property file
Script/File Name	JC-ShareExternally.js RF_ShareExternally.js lib_ShareFolderConfig.js
Purpose	To create the button and do the process

Process	Using JC-ShareExternally.js - Create a button - Using JC-ShareExternally.js - tab name : Output - Christian confirmed - ribbon name : under External link – Christian confirmed - NOTE : if we couldn't put under external link inform to TL - set the button name : “Share Externally” - give permission only for : “HR” group → this group name should be configurable – use ShareFolderConfig.js Christian confirmed - once click on the button call the RF_ShareExternally.js - After adds the document references into that folder for the documents to be shared.hr member should select the folder which is created using Share Folder kwf.and then hr members can click on button - Once click on the button in tab ,need to check - Selected folder is associated with the metadata form “Share Folder”. - Has a value of ‘No’ on the “Share Status” field. “End Date” field is empty - At least 1 reference document should be there. Christian confirmed - User created share folder should be inside of main parent folder, for now parent folder is ‘EXTERNAL FOLDER SHARE’ but parent folder should be configurable – use ShareFolderConfig.js - If the above criteria have been met, system prompts a window - If not, show an alerts Christian confirmed If reference count is less than 1 → Please ensure that at least one reference document is attached. Create the reference file before clicking the button. If 2.1.a,b,c false → Cannot execute share externally process for this folder. please select the valid folder If parent folder is wrong – This shared folder is not under <correct folder name> folder. Please select the correct folder. - Create the window ui, Share externally Email IDs * End Date * Share 10 %
-----------------------	--

Tool tip for email id field - “Please enter at least one email address, if you need to add more than one email id, please use semi-colon to separate the emails”

Tool tip for end date field - “Please select a date greater than today”

4. Once click on share button in popup,
 - 4.1. These validations should be done
 - a. End date should be greater than today. And this should be mandatory.
 - b. At least one email id should be entering
 - c. Multiple email address should be separate by semi colon.
 - 4.2. Until complete the process ui should be freeze but progress bar should update.
 - 4.3. If the 4.1. conditions
 - a. are ok, can execute the share process
 - b. If not, show an alert (ex: date should be greater than today . etc) . show a valid alert
5. Execute the share process
 - 5.1. Find all documents for which the references are placed within the selected folder.
 - 5.2. If reference files count is 0, show an alert and hold the process until create the reference files “Please create the reference files before start the share process.”
 - 5.3. Download all the documents in to temp folder. Once create the zip file, these files should delete
 - 5.4. Create a zip file
 - a. Zip file name : <selected folder name> **Christian confirmed but better if we can add date and time also. Because if they create 2 folders it will break**
 - b. **Zip file name:** <selected folder name> _<current date _ time>.zip
 - c. Use Basic Entry (**Christian to double-check with the customer**) but kwf name should be configurable – use ShareFolderConfig.js
 - 5.5. Upload the zip file into ELO under the selected folder.
 - a. Zip file should inherit the parent permission **Christian confirmed**
 - 5.6. Create an “External link” using elo in build function for the zip file with the end date set as indicated by the user (take the date from prompted window.)

NOTE:
The “External link” will automatically cease to work on the end date as this will be an ELO’s out of the box feature.
 - 5.7. Send an email to given email address. **check the use case 3.**
 - 5.8. If any error occurs during the send mail process. All the completed processes (ex: should delete zip folder) should be reverting and need to show the valid error message and update the feed
 - 5.9. Delete all the references created under the selected folder. Don’t delete main documents
 - 5.10. Update the “End Date” metadata value on the selected folder. Should take the end date value from prompted window.
 - 5.11. Update the “Share Status” field value to ‘Yes’.
 - 5.12. Create a log file with the given details. **check the use case 4.**


	5.13. Once complete the share process progress bar should update with the percentage and ui should unfreeze. 5.14. Better to show the whole process in the UI with a progress bar for each step (zip creation, link generation, etc.) followed by a success message inside of window ui 5.15. Show a completed message inside of window ui, “successfully completed the share process for <selected folder name> folder.”
Assumption	1. The “External link” will automatically cease to work on the end date as this will be an ELO’s out of the box feature. but developer and qa should test this
Validations	- Once click on the button in tab, need to check - Selected folder is associated with the metadata form “Share Folder”. - Has a value of ‘No’ on the “Share Status” field. “End Date” field is empty - At least 1 reference document should be there. Christian confirmed - User created share folder should be inside of main parent folder, for now parent folder is ‘EXTERNAL FOLDER SHARE’ but parent folder should be configurable – use ShareFolderConfig.js - Once click on share button in popup, - These validations should be done - End date should be greater than today. And this should be mandatory. - At least one email id should be entering - Multiple email address should be separate by semi colon. - Find all documents for which the references are placed within the selected folder. - If reference files count is 0 or not. “Couldn’t execute the share process. Because cannot find the reference files inside of <selected folder name>”
Feed	- Created the zip folder.sord id : <sord id> - Created external link with the duedate : <due date> - Successfully sent the emails to <email address> - If any error occurs during the send mail process, then update feed with proper error - Created the log file.

Reference	HR selects the folder and clicks a button “Share Externally”. ○ This button should be visible to only a specific HR group of users. ○ Button should only prompt a window if the selected folder: ▪ Is associated with the metadata form “Share Folder”. ▪ Has a value of ‘No’ on the “Share Status” field. ▪ “End Date” field is empty. If the above criteria have been met, system prompts a window where: ○ The user can enter the email IDs of the users to whom the file needs to be shared. ▪ User should be able to enter more than one email id with a delimiter of semi-colon separating each email id. ▪ (at least one email id should be entered) ○ End date for the share to stop. (mandatory) ○ User clicks “Share” button to initiate the process. • System will: ○ Find all documents for which the references are placed within the selected folder. ○ Download all the documents. ○ Create a zip file. ○ Upload the zip file into ELO under the folder created. ○ Create an “External link” for the zip file with the end date set as indicated by the user. ○ Send the “External link” created in an email to the email ids entered by the user. ○ Delete all the references created under the selected folder. ○ Update the “End Date” metadata value on the selected folder. ○ Update the “Share Status” field value to ‘Yes’. ○ Add a log file into a predefined config area, where the following information are captured: ▪ User who Shared ▪ Date Shared ▪ Email IDs (multiple) ▪ End Date ▪ Public Link ▪ Object ID NOTE: The “External link” will automatically cease to work on the end date as this will be an ELO’s out of the box feature.
-------------------------	---

Use Case 3: Send an email to given email address

New/Existing	Same RF_ShareExternally.js
Script/File Name	RF_ShareExternally.js (create a new function called sendmail())
Purpose	Send the email
Process	1. Use the given email template and subject.(Until received the proper details use temporary subject and mail template and email setup details should be under notify package 2. Template and subject should be configurable. Don't hardcode these details 3. Take the mail body from template and subject and send the mail 4. Need to check how can we send the mail using templates – currently checking
Assumption	ELO AU to provide email server details ELO AU to provide sample e-mail template
Validations	No need any validation
Feed	During the mail sending process if
Reference	

Use Case 4: Create a log file with the given details

New/Existing	Same RF_ShareExternally.js
Script/File Name	RF_ShareExternally.js. create a new function called “CreateLogFile()”
Purpose	Create the log file
Process	- Create a log file with these details - User who Shared - Date Shared - Email IDs (multiple) - End Date - Public Link - Object ID Public Link, and Object ID – should be for Zip File Christian confirmed - create the log file inside of the ELO - log file should be created under : ELO > Administration > Config > Log Folder > <Year> > <Month> log file ex : ELO > Administration > Config > Log Folder > 2026 > 04 > log file log file path should be configurable – use ShareFolderConfig.js Christian confirmed  - File name : Objectid_Shortname_date_time.log Christian confirmed Ex: 12345_SharedFolder_210426_1406.log - extension should be .log - kwf we need to use: Basic Entry Christian confirmed - for each and every button trigger: Christian confirmed - if the path is not in elo. Create it. - From dev side if we are creating a temp file to create this, all the templates should delete after uploading to the elo
Assumption	Before start this process ,log file path should be in elo
Validations	

Feed	Successfully created the log file.log folder for sord name and id :
Reference	6. Add a log file into the repository capturing: User who shared, Date shared, Email ID/IDs, End Date, Public Link, and Object ID. ○ Add a log file into a predefined config area, where the following information are captured: ▪ User who Shared ▪ Date Shared ▪ Email IDs (multiple) ▪ End Date ▪ Public Link ▪ Object ID

Use Case 5: Scheduled function to delete zip files which have past the end date

New/Existing	New
Script/File Name	New as script - DeleteZipSchedule.txt
Purpose	delete zip files and the created folder which have past the end date
Process	1. Create an automations service trigger – 1am everyday 2. Take all the sord which are filled with a. kwf = Share Folder b. Share Status = Yes c. End Date has passed compared to the current date ex : today date is 20-04-2026 end date is 19-04-2026 , then this a true scenario 3. If all these 3 conditions are met, delete the created folder along with its contents (including the ZIP file).
Assumption	Dev member should update as log file accordingly

Validations	Check 2. a,b,c
Feed	No need to update
Reference	1. An automated script or function should run daily to identify all folders created using the “Share Folder” metadata form. For each folder, the script/function should: ○ Check if the “Share Status” is set to Yes. ○ Verify if the “End Date” has passed compared to the current date. ○ If both conditions are met, delete the folder along with its contents (including the ZIP file). Scheduled function to delete zip files which have past the end date • An automated script / function should run daily and look to: ○ Find all folders associated with metadata form “Share Folder”. ▪ Check if the “Share Status” is set to ‘Yes’ ▪ Check if the “End Date” value has passed compared to today’s date ○ If the above criteria have been met, then delete the folder and its contents (zip file).