

RBAC


5-Minute Technical Demonstration

Diagram-centric presentation blueprint • Manager role as the primary post-Admin demonstration

VIDEO-READY

PPT AI COMPATIBLE

ENTERPRISE RBAC



Primary rule: use diagrams for explanation and reserve text for labels and narration cues.

Presentation map

A compact visual sequence for rapid screen recording.

- 01

Five-minute timeline

Time budget and persona switches
- 02

RBAC architecture

Identity → role → scope → permission → result
- 03

Manager spotlight

Role-specific UI and data scope
- 04

Exception workflow

Review → assign → resolve → audit
- 05

Approval sequence

Positive authorization + negative authorization
- 06

Permission matrix

Compact five-role comparison
- 07

Server-side proof

Why hidden UI controls are not the security boundary
- 08

Generic API template

Reusable instructional diagram
- 09

Generic database template


Entities, ownership, scope
- 10

Generic microservice template

Service boundaries and events

Five-minute walkthrough

Practical subdivisions of the source's five-section structure.




RECORDING PRIORITIES

- Pre-open every route and code file; never search during the recording.
- Show one successful Manager action and one Administrator-only denial.
- Explain Viewer, Editor, and Analyst through the permission matrix instead of opening their dashboards.

RBAC authorization architecture

Security is a chain of identity, role, permission, scope, and server-side decision.



Narration: Authentication establishes identity. Authorization evaluates role and scope against the requested action. The backend remains the security boundary.

- ONE FLOW
- ONE DECISION BRANCH
- MINIMAL TEXT

MANAGER

Persona

Operational oversight

The Manager coordinates team-scoped work and executes authorized workflow actions without receiving global administrative control.

CAN DO

- View team-scoped financial information
- Review records and exceptions
- Coordinate work where implemented
- Approve / reject authorized items
- Use permitted analytics and reports

CANNOT DO

- Manage users or roles
- Change global permissions
- Access another organization
- Modify protected audit history

ORGANIZATION A

Manager belongs here

FINANCE-01

Authorized scope

FINANCE-02

Out of scope

Permission +

Narration: Manager is not "Admin with fewer buttons." The role combines defined permissions with a defined data scope.

MANAGER UI

Dashboard

Reconcile

Exceptions

Forecast

Reports

VISIBLE / ACTIONABLE

- Team-level operational information
- Exception review and workflow actions
- Permitted analytics / reports
- Approval controls where authorized

NOT AVAILABLE

- User administration
- Role and permission configuration
- Global system settings

UI → API → DATA

CONTROL

Usability

API

Authenticated


403

If unauthorized

PPT AI: dark canvas • low-contrast borders • violet active controls • green allowed s

Exception resolution sequence

One realistic workflow demonstrates business authorization without overloading the viewer.



Narration: The Manager reviews a team-scoped exception, performs an authorized operational action, and the workflow produces an auditable state transition.




MANAGER

APPLICATION

AUTHZ

Approval / rejection proof

Show one successful decision, then one Administrator-only denial.



POSITIVE AUTHORIZATION

NEGATIVE AUTHORIZATION


AUDITABILITY

Capability	Admin	Manager	Editor	Analyst	
View authorized data	✓	✓	✓	✓	
Create/edit assigned records	✓	✓*	✓	—	
Team assignment	✓	✓	—	—	
Approve/reject workflow	✓	✓	—	—	
Advanced analysis	✓	✓	—	✓	
Reports / exports	✓	✓	✓*	✓	
User administration	✓	—	—	—	
Role / permission management	✓	—	—	—	
Global system settings	✓	—	—	—	

Key: The matrix answers “what can this role do?” Scope answers “which resources may that permission apply to?”

Server-side authorization


The strongest proof is an API decision that cannot be bypassed by the frontend.



Narration: Frontend visibility improves usability. The API authorization layer remains authoritative, so direct requests cannot bypass the role boundary.

API request flow

Reusable diagram format for instructional videos; replace labels with actual endpoints/services.




PPT AI STYLE

- One left-to-right pipeline; 1–2 words per node plus a short subtitle.
- Cyan/blue = infrastructure; violet = identity/authorization; green = success; red = failure.
- Reveal nodes sequentially from left to right for video narration.

Database relationship mapping

Explain entities, ownership, and scope without showing raw SQL.




PPT AI: keep relationships explicit; use accent colors by conceptual layer; avoid more than 6–8 entities on a primary slide.

Microservice communication

Use this pattern to explain service boundaries and synchronous/asynchronous paths.



Narration: explain the synchronous request path first, then reveal asynchronous events. The diagram communicates boundaries and ownership—not implementation details.



TYPOGRAPHY

Heading — 24–30 pt bold

Body — 10–13 pt regular

Labels — 8–10 pt semibold uppercase

ANIMATION

- Entrance: 150–250 ms fade/slide
- Flow: reveal left → right
- Interaction: subtle 1 px lift or glow
- Denied state: brief red emphasis; no flashing
- Respect reduced-motion settings in the actual application

LAYOUT

- 16:9 landscape; 48–60 px outer margins
- One dominant diagram per slide
- Maximum 5–8 primary nodes
- Text is a label/callout, not a paragraph

Five-minute recording checklist

Use immediately before recording.

- 01

LOGIN

Successful authentication and redirect ready.
- 02

ADMIN

Admin dashboard loaded; RBAC context can be stated quickly.
- 03

MANAGER

Manager dashboard ready with realistic authorized data.
- 04

SCOPE

One in-scope vs out-of-scope example ready.
- 05

WORKFLOW

One exception or approval action pre-positioned.
- 06

DENIAL

One Admin-only action ready for 403 proof, if safely demonstrable.
- 07

MATRIX

Permission matrix verified against the real implementation.
- 08

CODE

CLOSING LINE

“RBAC is implemented across identity, permissions, scope, and server-side enforcement—not merely through frontend visibility.”

Stop at 05:00; authorized action → forbidden action is the strongest proof.