


Question	Working	Answer	Mark	Notes	Sub-Total	Total
1	$\frac{23}{8} \times \frac{8}{5}$		M1	Need to see $\frac{23}{8} \times \frac{8}{5}$ and $\frac{23}{5}$ or $\frac{184}{40}$		2
		$4\frac{3}{5}$	A1	<b>NB</b> no marks for an answer without any working. Must be the mixed fraction in its simplest form		
2	$360 \div 12$ or $180(n - 2) = 168n$ oe		M1	$360 \div (180 - 168)$ <b>NB</b> $180(n - 2) = 168$ is M0		2
		30	A1			
3	$(1.7 \times 10^7) \div (1.5 \times 10^3)$		M1	for $1.1(3) \times 10^n$ <b>or</b> correct value to 2 or more significant figures. Eg 11333.33... 11000, 11300		2
		$1.1 \times 10^4$	A1	cao $1.1 \times 10^4$		
4	$-3 \times 7x^{-4} - 5x^4$		M1	for one correct term (allow $-3 \times 7x^{-4}$ )		2
		$-21x^{-4} - 5x^4$	A1	oe e.g. $-\frac{21}{x^4} - 5x^4$		
5	$\frac{12}{3 - \sqrt{5}} \times \frac{3 + \sqrt{5}}{3 + \sqrt{5}}$ or $12 = 3a + 3b\sqrt{5} - a\sqrt{5} - 5b$ and $3a - 5b = 12, 3b - a = 0$ oe		M1			2
	$\frac{36 + 12\sqrt{5}}{9 - 5}$ or $4b = 12$ or $4a = 36$	$9 + 3\sqrt{5}$	A1	Correct expansion/correct method for solving simultaneous equations <b>with</b> a correct answer and no errors. <b>NB</b> no marks for answer without any working.		

Question	Working	Answer	Mark	Notes	Sub-Total	Total
6	$\angle EFG = 63^\circ$		M1	May be marked on diagram		3
	$\angle GEF = 54^\circ$ or $\angle BEF$ or $\angle DEG = 126^\circ$		M1	Allow 180 – "their $\angle FEG$ " from correct work May be marked on diagram		
		126	A1			
7	e.g. $8x + 14y = -40$ $4x - y = 4$ $(-)\underline{8x - 2y = 8}$ $(-)\underline{4x + 7y = -20}$ $16y = -48$ $-8y = 24$ <b>or</b> $y = 4x - 4$ and $2x + 3.5(4x - 4) = -10$		M1	First stage of method to eliminate one variable – allow one error only in multiplication or one sign error eg $4x = 4 - y$ – with intention to add or subtract as appropriate or correct substitution.		3
	e.g. $4x - -3 = 4$		M1	Dep on first M1 method to find second variable or starting again.		
		$x = 0.25$ $y = -3$	A1	for both 0.25 oe and $-3$ dep on first M1		
8	$0.6^3 \times 0.4 (= \frac{54}{625} (0.0864))$		M1			3
	$0.6^3 \times 0.4 \times 4$		M1	Dep on 1 <sup>st</sup> M1		
		0.3456	A1	$\frac{216}{625}$ or 0.346 or 0.345 <b>NB</b> if working shown can allow 0.35		
9	$3 - 2x = 5(2x - 3)$ or $3 - 2x = 10x - 15$		M1	or $\frac{3}{5} - \frac{2}{5}x = 2x - 3$ oe		3
	$3 + 15 = 10x + 2x$ or $-2x - 10x = -15 - 3$ oe e.g. $18 = 12x$ or $2.4x = 3.6$ , etc		M1	dep on first M1 for isolating $x$ terms and numerical terms		
		1.5	A1	oe dep on at least one M1		

Question	Working	Answer	Mark	Notes	Sub-Total	Total
10	19.45 or 19.35 or 2.35 or 2.45		B1			3
	$(b =) 19.45 - 2 \times 2.35$		M1	Or for $UB_1 - 2 \times LB_2$ or $UB_1 = 2 \times LB_2 + b$ where $19.4 < UB_1 \leq 19.5$ & $2.3 \leq LB_2 < 2.4$		
		14.75	A1			
11	$3(x^3 + a) = 4(c - x^3)$ oe		M1			3
	$3x^3 + 4x^3 = 4c - 3a$ or $3a - 4c = -4x^3 - 3x^3$		M1	Collecting $x$ terms on one side and other terms on the opposite side		
		$\sqrt[3]{\frac{4c - 3a}{7}}$	A1	oe. Do not ISW <b>NB</b> A0 for $\pm \sqrt[3]{\frac{4c - 3a}{7}}$ $3\sqrt[3]{\frac{4c - 3a}{7}}$		
12	$5^{3k+4} = 125$		M1	Allow $\frac{750}{6}$		3
	$3k + 4 = 3$		M1	Dep first M1 Writing “125” as a power of 5 and equating powers, 0.33(0.33...)		
		$-\frac{1}{3}$	A1	cao		
13	$\left[\frac{BE^2}{9.6^2} = \right] \left(\frac{9}{16}\right) \text{ or } \left(\frac{27}{21+27}\right)$ oe		M1	For $\frac{9}{16}$ or $\frac{27}{21+27}$ <b>Alternate</b> $h = 10$ , $0.5BE \times x = 27$		3
	$[BE =] \sqrt{\frac{9}{16}} \times 9.6$		M1	<b>Alternate</b> $(9.6 + BE)(10 - x) = 42$		
		7.2	A1			

Question	Working	Answer	Mark	Notes	Sub-Total	Total
14 (a)(i) (ii) (iii)	$y = 2$		B1	correct line	1	
	$x + y = 5$		B1	correct line (condone incorrect labelling)	1	
	$y = 2x + 1$		B1	correct line	1	
(b)		<b>R</b> correctly placed	B1	Do not award if lines incorrect Ignore labelling of lines	1	4
15	$\frac{1}{5} \times \left( \frac{120}{5} \times 3 \right) (= 14.4(0))$		M1	or (Barry:) $\frac{3}{5} \times \frac{1}{5} (= \frac{3}{25})$		
	$0.35 \times \left( \frac{120}{5} \times 2 \right) (= 16.8(0))$		M1	or (Carlos:) $\frac{35}{100} \times \frac{2}{5} (= \frac{14}{100} = \frac{7}{50})$		
	$\frac{'14.4' + '16.8'}{120} = \frac{'31.2'}{120}$		M1	Dep on M2 or for $'\frac{3}{25}' + '\frac{7}{50}'$		
		$\frac{13}{50}$ or 0.26	A1			

Question	Working	Answer	Mark	Notes	Sub-Total	Total
16 (a)		$6w^5y^8$	B2	B1 for 2 terms correct as part of a product. Do not ISW	2	4
(b)		$3a^2c$	B2	B1 for 2 terms correct as part of a product, allow $3a^2c^1$ . Do not ISW	2	
17	$OBA = 52^\circ$		M1	may be marked on diagram		
	$AOB = 76^\circ$ or $BAC = 128^\circ$		M1	may be marked on diagram must be identified as correct angles		
		14	A1			
	e.g. angle between <b>tangent</b> and <b>radius</b> = <b><math>90^\circ</math></b> base angles/radii equal / isosceles triangle <b>Angle sum</b> of <b>triangle</b> Angle sum of <b>triangle</b> = <b>180</b> <b>Angle sum</b> of <b>straight line</b> Angle sum of <b>straight line</b> = <b>180</b>		B1	for 2 correct reasons for method used		
18 (a)	$\begin{pmatrix} -4 \\ 2 \end{pmatrix} + \begin{pmatrix} -2 \\ 6 \end{pmatrix}$ or $\begin{pmatrix} -2 \\ 6 \end{pmatrix} - \begin{pmatrix} 4 \\ -2 \end{pmatrix}$	$\begin{pmatrix} -6 \\ 8 \end{pmatrix}$	M1  A1	oe	2	4
(b)	$\sqrt{(-6)^2 + 8^2}$		M1ft	ft part(a). Condone missing minus.	2	
		10	A1ft	ft part (a)		

Question	Working	Answer	Mark	Notes	Sub-Total	Total
19	$(3x+2) \times \frac{5}{3x^2-7x-6} \left[ -\frac{5}{x+3} \right]$		M1	For $\times$ by reciprocal condone missing bracket round $3x+2$		4
	$(3x+2) \times \frac{5}{(3x+2)(x-3)} \left[ -\frac{5}{x+3} \right]$		M1	Factorising correctly		
	$\frac{5(x+3)-5(x-3)}{(x-3)(x+3)}$		M1	Correct method for combining into a single fraction		
	$\frac{5x+15-5x+15}{(x+3)(x-3)}$					
		$\frac{30}{x^2-9}$	A1	or $\frac{30}{(x+3)(x-3)}$		
20	$\overrightarrow{AP} = -\mathbf{a} + \frac{5}{6}(\mathbf{a} + 3\mathbf{b}) [= -\frac{1}{6}\mathbf{a} + \frac{5}{2}\mathbf{b}]$		M1	For correct vector for $\overrightarrow{AP}$		4
	$\overrightarrow{AD} = -\mathbf{a} + n\mathbf{b}$ or $-\mathbf{a} + (5+n)\mathbf{b}$		M1	indep allow $\overrightarrow{OD} = \mathbf{a} + n\overrightarrow{AP}$		
	$\overrightarrow{AD} = 6(-\frac{1}{6}\mathbf{a} + \frac{5}{2}\mathbf{b}) [= -\mathbf{a} + 15\mathbf{b}]$		M1	or $AD = 6AP$ or $1 - \frac{1}{6}n = 0$ and $\overrightarrow{OD} = 15\mathbf{b}$		
	$OB : OD = 5 : 15$	1 : 3	A1	Seeing 5 : 15 or $5\mathbf{b} : 15\mathbf{b}$ equals 1 : 3 from correct working		