10 O, A and B are fixed points such that

$$\overrightarrow{OA} = (b+1)\mathbf{i} + b\mathbf{j}$$

$$A\hat{B} = 3i$$

 $\overrightarrow{AB} = 3\mathbf{i}$ The unit vector parallel to  $\overrightarrow{OB}$  is  $\frac{\sqrt{17}}{34} [(3a+2)\mathbf{i} + b\mathbf{j}]$ 

Given that a and b are constants where a > 0 and b > 0

find the exact value of

- (i) a
- (ii) b

1	1	Λ	١
l	Ш	U	IJ

<b>&gt;&gt;&gt; 1</b>	
	Question 10 continued
	Question to continued
<b>A</b>	
<b>成</b>	
S	
華	
DO NOT WRITE IN THIS AREA	
9	
ō	
₫	
<u> </u>	
<u> </u>	
涯	
農	
NOT WRITE IN THIS AREA	
2	
0	
4	
ж Ш	
S. S	
茎	
DO NOT WRITE IN THIS AREA	
<u>o</u>	
<b>***</b>	



DO NOT WRITE IN THIS AREA

Question 10 continued

Question 10 continued						
(Total for Overtion 10 is 10 marks)						
(Total for Question 10 is 10 marks)	-					

