


Mark Scheme (Results)
Summer 2023

Pearson Edexcel International GCSE In Physics (4PH1) Paper 1PR

Question number	Answer		Notes	Marks
1 (a)	3 correct ticks;;; 2 correct ticks;; 1 correct tick;			3
	Statement	Correct	-1 for each additional tick if more than three ticks shown	
	all electromagnetic waves are longitudinal			
	all electromagnetic waves travel at the same speed in free space	√		
	radio waves have the longest wavelength in the electromagnetic spectrum	✓		
	x-rays have the highest frequency in the electromagnetic spectrum			
	all electromagnetic waves transfer energy	✓		
	all electromagnetic waves can cause cancer			
(b) (i)	microwaves: one valid use; • communication /eq • heating food /eq		allow other valid uses e.g. radar, locating rain clouds etc.	
	one valid harmful effect; • internal heating (of body tissue) / eq		reject "cancer" apply "list principle"	
(ii)	gamma rays: one valid use; • sterilising {food / medical equipment} • kill microbes or bacteria; • treating cancer / radiotherapy; • medical tracing	}	allow other valid uses e.g. gamma photography, identifying cancer etc.	2
	one valid harmful effect;ionisation / mutation of cells /eqrisk of cancer		condone damages or kills cells or tissues	

Total for Question 1 = 7 marks

Question number	Answer	Notes	Marks
3 (a) (i)	GPE = mass \times $g \times$ height;	allow standard symbols and rearrangements e.g. h = GPE / m×g ignore 'gravity' for g	1
(ii)	substitution; rearrangement; evaluation;	in either order -1 for POT error due to not converting g to kg but not if due to physics error such as missing g	3
	e.g. $3.2 = 0.40 \times 10 \times h$	accept use of $g = 9.8(1)$ accept 1sf answer i.e. 0.8 (m)	
	h = 3.2 / 0.40 × 10 (h =) 0.80 (m)	0.815 or 0.816 or 0.82 if g used is 9.8(1) and then rounded	
(iii)	3.2 (J);	this answer only	1
(b)	downward arrow labelled "weight"/"W"/"mg";	ignore starting position of arrow ignore 'gravity/g/gravitational field strength' allow 'gravitational force' reject if both gravity force and weight force shown	2
	vertically downward arrow drawn equal in length to lifting force arrow;	mark independently by eye reject any other labelled arrows for second mark	
(c) (i)	recall of efficiency formula; substitution; evaluation; e.g. efficiency = useful energy output total energy output efficiency = 3.2 / 11.0 (×100%) efficiency = 0.29 or 29%	may be implied from substitution allow 0.29, 0.2909, 29%, 29.09%	3
		29 without % is PoT 2 marks	
(ii)	idea that energy must be conserved; demonstration that 7.8 + 3.2 = 11(.0);	comparison in words e.g total = useful + wasted /eq allow 11(.0) - 3.2 = 7.8	2



Total for question 3 = 15 marks